
XEROX® ALTALINK® MULTIFUNCTION PRINTER

The fleet-ready, black-and-white workflow accelerator.

B8045/B8055/B8065/B8075/B8090







Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090 Multifunction Printer

Introducing our latest black-and-white smart multifunction printer intelligent enough to change the way you work.

Offering a next generation, mobile-ready user experience, the AltaLink B8000 Series is built for ease of use, security and the future-proof flexibility of app-based workflows.

Transform your fleet—and then your business.

SMART AND PRODUCTIVE

You've never seen a multifunction printer like this before. From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink B8000 Series is the multifunction device today's workers have been waiting for.

Optimized for business processes, and easy to manage as a standalone device or as part of an entire fleet, it's designed to enable multitasking and collaboration. Create personalized workflows, automate complex tasks, print and scan directly to and from the cloud with services such as Box®, Microsoft® OneDrive®, Google Drive™, Dropbox™, Microsoft Office 365™ and email. Connect any time, from anywhere on any device.

With the touch of a button, you can go to our Xerox App Gallery and download these simple, yet powerful, serverless apps to your AltaLink multifunction printer to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Near Field Communication (NFC) Tap-to-Pair, optional Wi-Fi Direct®, @PrintByXerox, Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™ and Mopria®, provides the time-saving convenience your workforce wants and needs.

POWERFUL AND SCALABLE

Your workgroups operate more efficiently and effectively with AltaLink. Manage, monitor and upgrade your entire fleet, or provide interactive training and support right from your desktop with our remote user interface.

Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods—and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

BUILT-IN SECURITY

The AltaLink B8000 Series Multifunction Printer provides the maximum level of security through our strategic approach to comprehensive security that prevents intrusions and keeps documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the fleet and individual device level.

Multiple layers of security include data encryption, disk overwrite and industry certifications. At the user level, Secure Print holds documents for release until they're ready to be retrieved at the device.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.



CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder scans documents at up to 200 images per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/75 gsm media.
- **3 Bypass Tray** handles up to 100 sheets of 80 lb Cover/216 gsm.
- **4 Two 500-sheet universal trays** are adjustable up to 11 x 17 in./A3.
- **5 Envelope Kit** (optional—replaces Tray 2) provides trouble-free feeding of up to 50 envelopes.
- **6 High-Capacity Tandem Tray** holds a total of 3,600 sheets of letter/A4-size paper.
- 7 High-Capacity Feeder (optional) holds 3,300 sheets of paper. This brings the maximum capacity up to 8,000 sheets.
- 8 Offset Catch Tray (OCT) (optional; included with all finishers) holds 400 sheets.
- 9 Office Finisher (optional with AltaLink® B8045/ B8055/B8065/B8075) provides 50-sheet multiposition stapling with an optional hole punch.
- 10 Office Finisher with Booklet Maker (optional with AltaLink B8045/B8055/B8065/B8075) provides all the finishing of the Office Finisher the capability to create 60-page saddle-stitched booklets (2 to 15 sheets).



- 12 Post Process Inserter (optional with HVF and with HVF with Booklet Maker) inserts up to 250 sheets of cover stock or other media (16 lb to 57 lb Bond/80 lb Cover/60 to 216 gsm).
- 13 High Volume Finisher with Booklet Maker (optional with AltaLink B8065/B8075/B8090) provides all the finishing of the High Volume Finisher with additional saddle-stitch booklet making capabilities (2 to 15 sheets / 60 pages).
- 14 Z-Fold/C-Fold Unit (optional with HVF with Booklet Maker) adds letter-size Z-folding and C-folding (50 sheets or unlimited capacity with tray stop in the down position).
- 15 Keyboard (optional)
- 16 Xerox® Integrated RFID Card Reader E1.0 (optional) adds card based authentication with support for over 90 access cards.
- 17 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to an AltaLink B8000 and the MFP will be added to their device list and instantly allow printing.





INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen—the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink® B8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.









Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090 Multifunction Printer



DEVICE SPECIFICATIONS	AltaLink B8045	AltaLink B8055	AltaLink B8065	AltaLink B8075	AltaLink B8090		
Speed	Up to 45 ppm	Up to 55 ppm	Up to 65 ppm	Up to 75 ppm	Up to 90 ppm		
Monthly Duty Cycle*	Up to 175,000 pages	Up to 200,000 pages	Up to 250,000 pages	Up to 300,000 pages	Up to 400,000 pages		
Hard Drive/Processor/Memory	Minimum 250 GB HDD/1.8 G	Hz Quad Core/4 GB system mer	nory				
Connectivity	10/100/1000Base-T Ethernet	, High-Speed USB 2.0 direct pri	nt, Wi-Fi Direct® with optional X	erox® USB Wireless Adapter, NF	C Tap-to-Pair		
Copy and Print	Copy Resolution: Up to 600	x 600 dpi; Print Resolution : Up	o to 1200 x 1200, 256 shades of	gray			
First-copy-out Time	As fast as 3.8 seconds from the platen/ 7.4 seconds from the Duplex Automatic Document Feeder (DADF) As fast as 3.3 seconds from the platen/7.2 seconds from the platen/6.9 seconds from the DADF As fast as 2.9 seconds from the platen/6.9 seconds from the platen/8.7 seconds from the DADF						
First-print-out Time	As fast as 3.9 seconds		As fast as 4.9 seconds				
Warm-up from Power Off	A 6 1 420						
(Boot Time)	As fast as 120 seconds	. DDF 1.7 DCI ® F . /DCI »	C O . I' I VA 41 D C C C C C C C C	L' (VDC)			
Page Description Languages			6, Optional XML Paper Specifica		7. /		
Paper Input Standard	Single-Pass Duplex Automatic Document Feeder: 200 sheets; Speed: up to 200 ipm (duplex); Sizes: 4.9 x 5 in. to 11.7 x 17 in./ 125 x 138 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in./A6 to A3 Trays 1 and 2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in./A5 to A3 High-Capacity Tandem Tray Module: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in./A4						
Optional	HCF Kits (HCF required) (only	High-Capacity Feeder (HCF): 3,300 sheets; Size 8.5 x 11 in./A4 long edge feed HCF Kits (HCF required) (only available for B8065/B8075/B8090): 1,250-sheet 11 x 17 in. Short Edge Kit or 1,250-sheet Letter/Legal Short Edge Kit Envelope Tray (Replaces Tray 2): Up to 50 envelopes: #10 Commercial, Monarch, DL, C5					
Paper Output/ Optional Finishing	Offset Catch Tray (Required when finishers are not attached—not available with B8090): 400 sheets Office Finisher (Not available with B8090): 2,000 + 250-sheet trays, 50-sheet multi-position stapling, optional hole punch Office Finisher with Booklet Maker (Not available with B8090): 2,000 + 250-sheet trays, 50-sheet multi-position stapling, saddle-stitch booklet maker (2 to 15 sheets (60 pages)), optional hole punch High Volume Finisher (HVF) (Optional with B8065/B8075; HVF or HVF with Booklet Maker is required for B8090): 3,000 + 250-sheet trays, 100-sheet multi-position stapling, optional hole punch High Volume Finisher with Booklet Maker (Optional with B8065/B8075/B8090): 3,000 + 250-sheet trays, 100-sheet multi-position stapling, saddle-stitch booklet making (2 to 15 sheets (60 pages)), optional hole punch Z-Fold/C-Fold Unit (Optional with HVF with Booklet Maker): Adds letter-size Z-folding Post-Process Inserter (Optional with HVF and with HVF with Booklet Maker): Adds preprinted inserts Convenience Stapler: 50-sheet stapling (based on 20 lb Bond/75 gsm), includes Work Surface						
INTUITIVE USER EXPER	-	1 3.					
Customize and Personalize	Site. Function or Workflow Cu	stomization with Xerox App Ga	llery and Xerox® App Studio				
Print Drivers			ox® Global Print Driver®, Xerox® N	Mobile Express Driver®			
Xerox® Embedded Web Server		ation, Settings, Device Manage		, , , , , , , , , , , , , , , , , , ,			
Remote Console/Preview	Remote User Interface	. 3. 3					
Print Features			re and Recall Driver Settings, Sc	aling, Job Monitoring, Applicati	on Defaults,		
Scan and Fax	Multi-page PDF/XPS/TIFF, Pa		DF, PDF/A, XPS, JPG, TIFF; Conv tures: Walk-up Fax (one-line or tl Character Recognition (OCR)				
MOBILE AND CLOUD RE	A D Y						
Mobile Connectivity	Apple® AirPrint®, Google Clou	ıd Print™ Ready, Xerox® Print Sei	rvice Plug-in for Android™, Mopr	iα® Print Service Plug-in for And	roid, NFC, Wi-Fi Direct Printing		
Mobile Printing	@PrintByXerox, Xerox® Mobile	e Print, Xerox® Mobile Print Clou	ıd, Xerox® Mobile Link App; Visit	www.xerox.com/officemobile	eapps for available apps.		
Cloud Connectivity	Print from/Scan to Google Dr	ive™, Microsoft® OneDrive®, Dro	pBox™, Microsoft Office 365™, E	Box®, Xerox® DocuShare® and m	iore.		
BENCHMARK SECURITY							
Network Security		/pted Email, Network Authentic cate, Cisco® Identity Services Er	cation, SNMPv3, SHA-256 Hash Ingine (ISE) integration	Message Authentication, SSL, T	LS, Security Certificates,		
Device Access		ccess and Internal Firewall, Port tegrated RFID Card Reader E1.0	:/IP/Domain Filtering, Audit Log 0	, Access Controls, User Permissio	ons, Smart Card Enablement		
Data Protection	Encrypted Hard Disk (AES 256 Job Level Encryption via HTTI		d Image Overwrite, McAfee® eP	olicy Orchestrator®, McAfee Int	egrity Control, Whitelisting,		
Document Security	Common Criteria Certification	n (ISO 15408), Encrypted Secur	e Print, FIPS Encrypted Print Dri	vers			
ENABLES NEXT GENERA	TION SERVICES						
Print Management	Xerox® Print Management an	d Mobility Suite, Configuration	Cloning, Xerox® Standard Accou	unting, Equitrac, Y Soft, PaperCu	ut and more partner solutions		
Managing Print	Xerox® Device Manager, Xero	x® Support Assistance, Auto Me	eter Read, Managed Print Servic	es Tools			
Sustainability	-	· ID on Margins, Earth Smart Pri	-				
GATEWAY TO NEW POSS							
Cloud Services		® Healthcare MFP (U.S. only), m	any additional services availabl	e			
Xerox App Gallery	-	-	m/appgallery for a growing sel		ding functions to the MFP.		
* Maximum volume capacity expected							

 $^{^*\,\}text{Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.}$

For more detailed specifications, including the latest certifications,






XEROX® ALTALINK® COLOR MULTIFUNCTION PRINTER

Smart, Secure and Connected

C8030/C8035/C8045/C8055/C8070







Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

Xerox® AltaLink devices provide new levels of capability and connectivity for mid-size, large workgroups and busy offices. With AltaLink, your extended workforce has instant and secure access to the documents, data and workflows it needs to work faster and more efficiently—from every location and with any device.

SMART AND PRODUCTIVE

You've never seen a multifunction printer like this before. From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink C8000 Series is the color multifunction device today's workers have been waiting for.

Optimized for business processes, and easy to manage as a standalone device or as part of an entire fleet, it's designed to enable multitasking and collaboration. Create customized workflows, automate complex tasks, print and scan directly to and from the cloud with services like Box®, Microsoft® OneDrive®, Google Drive™, Dropbox™ and Microsoft Office 365™. Connect any time, from anywhere and any device.

With the touch of a button, you can go to our Xerox App Gallery and download simple, yet powerful, serverless apps to your AltaLink color multifunction printer to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Near Field Communication (NFC) Tap-to-Pair, optional Wi-Fi Direct®, @PrintByXerox, Google Cloud Print™, Xerox® Print Service Plug-in for Android™ and Mopria® provides the time-saving convenience your workforce wants and needs.

POWERFUL AND SCALABLE

Your workgroups operate more efficiently and effectively with AltaLink. Manage, monitor and upgrade your entire fleet with our Embedded Web Server, or provide interactive training and support right from your desktop with our remote user interface.

Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods—and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

BUILT-IN SECURITY

The AltaLink C8000 Series Color Multifunction Printer provides the maximum level of security through our strategic approach to comprehensive security that prevents intrusions and keeps documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the fleet and individual device level.

Multiple layers of security include data encryption, disk overwrite and industry certifications. At the user level, Secure Print holds documents for release until they're ready to be retrieved at the device.

COLOR WHERE IT COUNTS

With high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact. You can also upgrade your AltaLink C8000 Series with the Xerox® EX-c C8000 Print Server Powered by Fiery®, enabling office users to quickly, efficiently and cost effectively print professional-looking documents.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.





- 1 Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/80 gsm media.
- 3 Bypass Tray handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- 4 Two 520-sheet adjustable trays (standard with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- **5 Envelope Kit** (optional—replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- 6 High-Capacity Tandem Tray Module (optional) brings the total paper capacity up to 3,140 sheets.
- **7 Four Tray Module** (optional with C8030/C8035) holds a total of 2,180 sheets.
- 8 High-Capacity Feeder (optional) holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.
- **9 Business Ready (BR) Finisher** (optional) gives you advanced finishing functions at a great value.

- 10 BR Booklet Maker Finisher (optional) provides advanced finishing the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).
- 11 C-Fold/Z-Fold Unit (optional) adds three folds: C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.
- **12 Offset Catch Tray (OCT)** (standard on all configurations and included with all finishers).
- 13 Integrated Office Finisher (optional with C8030/C8035) provides 500-sheet stacking and 50-sheet, single-position stapling.
- 14 Office Finisher LX (optional with C8030/C8035/ C8045/C8055) gives you advanced finishing functions at a great value, and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 15 Xerox® Integrated RFID Card Reader E1.0 (optional) adds card based authentication with support for over 90 access cards.
- 16 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the AltaLink C8000 user panel and instantly connect with the MFP.





INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen—the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink® C8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.





Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer



DEVICE SPECIFICATIONS	AltaLink C8030	AltaLink C8035	AltaLink C8045	AltaLink C8055	AltaLink C8070			
Speed (Color/Black-and-white)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 50/55 ppm	Up to 70/70 ppm			
Monthly Duty Cycle*	Up to 90,000 pages	Up to 90,000 pages						
Hard Drive/Processor/Memory	Minimum 250 GB HDD/Intel®	Atom™ Quad Core 1.91 GHz/2	MB Cache/8 GB system memo	ry				
Connectivity	10/100/1000Base-T Ethernet	, High-Speed USB 2.0 direct prii	nt, Wi-Fi Direct® with optional >	Kerox® USB Wireless Adapter, N	FC Tap-to-Pair			
Optional Controller	Xerox® EX-c C8000 Print Serv	er Powered by Fiery®						
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; P i	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 2400 dpi						
First-copy-out Time (as fast as) (from platen/warmed-up state)	8.1 seconds color/6.7 seconds		7.8 seconds color/6.4 seconds black-and-white	7.2 seconds color/5.7 seconds black-and-white	5.2 seconds color/4.9 seconds black-and-white			
First-print-out Time (as fast as)	6.5 seconds color/5.3 seconds black-and-white	.5 seconds color/5.3 6.4 seconds color/5.2 6.5 seconds color/5.3 6.0 seconds color/4.7 4.7 seconds co						
Page Description Languages		e PDF version 1.7, PCL® 5c/PCL (ation (XPS)				
Paper Input Standard	Bypass Tray: 100 sheets; Cus Tray 1: 520 sheets; Custom s Tray 2: 520 sheets; Custom s	Single-Pass Duplex Automatic Document Feeder: 130 sheets; Speed: up to 139 ipm (duplex); Sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 n Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF) Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)						
Choose One	140 x 182 mm to SRA3 (SEF)			s each; Custom sizes: 5.5 x 7.2 to 133-sheet paper tray; Sizes: 8.5				
Optional	High-Capacity Feeder (HCF); 2,000 sheets; Size 8.5 x 11 in. y 1): Up to 60 envelopes: #10 C	./A4 long edge feed					
Paper Output/ Standard	Dual Offset Catch Tray (sta	ndard when finishers are not at	tached): 250 sheets each; Face	up Tray: 100 sheets				
Finishing Optional	Integrated Office Finisher (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX (Available with C8030/C8035/C8045/C8055): 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling (based on 80 gsm), includes Work Surface							
INTUITIVE USER EXPI	ERIENCE							
Customize and Personalize	Site, Function or Workflow Cu	stomization with Xerox App Gal	llery and Xerox® App Studio					
Print Drivers		nal Status, Job Monitoring, Xero		Mobile Express Driver®				
Xerox® Embedded Web Server	PC or mobile—Status Inform	ation, Settings, Device Manage	ment, Cloning					
Remote Console/Preview	Remote User Interface							
Print Features	Print from USB, Sample Set, S Two-sided Printing, Draft Moo		re and Recall Driver Settings, So	caling, Job Monitoring, Applicat	ion Defaults,			
Scan and Fax	Multi-page PDF/XPS/TIFF, Pa		tures: Walk-up Fax (one-line or t	enience Features: Scan to Hom hree-line options available, incl				
MOBILE AND CLOUD R		, , , , , , , , , , , , , , , , , , , ,						
Mobile Connectivity	Apple® AirPrint®, Google Clou	d Print™ Reαdy, Xerox® Print Ser	rvice Plug-in for Android™, Mop	riα® Print Service Plug-in for And	droid, NFC, Wi-Fi Direct Printing			
Mobile Printing		•		www.xerox.com/officemobil				
Cloud Connectivity	1			Box®, Xerox® DocuShare® and r				
BENCHMARK SECURIT			, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,				
Network Security	IPsec, HTTPS, SFTP and Encry	rpted Email, Network Authentic cate, Cisco® Identity Services En		Message Authentication, SSL, 1	LS, Security Certificates,			
Device Access	Firmware Verification, User A	· · · · · · · · · · · · · · · · · · ·	/IP/Domain Filtering, Audit Log	, Access Controls, User Permissi	ons, Smart Card Enablement			
Data Protection		5-bit, FIPS 140-2, Validated) and		Policy Orchestrator®, McAfee In	tegrity Control, Whitelisting,			
Document Security		n (ISO 15408), Encrypted Secur	e Print, FIPS Encrypted Print Dr	ivers				
ENABLES NEXT GENER	ATION SERVICES							
Print Management	Xerox® Print Management and	d Mobility Suite, Configuration C	loning, Xerox® Standard Accour	iting, Equitrac, Y Soft, PaperCut	and more partner solutions			
Managing Print	-	x® Support Assistance, Auto Me	-					
Sustainability	-	ID on Margins, Earth Smart Pri	-					
GATEWAY TO NEW PO			-					
Cloud Services		B Healthcare MFP (U.S. only), m	any additional services availab	le				
Xerox App Gallery	•	· · · · · · · · · · · · · · · · · · ·		election of apps available for ad	ding functions to the MFP.			
* Maximum volume capacity expecte					-			

 $^{^*\,\}text{Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.}$

For more detailed specifications, including the latest certifications,





XEROX® VERSALINK® PRINTER AND MULTIFUNCTION PRINTER

Redefining office productivity.

B400/B405







Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink B400 Printer and VersaLink B405 Multifunction Printer take your team to new levels of productivity becoming true workplace assistants. Work the way you want—from any device—with maximum security and easy connectivity to and from both cloud and network-based locations

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

EASY, OPTIMIZED PRODUCTIVITY.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink B405 Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to qo—hassle free.

And count on day in, day out reliability thanks to our trusted paper path technology.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

Print with total peace of mind knowing that VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

AN ENTIRELY NEW WAY TO WORK.

With the customizable 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the optional Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customized 1-Touch Apps¹ to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts, and commonly used apps on a personalized home screen.

UPWARD MOBILITY FOR EVERY WORK STYLE.

The VersaLink B400 Printer and VersaLink B405 Multifunction Printer give you the freedom to work where and how you want—with direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria® plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

¹ VersaLink B405 only

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.



CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS:

- 1 A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.2
- **3** An easily accessible **USB port**² allows users to quickly print from or scan to 3 any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- **5 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.

- 6 With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.
- ² USB ports can be disabled ³ VersaLink B405 only.



Xerox® VersaLink® B405 Multifunction Printer Print. Copy. Scan. Fax. Email.



Xerox® VersaLink® B400 Printer

Print.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet our tiltable, 5-inch capacitive color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B400 Printer or VersaLink B405 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B400/B405



The VersaLink B400 Printer and B405 Multifunction Printer are built on

Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com.

DEVICE SPECIFICATIONS	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
Speed	Up to 47 ppm letter/Up to 45 ppm.	44	
Duty Cycle ¹	Up to 110,000 pages/month ¹		
Processor/Memory	1.05 GHz Dual Core/2 GB		
Connectivity		-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with op	otional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B405), Confi	guration Cloning, Scan Preview (B405), Xerox Extensibl ied from the user interface and print driver)	e Interface Platform®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Bypass Tray: Up to 150 sheets; Cu	stom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x	356 mm
		izes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x	
Optional	_ ·	ets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x	
Total Capacity (std./max.)	700 sheets/2,350 sheets		
Paper Output	250 sheets		
Automatic Two-sided Output	N/A	Standard	
Print and Copy		Staridard	Print: Up to 1200 x 1200 dpi (enhanced)
Resolution	Print: Up to 1200 x 1200 dpi (enha	nced)	Copy: Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
Page Description Languages	PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/	HP-GL/Adobe® PostScript® 3™	
INTUITIVE USER EXPI	ERIENCE	·	
Customize and Personalize		Home Screen by User, Multiple Home Screens with Sim	ple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Sta	atus, Job Monitoring, Xerox® Global Print Driver® and N	1obile Express Driver®
Xerox® Embedded Web Server		Responsive Design, Settings, Device Management, Clo	·
Preview	NA		Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features			iver Settings, Job Identification, Booklet Creation, Store and Recall ults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan and Fax ²	NA		Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenienc Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF Fax Features: Walk-up Fax includes LAN Fax, Direc Fax, Fax Forward to Email), Unified Address Book, Optical Character Recognition (OCR)
MOBILE AND CLOUD R	EADY		
Mobile Printing	Apple® AirPrint®5, Google Cloud Pri	nt™ Ready, Xerox® Print Service and Mopria® Print Servi	ice Plug-ins for Android™, @PrintByXerox
Mobility Options		nt Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox	
Cloud Connectors ³		Microsoft® OneDrive®, Dropbox™, Microsoft Office 365	®, Box®, Xerox® DocuShare® Platform4 and more
BENCHMARK SECURIT			
Network Security		work Authentication, SNMPv3, SSL/TLS, Security Certif	ficates, Pre-installed Self-signed Certificates, Cisco® Identity
Device Access		ınd internal firewall, Port/IP/Domain Filtering, Audit Lo Card Reader Bay	g, Access Controls, User Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level E	ncryption via HTTPS/IPPS submission, Encrypted hard 15408) (undergoing evaluation), Encrypted Apps with	
Document Security		cure Email (B405), Password Protected PDF (B405)	
ENABLES NEXT GENER			
Print Management		pility Suite ⁴ , Configuration Cloning, Xerox [®] Standard Ac	counting, Equitrac ⁴ , Y Soft ⁴ and more
Managing Print	3	oport Assistance, Auto Meter Read, Managed Print Serv	
Sustainability	Cisco EnergyWise®, Earth Smart Pri		
GATEWAY TO NEW POS		g,c osci is on margins	
Cloud Services		ox® Healthcare MFP (B405 – U.S. only)4, CapturePoint®	(B405)4 many additional services available
Xerox App Gallery			selection of Xerox® apps available for adding functions to the
Maximum volume capacity expec		oe sustained on a regular basis; ² Requires analog phone lin	e; ³ Free optional download from Xerox App Gallery to the Printer—

Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 2 Requires analog phone line; 3 Free optional download from Xerox App Gallery to the Printer www.xerox.com/xeroxappgallery; 4 Purchased option; 5 Visit www.apple.com for AirPrint Certification list; 6 Scan to available for B405.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Standard Capacity Toner Cartridge: 5,900 pages⁷ High Capacity Toner Cartridge: 13,900 pages⁷ 106R03580 106R03582

Drum Cartridge: 65,000 pages⁸

Extra High Capacity Toner Cartridge: 24,600 pages⁷ 101R00554

106R03584

Options

550-sheet Feeder (B400) 497K13620 550-sheet Feeder (B405) Productivity Kit with 16 GB Solid State Drive 497K13630 097S04913 497K13660 Wireless Network Adapter (Wi-Fi Kit) 497K16750 External Card Reader/RFID Kit (B400) 497K18380 Internal Card Reader/RFID Kit (B405) 497K18120

⁷Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs. For more information, visit us at www.xerox.com.






XEROX® VERSALINK® PRINTER AND MULTIFUNCTION PRINTER

Configurable, connected and highly capable.

B600/B605







Xerox® VersaLink® B600 Printer and Xerox® VersaLink® B605 Multifunction Printer

For a black-and-white printer or multifunction printer, the VersaLink B600/B605 is anything but basic. In fact, VersaLink sets a new standard for what you can expect in workgroup productivity from Xerox. Home or away, this highly configurable, cloud-connected workplace assistant delivers completely new capabilities that go far beyond the competition—at a competitive price.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

EASY, SMART AND SECURE.

Right out of the box, you'll count on your VersaLink B600 or B605 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Completely re-engineered for superior reliability, the VersaLink B600 and B605 feature a new hardware design with fewer moving parts, strengthened paper-path components, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)².

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

CUSTOMIZABLE, APP-BASED FUNCTIONALITY.

With the customizable, capacitive 7-inch color touchscreen (5-inch on the B600), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the

optional Xerox® Easy Translator Service app², which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customized 1-Touch Apps² to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts, and commonly used apps on a personalized home screen.

CLOUD AND MOBILE CONNECTIVITY.

The VersaLink B600 Printer and VersaLink B605 Multifunction Printer gives you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

¹ Scan Preview available for all VersaLink B605 configurations; Fax Preview available for VersaLink multifunction printers with faxing capabilities.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.

² Available for VersaLink B605 only.







Xerox[®] VersaLink[®] B600 Printer Print.

Xerox® VersaLink® B605 Multifunction Printer

Print. Copy. Scan. Fax. Email.

- 1 500-sheet output tray on VersaLink B600 and 400-sheet output tray on VersaLink B605, both with full tray sensors.
- The internal card reader is located next to the touch screen on the VersaLink B605 and the Card Reader Bay / internal card reader compartment is located behind the touch screen on VersaLink B600 (External Card Reader/RFID Kit is required when Finisher/Mailbox is included).
- 3 A front-side USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- **4 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.

- 5 Tray 1 handles up to 550 sheets with custom sizes of 2.5 x 8.5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.
- 6 The 100-sheet Single-pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.
- 7 The optional cabinet (includes Caster Base) provides storage for toner cartridges and other supplies.
- **8 The High Capacity Feeder** (includes Caster Base) adds up to 2,000 sheets with standard sizes of 8.5 x 11 in./A4.
- 9 Add up to 4 additional 550-sheet paper trays that handle sizes from 2.5 x 8.5 in. to 8.5 x 14 in./ 76 x 127 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- 10 The optional finisher collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.
- **11 The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.
- ³ USB ports can be disabled
- 4 VersaLink B605 only

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced color touchscreen interface. Whether 7-inch (B605) or 5-inch (B600), it's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B600 Printer and VersaLink B605 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B600/B605

ConnectKey®

The VersaLink B600 Printer and B605 Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com

DEVICE SPECIFICATIONS	VersaLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP				
Speed	Up to 58 ppm letter/Up to 55 ppm A4					
Duty Cycle ¹	Up to 250,000 pages/month ¹					
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD				
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi D supported), NFC Tap-to-Pair	irect with optional Wi-Fi Kit (concurrent wired and wireless connections				
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)					
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm				
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm					
Optional	Up to 4 Additional Trays (1 Additional Tray standard on B600/DT): Up to 55 356 mm	0 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x				
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4				
Paper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options				
. Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins				
Automatic Two-sided Output	Standard					
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print : Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi				
First-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen				
age Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™					
NTUITIVE USER EXPE	RIENCE					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screen Gallery and Xerox® App Studio	ens with Simple ID, Customize by Site, Function or Workflow with Xerox App				
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Di	river® and Mobile Express Driver®				
Kerox® Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Mana	gement, Cloning				
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recc Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mod					
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Feature Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF				
Fax²	NA Fax Features (B605/X, XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Direct Fax, Fax Forward to Email)					
MOBILE AND CLOUD RI	EADY					
Mobile Printing	Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria	[®] Print Service Plug-ins for Android™, @PrintByXerox				
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Prir Visit www.xerox.com/officemobileapps for available apps.	nting ⁴ , Xerox [®] Mobile Link App (B605) ³ .				
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsof	t Office 365®, Box®, Xerox® DocuShare® Platform4 and more				
BENCHMARK SECURITY	(
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration					
	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled					
Device Access	3 3	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled				
	Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common				
Data Protection	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support				
Data Protection Document Security	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wit Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support				
Data Protection Document Security ENABLES NEXT GENER.	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wit Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B605)				
Data Protection Document Security ENABLES NEXT GENER Print Management	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wif Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B605) Standard Accounting, Equitrac ^a , Y Soft ^a and more				
Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encryption Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wif Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite4, Configuration Cloning, Xerox® 1	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B605) Standard Accounting, Equitrac ^a , Y Soft ^a and more				
Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print Sustainability	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wif Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox® Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B605) Standard Accounting, Equitrac ^a , Y Soft ^a and more				
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print Sustainability GATEWAY TO NEW POS Cloud Services	Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wif Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox® Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more ed Print Services tools				

1 Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 2 Requires analog phone line; 3 Free optional download from Xerox App Gallery to the Printer www.xerox.com/xeroxappgallery; 4 Purchased option; 5 Visit www.apple.com for AirPrint Certification list; 6 Scan to available for B605.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Supplies
Standard Capacity Toner Cartridge:
Black: 10,300 pages?
High Capacity Toner Cartridge:
Black: 25,900 pages? 106R03940 106R03942 Extra High Capacity Toner Cartridge: Black: 46,700 pages⁷ 106R03944 Drum Cartridge: 60,000 pages⁸ 101R00582

Options

550-sheet Feeder 097S04949 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) 097S04948 Cabinet (includes Stand/Caster Base) 097S04955 097S04954 Stand/Caster Base Finisher (500 sheets, 50-sheet stapler) 097S04952 H-Bin Mailbox (100 sheets per bin)
Wireless Network Adapter (Wi-Fi Kit)
Productivity Kit with 250 GB HDD 097S04953 497K16750 497K18360 RFID Card Reader Kit 497K18380

- Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.
- 8 Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit

http://www.office.xerox.com/latest/SUPGL-01.PDF.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB600Specs or www.xerox.com/VersalinkB605Specs. For more information, visit us at www.xerox.com/office.



XEROX® VERSALINK® MULTIFUNCTION PRINTER

The fast, friendly and well-connected workplace assistant.

B615







Xerox® VersaLink® B615 Multifunction Printer

The fast, full-featured and office-friendly VersaLink B615 is anything but your basic black-and-white device. In fact, VersaLink sets a new standard for what you can expect in workgroup productivity from Xerox. Home or away, this highly configurable, cloud-connected workplace assistant delivers completely new capabilities that go far beyond the competition—at a competitive price.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

EASY, SMART AND SECURE.

Right out of the box, you'll count on your VersaLink B615 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Completely re-engineered for superior reliability, the VersaLink B615 features a new hardware design with fewer moving parts, strengthened paper-path components, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR).

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

CUSTOMIZABLE, APP-BASED FUNCTIONALITY.

With the customizable, capacitive 7-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the

optional Xerox® Easy Translator Service app, which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customized 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts, and commonly used apps on a personalized home screen.

CLOUD AND MOBILE CONNECTIVITY.

The VersaLink B615 Multifunction Printer gives you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

¹ Scan Preview available for all VersaLink B615 configurations; Fax Preview available for VersaLink multifunction printers with faxing capabilities.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkev.com.




Xerox® VersaLink® B615 Multifunction Printer Print. Copy. Scan. Fax. Email.



- 2 The internal card reader is located next to the touch screen (External Card Reader/RFID Kit is required when Finisher/Mailbox is included).
- **3** A front-side USB port² allows users to quickly print from or scan to any standard USB memory device.
- **4 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.





- 6 Add up to 4 additional 550-sheet paper trays that handle sizes from 2.5 x 8.5 in. to 8.5 x 14 in./ 76 x 127 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- 7 The optional cabinet (includes Caster Base) provides storage for toner cartridges and other supplies.



- 8 The High Capacity Feeder (standard on XTF and XTP; includes Caster Base) adds up to 2,000 sheets with standard sizes of 8.5 x 11 in./A4.
- 10 The Finisher (standard on SF, XF, XTF) collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.
- **11 The Mailbox** (standard on SP, XP, XTP) includes 4 bins and each tray can handle up to 100 sheets.
- ² USB ports can be disabled

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced, 7-inch color touchscreen interface. It's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B615 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B615

ConnectKey® Technology

The VersaLink B615 Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

DEVICE SPECIFICATIONS	VersaLink B615 Multifunction Printer SF, SP, XF, XP, XTF, XTP					
Speed	Up to 65 ppm letter/Up to 63 ppm A4					
Duty Cycle ¹	Up to 275,000 pages/month ¹					
Processor/Memory/ Hard Disk Drive	1.05 GHz ARM Dual Core/2 GB/250 GB HDD					
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair					
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)					
Paper Handling Paper Input Standard	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm					
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm					
Optional	Up to 4 Additional Trays : Up to 550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm					
	High Capacity Feeder (Standard on XTF, XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4					
Paper Output	Finisher (Standard on SF, XF, XTF; not available on SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP; not available on SF, XF, XTF): Four 100-sheet bins					
Automatic Two-sided Output	Standard					
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi					
First-page-out Time	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Platen					
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™					
INTUITIVE USER EXPE	RIENCE					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers	Job Identification, Bi-directional Status, Job Monitorina, Xerox® Global Print Driver® and Mobile Express Driver®					
Xerox® Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
Preview	Preview of Scan/Fax with Zoom, Rotate, Add Page					
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode					
Scan	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Fax ²	Fax Features (XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)					
MOBILE AND CLOUD R	EADY					
Mobile Printing	Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox					
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox® Mobile Link App ³ . Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ³	Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform⁴ and more					
BENCHMARK SECURITY	(
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration					
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay					
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps with Embedded Certificate Support					
Document Security	Secure Print, Secure Fax, Secure Email, Password Protected PDF					
ENABLES NEXT GENER	ATION SERVICES					
Print Management	Xerox® Print Management and Mobility Suite4, Configuration Cloning, Xerox® Standard Accounting, Equitrac4, Y Soft4 and more					
Managing Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability	Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins					
GATEWAY TO NEW POS						
Cloud Services	Xerox® Easy Translator⁴, Xerox® Healthcare MFP (U.S. only)⁴, CapturePoint™⁴ many additional services available					
Xerox App Gallery	Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.		Options 550-sheet Feeder 2,000-sheet High Capacity Feeder	097S04949	⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.
Supplies		(includes Stand/Caster Base)	097504948	⁷ Approximate pages. Declared yield will vary depending
Standard Capacity Toner Cartridge: Black: 10,300 pages ⁶	106R03940	Cabinet (includes Stand/Caster Base) Stand/Caster Base	097S04955 097S04954	on job run length and media size/orientation and machine speed. For more information, visit
High Capacity Toner Cartridge: Black: 25,900 pages ⁶	106R03942	Finisher (500 sheets, 50-sheet stapler) 4-Bin Mailbox (100 sheets per bin)	097S04952 097S04953	http://www.office.xerox.com/latest/SUPGL-01.PDF.
Extra High Capacity Toner Cartridge:	100003342	Wireless Network Adapter (Wi-Fi Kit)	497K16750	Configurations vary by geography.
Black: 46,700 pages ⁶ Drum Cartridge: 60,000 pages ⁷	106R03944 101R00582	RFID Card Reader Kit	497K18380	

For more detailed specifications, go to www.xerox.com/VersalinkB615Specs. For more information, visit us at www.xerox.com/office.



XEROX® VERSALINK® MULTIFUNCTIONELE PRINTER

Betrouwbaar. Budgetvriendelijk. Bedrijfsklaar.

B7025/B7030/B7035







Xerox® VersaLink® B7025/B7030/B7035 multifunctionele printer

Wenst u naadloze integratie in uw werkomgeving en het snel afhandelen van belangrijke taken, dan is de VersaLink B7025/B7030/B7035 multifunctionele printer de juiste keuze met zijn ongeëvenaarde intelligentie: betaalbaar, betrouwbaar én bedrijfsklaar – uitgerust met de Xerox® ConnectKey® technologie.

BETERE PRESTATIES. GEOPTIMALISEERDE EFFICIËNTIE.

Rechtstreeks uit de verpakking kunt u erop vertrouwen dat uw Xerox® VersaLink B7000 multifunctionele printerserie zijn taken consistent en feilloos uitvoert, zodat uw bedrijf efficiënter kan werken. Via IT-vrije installatie-wizards en stap-voor-stap configuratie-opties kunt u probleemloos aan de slag.

En met de geheel vernieuwde papierbaan en de nieuwe LED printkoptechnologie hebben we dagelijkse betrouwbaarheid tot een indrukwekkend niveau verheven.

VersaLink-machines staan garant voor indrukwekkende functionaliteit en tijdbesparende Xerox® technologieën die de informatie-uitwisseling versnellen en een streep halen door inefficiënte workflows. Zorg voor accurate informatie met scan- en fax-preview en haal meer uit gescande documenten met de geïntegreerde optische tekenherkenning (OCR).

VersaLink machines bieden op alle punten een hoog beveiligingsniveau voor kritische documenten en gegevens, inclusief bescherming tegen ongeautoriseerde toegang, beveiligde netwerkcommunicatie, 256-bits harde schijf versleuteling met beveiligd overschrijven en de optie om individuele documenten te beveiligen.

GEBRUIKERSVRIENDELIJK. EENVOUDIG AAN TE PASSEN.

Met het grote, aanpasbare 7-inch kleurenaanraakscherm van de VersaLink B7000 kunt u taken en functies aantikken, vegen en knijpbewegingen maken, alsof u een mobiele telefoon bedient.

De voorgeïnstalleerde Xerox® ConnectKey® apps optimaliseren de kantoorefficiëntie en de uitgebreide Xerox App Gallery op het scherm biedt indrukwekkende functionaliteit – zoals de Xerox® Easy Translator Service-app, die gescande documenten snel omzet naar een groot aantal talen.

Snel werken door veelgebruikte instellingen te bewaren in snelkeuzes die met één druk op de knop kunnen worden opgeroepen. Met Simple ID kunnen individuele gebruikers en groepen een gebruikers-ID en wachtwoord éénmalig invoeren en zich vervolgens snel, veilig en makkelijk toegang verschaffen tot taakspecifieke snelkeuzes en veelgebruikte apps op hun gepersonaliseerde startpagina.

DE OPLOSSING DIE BIJ UW WERKWIJZE PAST.

Met de printers uit de VersaLink B7000 serie hebt u de vrijheid om te werken waar en hoe u maar wilt – met directe, out-of-the-box connectiviteit naar Google Drive™, Microsoft® OneDrive® en Dropbox™ en toegang tot aanvullende opties via de Xerox App Gallery.

In de hedendaagse werkomgeving is het van groot belang om verbindingen tot stand te brengen en te kunnen printen vanaf uiteenlopende apparaten. VersaLink machines gaan die uitdaging aan met optionele Wi-Fi® en Wi-Fi Direct®, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in voor Android™, Near Field Communication (NFC) Tap-to-Pair en Mopria®.

Lees meer over waarom Xerox de enige keuze is voor de mobiele professional op www.xerox.com/mobile

XEROX® CONNECTKEY® TECHNOLOGIE - VERBINDT UW COMPLETE PRODUCTIVITEITSECOSYSTEEM

Xerox – het bedrijf dat de moderne werkomgeving heeft vormgegeven – presenteert de volgende revolutie in de werkplekproductiviteit. Met een consistente gebruikerservaring op een scala aan machines, mobiele en cloud-connectiviteit en een groeiende bibliotheek met apps om de productiviteit te verhogen, zult u sneller, beter en slimmer werken.

Intuïtieve gebruikerservaring

Geheel nieuwe – maar toch vertrouwd aanvoelende interactie met een tablet-achtige ervaring, bediend via een aanraakscherm en met de mogelijkheid tot eenvoudig aanpassen.

Geschikt voor mobiele apparaten en de cloud Instant cloud- en mobiele connectiviteit, gewoon via de gebruikersinterface, met toegang tot vooraf geïnstalleerde, in de cloud gehoste services waarmee u overal en altijd kunt werken zoals u dat wilt.

Toonaangevende veiligheid

Volledige beveiliging op meerdere niveaus van zowel documenten als gegevens, om bedreigingen te elimineren en daarbij volledig te voldoen aan de wet- en regelgeving of deze zelfs te overtreffen.

Geschikt voor de nieuwe generatie diensten

Efficiënter werken en effectiever beheer van middelen. Eenvoudige integratie van Xerox® Managed Print Services maakt monitoring van de dienstverlening en verbruiksartikelen op afstand mogelijk.

De weg naar nieuwe mogelijkheden

Breid uw mogelijkheden direct uit met toegang tot de Xerox App Gallery, met praktische apps die zijn ontworpen voor het optimaliseren van digitale workflows. Schakel ons partnernetwerk in om innovatieve, bedrijfsspecifieke oplossingen te ontwerpen.

Lees meer over hoe u slimmer kunt werken op www.connectkev.com











- 1 Een dubbelzijdige automatische originelendoorvoer (DAOD) voor 110 vel scant dubbelzijdige originelen voor kopieer-, scan- en faxopdrachten.
- **2 Optioneel werkblad** (bij losse nieteenheid) dat voldoende ruimte biedt om documenten te sorteren.
- 3 Kaartlezerslot met geïntegreerde USB-poort.¹
- 4 Via de gemakkelijk toegankelijke USB-poort¹ kunnen gebruikers snel afdrukken van of scannen naar elk standaard USB-apparaat.
- **5 De handmatige invoer voor 100 vel** verwerkt mediaformaten van 88,9 x 98,4 mm tot 297 x 431.8 mm.
- **6 De standaard papierlade voor 520 vel** verwerkt mediaformaten van 139,7 x 182 mm tot 297 x 431,8 mm.
- ¹ USB-poorten kunnen worden uitgeschakeld.



MEERDERE PAPIERLADEN OPTIES VOOR ELKE BEHOEFTE:

- 7 Voeg een extra lade toe aan het desktopmodel om de totale papiercapaciteit te verhogen naar 1.140 vel (inclusief handmatige invoer). Of kies voor de module met drie laden (niet getoond) om de totale papiercapaciteit uit te breiden naar 2.180 vel (inclusief handmatige invoer).
- 8 Kies voor een extra invoerlade met de consolemodule om de totale papiercapaciteit te vergroten naar 1.140 vel (inclusief handmatige invoer) en zorg voor opslagruimte voor toners en andere verbruiksartikelen.
- **9 Kies de optionele hogecapaciteitsmodule** voor een totale papiercapaciteit tot 3.140 vel (inclusief handmatige invoer).
- 10 De optionele hogecapaciteitslade heeft een capaciteit van 2.000 vel A4, waarmee de maximale papiercapaciteit tot 5.140 vel kan worden uitgebreid.

CREËER EXTRA VEELZIJDIGHEID MET AFWERKOPTIES:

- 11 De dubbele opvangbak (optioneel bij desktopmodel) kan elk tot 250 vel bevatten, in de onderste opvangbak gestaffeld.
- **12 De optionele Office Finisher LX** is een goede keuze voor geavanceerde afwerkfuncties met optioneel boekjes maken.
- **13 De optionele interne Office Finisher** biedt staffelen van 500 vel en nieten van 50 vel op één positie.



NIEUW SUPERIEUR AANRAAKSCHERM

Maak kennis met ons nieuwe 7-inch kleurenaanraakscherm – de gebruikersinterface die de nieuwe norm is voor maatwerk, personalisatie en veelzijdigheid.

Door een vertrouwde 'mobiele' ervaring te bieden, met ondersteuning voor symboolinvoer en taakgerichte apps die alle eenzelfde uiterlijk hebben, zijn er minder stappen nodig voor de meest complexe opdrachten.

Een uiterst intuïtieve lay-out leidt u door elke taak, van begin tot einde, met een natuurlijke hiërarchie waarbij belangrijke functies bovenaan het scherm en veelgebruikte opties gecentreerd vooraan staan. Bevalt het u niet waar een functie of app staat? Verander dan gewoon even de lay-out.

Met deze ongeëvenaarde balans tussen hardwaretechnologie en softwarefunctionaliteit kan iedereen met de multifunctionele printer uit de VersaLink® B7000 serie meer werk in minder tijd gedaan krijgen.



De VersaLink B7025/B7030/B7035 multifunctionele printer is gebaseerd op de Xerox® ConnectKey® technologie. Ga voor meer informatie naar **www.connectkey.com**

MACHINESPEC	IFICATIES	VersaLink B7025	VersaLink B7030	VersaLink B7035	
Snelheid		Tot 25 ppm	Tot 30 ppm	Tot 35 ppm	
Maandelijks printvo	olume ¹	Tot 107.000 pagina's	Tot 129.000 pagina's	Tot 153.000 pagina's	
Harde schijf/proces	sor/geheugen	320 GB HDD²/1,05 GHz Dual-core/2 GB geheug	en		
Aansluitingen		Ethernet 10/100/1000 Base-T, High-speed USB	3.0, Wi-Fi® en Wi-Fi Direct® met optionele Wi-Fi k	t	
Controllerfuncties			orbeeld, Xerox Extensible Interface Platform®, Xero gebruikersvriendelijke authenticatie, online onder		
Kopieer- en print-	resolutie	Kopiëren: Tot 600 x 600 dpi; Printen: Tot 1200	x 1200 dpi		
Eerste kopie verschi	jnt binnen	6,8 seconden	5,4 seconden	5,4 seconden	
Eerste afdruk versch	nijnt binnen	10,4 seconden	9,1 seconden	9,1 seconden	
Printertalen		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/option	oneel Adobe® PostScript® 3™		
Papierinvoer	Standaard		roer (DAOD): 110 vel: Standaardformaten: A5 tot e formaten (1-zijdig): 125 x 85 mm tot 297 x 431,8		
		Handmatige invoer: 100 vel; afwijkende forma	aten: 88,9 x 98,4 mm tot 297 x 431,8 mm		
		Lade 1: 520 vel; afwijkende formaten: 139,7 x	182 mm tot 297 x 431,8 mm		
Kies een	van de opties	Module met drie laden (1.560 vel): 520 vel elk	kende formaten: 139,7 x 182 mm tot 297 x 431,8 ; Afwijkende formaten: 139,7 x 182 mm tot 297 x 20 vel; Afwijkende formaten: 139,7 x 182 mm to 2'	431,8 mm	
	Optioneel	Enveloppenlade: Tot 60 enveloppen: Monarch Hogecapaciteitslade (HCF): 2.000 vel; Standa	DL, C5; Afwijkende formaten: 98 x 148 mm tot 10 ardformaten: A4 of B5	52 x 241 mm	
Papieruitvoer/	Standaard	Dubbele opvangbak²: 250 vel elk; onderste opv	vangbak gestaffeld		
Afwerking	Optioneel	Interne Office Finisher: 500 vel gestaffeld, nieten van 50 vel, nieten op één positie Office Finisher LX: 2.000 vel gestaffeld, nieten van 50 vel, nieten op 3 posities, optioneel perforeren, optioneel boekjes maken (rillen, in de rug nieten) Losse nieteenheid met werkblad: Nieten 50 vel			
INTUÏTIEVE GE	EBRUIKERSI				
Personaliseren en op maken	p maat	Walkup op maat, op gebruiker gepersonaliseerd met Xerox App Gallery en Xerox® App Studio	l startscherm, meerdere startschermen met eenvo	udige ID, op maat per locatie, functie of workflow	
Printerdrivers		Opdrachtidentificatie, bidirectionele status, opc	lrachtbewaking, Xerox® Global Print Driver® en Mo	bile Express Driver®	
Xerox® embedded v	webserver	PC of mobiel – statusinformatie, interactief ont	werp, instellingen, machinebeheer, klonen		
Preview		Scan-/faxvoorbeeld met zoomen, roteren, pagir	na toevoegen		
Printfuncties			ık, persoonlijke print, opgeslagen opdracht, Xerox ^a ellingen opslaan en terugroepen, bidirectionele re rd), blanco pagina's overslaan, conceptmodus		
Scannen		Scannen naar USB/e-mail/netwerk (FTP/SMB), doorzoekbare PDF, PDF/XPS/TIFF met één of m	scanbestandsformaten: PDF, PDF/A, XPS, JPEG, TIF eer pagina's/met wachtwoord beveiligde PDF	F; Handige functies: Scannen naar home,	
Faxen		Optionele walkup fax (keuze tussen één en drie uniform adresboek, optische tekenherkenning (lijnen, inclusief LAN-fax, Direct Fax, fax doorsturen OCR)	naar e-mail), optioneel faxen via IP,	
GESCHIKT VOO	R MOBIELE	APPARATEN EN DE CLOUD			
Mobiel printen		Apple® AirPrint®5, gereed voor Google Cloud Pri	nt™, Xerox® Print Service en Mopria® Print Service F	Plug-ins voor Android™	
Mobiliteitsopties		@PrintByXerox ³ , Xerox [®] Mobile Print en Mobile Kijk opwww.xerox.com/officemobileapps voo	Print Cloud⁴, verbinden via NFC/printen via Wi-Fi D r beschikbare apps.	irect ⁴ , Xerox [®] Mobile Link App ³ .	
Cloud Connectors ³		Printen vanaf/scannen naar Google Drive™, Mic	rosoft® OneDrive®, Dropbox™, Microsoft Office 36	5®, Box®, Xerox® DocuShare® en meer	
TOONAANGEVE	NDE VEILI				
Netwerkbeveiliging		IPsec, HTTPS, versleutelde e-mail. Netwerk verif	catie, SNMPv3, SSL/TLS, Security Certificates, Auto	omatic Self-Signed Certificate	
Toegang tot machin	ne	Firmware verificatie, gebruikerstoegang- en inte enablement (CAC/PIV/.NET), Xerox® geïntegree	erne firewall, poort-/IP-/domeinfiltering, auditlog, to erd kaartlezerslot	oegangscontrole, gebruikersrechten, Smart Card	
Gegevensbescherm	ning	Setup-/beveiligingswizards, versleuteling op opobeeldoverschrijving, certificering volgens Comm	drachtniveau via HTTPS-/IPPS-verzending, versleut on Criteria (ISO 15408) (wordt momenteel onder	elde harde schijf (AES 256-bit, FIPS 140-2) en zocht)	
Documentbeveiligir	ng	Beveiligd printen/faxen/scannen/e-mailen, met	wachtwoord beveiligde PDF		
GESCHIKT VOO	R DE NIEU	WE GENERATIE DIENSTEN			
Print Management			onfiguratie klonen, Xerox® Standard Accounting, E		
Beheerd printen		5	ınce, automatisch tellerstanden uitlezen, Managed	d Print Services tools	
Duurzaamheid		Cisco EnergyWise®, Earth Smart Printing, Print L	Jser ID on margins		
DE WEG NAAR	NIEUWE MO				
Cloudservices		Xerox® Easy Translator4, veel extra services beso			
Xerox App Gallery		Veel apps en cloudservices beschikbaar. Kijk op van uw printer/multifunctionele printer.	www.xerox.com/appgallery voor een groeiend a	anbod aan Xerox® apps voor meer functionaliteit	

¹ Maximum capaciteit verwacht in een willekeurige maand. Naar verwachting wordt dit volume niet regelmatig gehaald; ² HDD en dubbele staffelopvangbak zijn bij het desktopmodel optioneel; ³ Gratis optioneel downloaden vanuit de Xerox App Gallery naar de printer – www.xerox.com/xeroxappgallery; ⁴ Aangeschafte optie; ⁵ Kijk op www.apple.com voor de AirPrint Certification-lijst.



XEROX® VERSALINK® COLOR PRINTER AND COLOR MULTIFUNCTION PRINTER

Revolutionary. Future-proof. Value-packed.

C400/C405







Xerox® VersaLink® C400 Color Printer and Xerox® VersaLink® C405 Color Multifunction Printer

The VersaLink C400 and C405 revolutionize your productivity with next generation features and easy, instant cloud and mobile connectivity. As your modern workplace assistants, the C400 and C405 are built for the way you work today, and ready for where your business will grow tomorrow—with all the flexibility and versatility you need to work better with minimal IT support and benchmark security.

To learn more about VersaLink device features, go to

www.xerox.com/VersalinkEG

POWERFUL PERFORMANCE AND PEACE OF MIND.

Right out of the box, you'll count on your VersaLink C400 or C405 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

When it comes to safeguarding critical documents and data, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

With the VersaLink C400 and C405, you can be confident that your documents will look their best—making you look your best—giving you the confidence you need when presenting to your customers.

EASY, EFFICIENT AND ENTIRELY NEW.

With the customizable, capacitive 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the optional Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customized 1-Touch Apps¹ to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts, and commonly used apps on a personalized home screen.

FREEDOM, AND APP-BASED FUNCTIONALITY.

The VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer gives you the freedom to work where and how you want—with out-of-the-box direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria® plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.

¹ VersaLink C405 only



CHOOSE THE OPTION BEST FOR YOUR BUSINESS:

- 1 A 50-sheet Single-pass Duplex Automatic

 Document Feeder (DADF) scans two-sided originals
 for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- **3** A front-side **USB port**² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- **5 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.

- **6** With the **550-sheet paper tray**, standard paper capacity totals 700 sheets (including Bypass Tray).
- **7 Optional 550-sheet paper tray** increases the total paper capacity to 1,250 sheets.
- **8 Optional stand** provides storage for toner cartridges, paper and other supplies.
- ² USB ports can be disabled
- ³ VersaLink C405 only.

3 3 3 3

Xerox® VersaLink® C405 Color Multifunction Printer Print. Copy. Scan. Fax. Email.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet our tiltable, 5-inch capacitive color touch screen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer get more work done, faster.





Xerox[®] VersaLink[®] C400 Color Printer Print.

Xerox® VersaLink® C400/C405

ConnectKey[©]

The VersaLink C400 Color Printer and C405 Color Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com.

Up to 36 ppm color and black-and-wh Up to 80,000 pages/month ¹	te (Letter)/35 ppm color and black-o	ınd-white (A4)		
1.05 GHz Dual-Core/2 GB				
Ethernet 10/100/1000 Base-T, High-sp supported), NFC Tap-to-Pair	peed USB 3.0, Wi-Fi 802.11n and Wi	-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections	
			rm®, Xerox App Gallery, Xerox® Standard	
Single-pass Duplex Automatic Document Feeder (DADF): 50 shee NA Custom Sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 i				
Bypass Tray: 150 sheets; Custom size	s: 3 x 5 in. to 8.5 x 14 in./76 x 127 m	m to 216 x 356 mm		
Tray 1: 550 sheets; Custom sizes: 5.8 x	x 8.3 in. to 8.5 x 14 in./148 x 210 mr	n to 216 x 356 mm		
Tray 2: 550 sheets; Custom sizes: 5.8 x	x 8.3 in. to 8.5 x 14 in./148 x 210 mr	n to 216 x 356 mm		
250 sheets				
N/A	Standard	N/A	Standard	
Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 0	dpi; Copy: Up to 600 x 600 dpi	
As fast as 13 seconds color/12 seconds	s black-and-white	· · · · · · · · · · · · · · · · · · ·		
As fast as 11 seconds color/8 seconds	black-and-white			
PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP	-GL/Adobe® PostScript® 3™			
Walkup customization, Personalize Ho Gallery and Xerox® App Studio	me Screen by User, Multiple Home S	creens with Simple ID, Customize	by Site, Function or Workflow with Xerox App	
Job Identification, Bi-directional Statu	s, Job Monitoring, Xerox® Global Prir	nt Driver® and Mobile Express Driv	ver®	
NA		Preview of Scan/Fax with Z	oom, Rotate, Add Page	
Print from USB, Secure Print, Sample S Driver Settings, Bi-directional Real-tim	et, Personal Print, Saved Job, Xerox [®] e Status, Scaling, Job Monitoring, A _l	Earth Smart Driver Settings, Job oplication Defaults, Two-sided Pri	Identification, Booklet Creation, Store and Recal nting (as default), Skip Blank Pages, Draft Mode	
NA Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PI JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF Multi-Page PDF/XPS/TIFF/Password Protected PDF, Fax Features: includes LAN Fax, Direct Fax, Fax Forward to Email), Unified Addre				
EADY				
	Ready, Xerox® Print Service and Ma	pria® Print Service Plua-ins for An	droid™. @PrintBvXerox	
Xerox® Mobile Print and Mobile Print C	lloud ⁴ , Connect via NFC/Wi-Fi Direct			
Print from/Scan to ⁶ Google Drive™, Mid	rosoft® OneDrive®, Dropbox™, Micro	osoft Office 365®, Box®, Xerox® D	ocuShare® Platform4 and more	
· · · · · · · · · · · · · · · · · · ·				
	ork Authentication, SNMPv3, SSL/TL	S, Security Certificates, Pre-install	ed Self-signed Certificates, Cisco® Identity	
		tering, Audit Log, Access Controls	s, User Permissions, Smart Card Enabled (CAC/	
Setup/Security Wizards, Job Level Encr Criteria Certification (ISO 15408) (und	yption via HTTPS/IPPS submission, lergoing evaluation), Encrypted App	Encrypted hard disk (AES 256-bit s with Embedded Certificate Supp	, FIPS 140-2) and image overwrite, Common port	
Secure Print, Secure Fax (C405), Secure	e Email (C405), Password Protected	PDF (C405)		
ATION SERVICES				
Xerox® Print Management and Mobility	ry Suite ⁴ , Configuration Cloning, Xero	ox® Standard Accounting, Equitra	ıc ⁴ , Y Soft ⁴ and more	
-				
	<u> </u>			
Xerox® Easy Translator (C405)4, Xerox®	Healthcare MFP (C405 – U.S. only)	, CapturePoint™ (C405)4, many a	dditional services available	
			x® apps available for adding functions to the	
	Accounting, Online Support (accessed NA Bypass Tray: 150 sheets; Custom sizes: 5.8 x Tray 1: 550 sheets; Custom sizes: 5.8 x Tray 2: 550 sheets; Custom sizes: 5.8 x 250 sheets N/A Print: Up to 600 x 600 x 8 dpi As fast as 13 seconds color/12 seconds As fast as 13 seconds color/8 seconds PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP RIENCE Walkup customization, Personalize Ho Gallery and Xerox® App Studio Job Identification, Bi-directional Statu PC or mobile—Status Information, Re NA Print from USB, Secure Print, Sample S Driver Settings, Bi-directional Real-tim NA EADY Apple® AirPrint®5, Google Cloud Print® Xerox® Mobile Print and Mobile Print C Visit www.xerox.com/officemobilea Print from/Scan to6 Google Drive®, Mic IPsec, HTTPS, encrypted email. Netwo Services Engine (ISE) integrated Card Rec Setup/Security Wizards, Job Level Encr Criteria Certification (ISO 15408) (und Secure Print, Secure Fax (C405), Secure ATION SERVICES Xerox® Print Management and Mobilit Xerox® Device Manager, Xerox® Suppo Cisco EnergyWise®, Earth Smart Printie SIBILITIES Xerox® Easy Translator (C405)4, Xerox®	Accounting, Online Support (accessed from the user interface and print drink NA Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 m Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm 250 sheets N/A Standard Print: Up to 600 x 600 x 8 dpi As fast as 13 seconds color/12 seconds black-and-white As fast as 11 seconds color/8 seconds black-and-white PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™ RIENCE Walkup customization, Personalize Home Screen by User, Multiple Home Scallery and Xerox® App Studio Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Prince Commobile—Status Information, Responsive Design, Settings, Device Men NA Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Applie® AirPrint®s, Google Cloud Print® Ready, Xerox® Print Service and Moxerox® Mobile Print and Mobile Print Cloud®, Connect via NFC/Wi-Fi Direct Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to® Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft® User, Horty Print and Mobile Print Cloud®, Connect via NFC/Wi-Fi Direct Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to® Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft® OneDrive®, Dropbox™	Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./16 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x 356 mm Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x 356 mm Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x 356 mm 250 sheets N/A Standard	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Fax requires analog phone line; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for C405.

Certifications		Standard Capacity Print Cartriages:		Options	
To view the latest list of certifications, go to		Black: 2,500 std. pages ⁷	106R03500	550-sheet Feeder	097S04400
www.xerox.com/OfficeCertifications		Cyan: 2,500 std. pages ⁷	106R03502	Productivity Kit with 320 GB HDD	097S04914
Supplies		Magenta: 2,500 std. pages ⁷	106R03503	Stand	497K13660
Extra High Capacity Print Cartridges:		Yellow: 2,500 std. pages ⁷	106R03501	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Black: 10,500 std. pages ⁷	106R03524	Routine Maintenance Items:		External Card Reader/RFID Kit (C400)	497K18380
Cyan: 8,000 std. pages ⁷	106R03524	Imaging Unit (includes 4 imaging units):		Internal Card Reader/RFID Kit (C405)	497K18120
Magenta: 8,000 std. pages ⁷ Yellow: 8,000 std. pages ⁷	106R03527 106R03525	60,000 std. pages each ⁸ Waste Cartridge: 30,000 std. pages ⁸	108R01121 108R01124	⁷ Average standard pages. Declared Yield in acco ISO/IEC 19798. Yield will vary based on image,	
High Capacity Print Cartridges:				and print mode.	
Black: 5,000 std. pages ⁷	106R03512			8 Approximate pages. Declared yield will vary dependent.	ending
Cyan: 4,800 std. pages ⁷ Magenta: 4,800 std. pages ⁷	106R03514 106R03515			on job run length and media size/orientation of machine speed. For more information, visit	
Yellow: 4,800 std. pages ⁷	106R03513			http://www.office.xerox.com/latest/SUPGL-01	.PDF.

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.



XEROX® VERSALINK® COLOR PRINTER AND COLOR MULTIFUNCTION PRINTER

High-performance productivity—personalized.

C500/C505







Xerox® VersaLink® C500 Color Printer and Xerox® VersaLink® C505 Color Multifunction Printer

Designed for fast-paced workteams, the VersaLink C500 Color Printer and C505 Color Multifunction Printer deliver a higher level of reliable performance. Cloud connected, mobile ready, app-enabled, and easy to customize, the C500 and C505 are your modern workplace assistants—helping you excel today and stay ready for the future.

POWERFUL, RELIABLE, SECURE.

Right out of the box, you'll count on your VersaLink C500 or C505 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Completely re-engineered for superior reliability, the VersaLink C500 and C505 feature a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)².

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy.

EASY, EFFICIENT AND ENTIRELY NEW.

With the customizable, capacitive 7-inch color touchscreen (5-inch on the C500), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality – like the optional Xerox® Easy Translator Service app², which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customized 1-Touch Apps² to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts and commonly used apps on a personalized home screen.

APP-BASED FLEXIBILITY AND MOBILE FREEDOM.

The VersaLink C500 Color Printer and VersaLink C505 Color Multifunction Printer give you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting **www.xerox.com/mobile**.

To learn more about VersaLink device features, go to

www.xerox.com/VersaLinkEG

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.

¹ Scan Preview available for VersaLink C505 (S and X configurations); Fax Preview available for VersaLink C505/X only.

² Available for VersaLink C505 only.



Xerox[®] VersaLink[®] C500 Color Printer Print.







Xerox® VersaLink® C505 Color Multifunction Printer Print. Copy. Scan. Fax. Email.

- 1 500-sheet (C500) or 400-sheet (C505) output tray with tray-full sensor.
- **2 Card Reader Bay** for internal Card Reader/RFID Kit (C500 includes an internal card reader compartment located behind the touch screen).
- **3 Optional 250 GB Hard Drive** (standard with the C505/X) increases the capabilities of numerous app-based functions.
- **4 A front-side USB port**² allows users to quickly print from or scan to³ any standard USB memory device.
- **5 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.
- 6 Tray 1 handles up to 550 sheets with custom sizes of 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
- 7 A 100-sheet Single-pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.

- **8 The optional cabinet** provides storage for toner cartridges and other supplies.
- 9 The High Capacity Feeder adds up to 2,000 sheets with standard sizes of 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm.
- 10 Add up to 4 additional 550-sheet paper trays that handle sizes from 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- ² USB ports can be disabled ³ VersaLink C505 only.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced color touchscreen interface. Whether 7-inch (C505) or 5-inch (C500), it's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink C500 Color Printer and VersaLink C505 Color Multifunction Printer qet more work done, faster.



Xerox® VersaLink® C500/C505



The VersaLink C500 Color Printer and C505 Color Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

DEVICE SPECIFICATIONS	VersaLink C500/N	VersaLink C500/DN	VersaLink C505/S	VersaLink C505/X		
Speed	Up to 45 ppm letter/Up to 43 ppm A4					
Duty Cycle ¹	Up to 120,000 pages/month ¹					
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD		1 05 GHz/4 GB/optional 250 GB	HDD 1.05 GHz/4 GB/standard 250 GB HDI		
Connectivity	· · · · · · · · · · · · · · · · · · ·	oeed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (concu			
Controller Features			05), Xerox Extensible Interface Platform®,	Xerox App Gallery,		
Paper Handling Paper Input Standard	NA	арроп	Single-Pass Duplex Automati	c Document Feeder (DADF): 100 sheets; x 14 in./140 x 140 mm to 216 x 356 mm		
Tape. Input	Bypass Tray: Up to 150 sheets; Custo Tray 1: Up to 550 sheets; Custom size		x 127 mm to 216 x 356 mm	X + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Optional		sheets; Custom sizes: 3 x 7.5 in. to	8.5 x 14 in./76 x 190 mm to 216 x 356 m	nm		
Paper Output Standard	500 sheets	311ccts, 0.5 x 11 iii. to 0.27 x 11.05	400 sheets			
Automatic Two-sided Output	N/A	Standard	100 Silects			
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Standard	Print: Up to 1200 x 2400 dpi; Co	nov: Up to 600 v / 00 dpi		
	Print: As fast as 10 seconds color/8.5	soconds black and white	Print: As fast as 9 seconds color			
First-page-out Time (as fast as)	Print: As last as 10 seconds color/8.5	seconds black-and-white	Copy: As fast as 7 seconds color			
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/H	P-GL/Adobe® PostScript® 3™				
INTUITIVE USER EXPE						
Customize and Personalize	Walkup customization, Personalize Ho Gallery and Xerox® App Studio	ome Screen by User, Multiple Hom	ne Screens with Simple ID, Customize by S	ite, Function or Workflow with Xerox App		
Print Drivers	Job Identification, Bi-directional Statu	ıs, Job Monitoring, Xerox® Global	Print Driver® and Mobile Express Driver®			
Xerox® Embedded Web Server	PC or mobile—Status Information, Re	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning				
Preview	NA		Preview of Scan/Fax with Zoom,	Rotate, Add Page		
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode					
Scan	NA	-	Scan File Formats: PDF, PDF/A, X	OCR), Scan to USB/Email/Network (FTP/SMB), PS, JPEG, TIFF; Convenience Features: Scan t Multi-Page PDF/XPS/TIFF/Password Protected		
Fax ²	NA		1 . = .	lk-up Fax (includes LAN Fax, Direct Fax, Fax		
MOBILE AND CLOUD R	EADY		, , , , , , , , , , , , , , , , , , , ,			
Mobile Printing	Apple® AirPrint®5, Google Cloud Print	* Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Androic	I™. @PrintBvXerox		
Mobility Options		Cloud ⁴ , Connect via NFC/Wi-Fi Dii	ect Printing ⁴ , Xerox [®] Mobile Link App (C5			
Cloud Connectors ³		• • • • • • • • • • • • • • • • • • • •	icrosoft Office 365®, Box®, Xerox® DocuS	hare® Platform4 and more		
BENCHMARK SECURIT	5	, , ,				
Network Security			TLS, Security Certificates, Pre-installed Se	elf-signed Certificates,		
Device Access	7	d internal firewall, Port/IP/Domair	n Filtering, Audit Log, Access Controls, Use	er Permissions, Smart Card Enabled		
Data Protection			on, Encrypted hard disk (AES 256-bit, FIPS	5 140-2) and image overwrite, Common		
Document Security	Secure Print, Secure Fax (C505/X), Sec	3 3				
ENABLES NEXT GENER						
Print Management		ty Suite ⁴ , Configuration Cloning,)	Kerox® Standard Accounting, Equitrac4, Y	Soft ⁴ and more		
Managing Print	Xerox® Device Manager, Xerox® Supp	, ,	5" .			
Sustainability	Cisco EnergyWise®, Earth Smart Printi					
GATEWAY TO NEW POS		J, 3				
Cloud Services		B Healthcare MFP (C505 – U.S. or	nly)4, CapturePoint™ (C505)4, many additi	onal services available		
Xerox App Gallery	-		llery for a growing selection of Xerox® ap			
114	Printer/MFP.					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for C505.

mmmeromeonimeromappgamery, raienasea ope	.o.,	ore control van time ceremeation ase, seam to availa	Dic 101 C505.		
Certifications		Extra High Capacity Toner Cartridges:		Stand/Caster Base	097S04954
To view the latest list of certifications, go to		Cyan: 9,000 pages ⁷	106R03866	Productivity Kit with 250 GB HDD	497K18360
www.xerox.com/OfficeCertifications		Magenta: 9,000 pages ⁷	106R03867	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Supplies		Yellow: 9,000 pages ⁷	106R03868	External Card Reader / RFID Kit	497K18380
Standard Capacity Toner Cartridges:		Cyan Drum Cartridge: 40,000 pages ⁸	108R01481	Internal Card Reader / RFID Kit	497K18120
Black: 5,000 pages ⁷	106R03862	Magenta Drum Cartridge: 40,000 pages ⁸	108R01482		
Cyan: 2,400 pages ⁷	106R03859	Yellow Drum Cartridge: 40,000 pages ⁸	108R01483	⁷ Average standard pages. Declared Yield in accor	
Magenta: 2,400 pages ⁷	106R03860	Black Drum Cartridge: 40,000 pages ⁸	108R01484	IEC 19798. Yield will vary based on image, area print mode.	coverage ana
Yellow: 2,400 pages ⁷	106R03861	Waste Cartridge: 30,000 pages ⁸	108R01416	8 Approximate pages. Declared yield will vary d	enending on job
. 1 3		Options		run length, media size/orientation and machin	
High Capacity Toner Cartridges: Black: 12,100 pages ⁷	106R03869	550-sheet Feeder	097504949	information, visit	
Cyan: 5,200 pages ⁷	106R03863	2,000-sheet High Capacity Feeder		http://www.office.xerox.com/latest/SUPGL-01	.PDF
Magenta: 5,200 pages ⁷	106R03864	(includes Stand/Caster Base)	097504948		
Yellow: 5,200 pages ⁷	106R03865	Cabinet (includes Stand/Caster Base)	097S04955	Configurations vary by geography.	
reliow. 3,200 pages	100003003	,			

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.



XEROX® VERSALINK® COLOUR PRINTER AND COLOUR MULTIFUNCTION PRINTER

Powerful performance. Personalised productivity.

C600/C605







Xerox[®] VersaLink[®] C600 Colour Printer and Xerox[®] VersaLink[®] C605 Colour Multifunction Printer

The VersaLink C600 Colour Printer and VersaLink C605 Colour Multifunction Printer represent the new definition of exceptional performance and unbeatable reliability. Cloud-connected, mobile-ready, app-enabled, and easy to customise, the C600 and C605 are your modern workplace assistants — transforming the way you work today, while ensuring you'll stay one step ahead tomorrow.

To learn more about VersaLink device features, go to

www.xerox.com/VersaLinkEG

RELIABLE PRODUCTIVITY AND PEACE OF MIND.

Right out of the box, you'll count on your VersaLink C600 or C605 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

Completely re-engineered for superior reliability, the VersaLink C600 and C605 feature a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional colour vibrancy.

EASY, EFFICIENT AND ENTIRELY NEW.

With the customisable, capacitive 7-inch colour touchscreen (5-inch on the C600), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customised 1-Touch Apps¹ to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualised favourite contacts and commonly used apps on a personalised home screen.

MOBILE FREEDOM AND APP-BASED FLEXIBILITY.

The VersaLink C600 Colour Printer and VersaLink C605 Colour Multifunction Printer give you the freedom to work where and how you want – with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting **www.xerox.com/mobile**.

XEROX® CONNECTKEY® TECHNOLOGY - THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox – the company that created the modern workplace – we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new – and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customisation

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimise digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.

¹ VersaLink C605 only







4 3 5 6

Xerox® **VersaLink**® **C600 Colour Printer** Print. Mobile connectivity.

Xerox® VersaLink® C605 Colour Multifunction Printer

Print. Copy. Scan. Fax. Email. Mobile connectivity.

- **1 500-sheet output tray** with tray-full sensor (400-sheet capacity on C605X).
- 2 Card Reader Bay for internal Card Reader/ RFID Kit (C600 includes an internal card reader compartment located behind the touch screen. External Card Reader/RFID Kit is required when Finisher/Mailbox is included).
- 3 Standard 250 GB Hard Drive (optional with the C600) increases the capabilities of numerous app-based functions.
- **4 A front-side USB port**² allows users to quickly print from or scan to³ any standard USB memory device.
- **5 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.

- **6 Tray 1** handles up to 550 sheets with custom sizes of 3 \times 7.5 in. to 8.5 \times 14 in./76 \times 190 mm to 216 \times 356 mm.
- 7 A 100-sheet Single-pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.
- **8 The optional Cabinet** provides storage for toner cartridges and other supplies.
- 9 The High Capacity Feeder adds up to 2,000 sheets with standard sizes of 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm.
- 10 Add up to 4 additional 550-sheet paper trays that handle sizes from 3 x 7.5 in. to 8.5 x 14 in./ 76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- 11 The optional finisher collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.
- **12 The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.
- ² USB ports can be disabled
- ³ VersaLink C605 only.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced colour touchscreen interface. Whether 7-inch (C605) or 5-inch (C600), it's a user experience that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink C600 Colour Printer and VersaLink C605 Colour Multifunction Printer get more work done, faster.



Xerox® VersaLink® C600/C605



The VersaLink C600 Colour Printer and C605 Colour Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

DEVICE SPECIFICATIONS	VersaLink C600 Colour Printer N, DN	VersaLink C605 Colour Multifunction Printer X			
Speed	Up to 55 ppm letter/Up to 53 ppm A4				
Duty Cycle ¹	Up to 120,000 pages/month ¹				
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD	1.05 GHz/4 GB/standard 250 GB HDD			
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-F supported), NFC Tap-to-Pair	i Direct with optional Wi-Fi Kit (concurrent wired and wireless connections			
Controller Features	Unified Address Book (C605), Configuration Cloning, Scan Preview (C605), Accounting, Online Support	Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard			
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm			
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm				
Optional	Up to 4 Additional Trays: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5	x 14 in./76 x 190 mm to 216 x 356 mm			
	High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm			
Paper Output Standard	500 sheets	400 sheets			
Optional Automatic Two-sided Output	Finisher: 500-sheet tray, 50-sheet stapling; Mailbox: Four 100-sheet bins Standard (not available on N configuration)	Finisher: 500-sheet tray, 50-sheet stapling; Mailbox: Four 100-sheet bins			
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 400 dpi			
First-page-out Time (as fast as)	Print: As fast as 8 seconds colour and black and white	Print: As fast as 10 seconds colour and black and white Copy: As fast as 7 seconds colour/5 seconds black and white			
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™				
INTUITIVE USER EXPE					
Customise and Personalise	Walkup customisation, Personalise Home Screen by User, Multiple Home Sc App Gallery and Xerox® App Studio	creens with Simple ID, Customise by Site, Function or Workflow with Xerox			
Print Drivers	Job Identification, Bidirectional Status, Job Monitoring, Xerox® Global Print	Driver® and Mobile Express Driver®			
Xerox® Embedded Web Server	PC or mobile – Status Information, Responsive Design, Settings, Device Ma	nagement, Cloning			
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page			
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitorin Draft Mode				
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF			
Fax ²	NA	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)			
MOBILE AND CLOUD R	EADY	•			
Mobile Printing	Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mop	oria® Print Service Plug-ins for Android™, @PrintByXerox			
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ^a , Connect via NFC/Wi-Fi Direct Visit www.xerox.com/officemobileapps for available apps.	Printing ⁴ , Xerox® Mobile Link App (C605) ³ .			
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Micros	soft Office 365®, Box®, Xerox® DocuShare® Platform4 and more			
BENCHMARK SECURIT	Υ				
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Cisco® Identity Services Engine (ISE) integration	, Security Certificates, Pre-Installed Self-Signed Certificates,			
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filt (CAC/PIV/.NET), Integrated Card Reader Bay	ering, Audit Log, Access Controls, User Permissions, Smart Card Enabled			
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, E Common Criteria Certification (ISO 15408) (undergoing evaluation), Encryp				
Document Security	Secure Print, Secure Fax (C605), Secure Email (C605), Password Protected P	DF (C605)			
ENABLES NEXT GENER	ATION SERVICES				
Print Management	Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox	x® Standard Accounting, Equitrac4, Y Soft4 and more			
Managing Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Man	aged Print Services tools			
Sustainability	Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins				
GATEWAY TO NEW POS					
Cloud Services	Xerox® Easy Translator (C605)4, CapturePoint™ (C605)4, many additional se				
Xerox App Gallery	Many apps and cloud services available. Visit www.xerox.com/appgallery	for a growing selection of Xerox® apps available for adding functions			
ter in the contract of the con	and the second s				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ²Requires analogue phone line; ³ Free optional download from Xerox App Gallery to the Printer – www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for C605.

Certifications		Extra High Capacity Toner Cartridges:		550-sheet Feeder	097504949
To view the latest list of certifications, go to		C600: Black: 16,900 pages ⁷	106R03927	2,000-sheet High Capacity Feeder	
www.xerox.com/OfficeCertifications		C600: Cyan: 16,800 pages ⁷	106R03924	(includes Stand/Caster Base)	097S04948
Consider and Ontions		C600: Magenta: 16,800 pages ⁷	106R03925	Cabinet (includes Stand/Caster Base)	097S04955
Supplies and Options		C600: Yellow: 16,800 pages ⁷	106R03926	Stand/Caster Base	097S04954
Standard Capacity Toner Cartridges:	106R03911	C605: Black: 16,900 pages ⁷	106R03939	Finisher	097S04952
Black: 6,000 pages ⁷		C605: Cyan: 16,800 pages ⁷	106R03936	Mailbox	097S04953
Cyan: 6,000 pages ⁷	106R03908	C605: Magenta: 16,800 pages ⁷	106R03937	Productivity Kit with 250 GB HDD	497K18360
Magenta: 6,000 pages ⁷ Yellow: 6,000 pages ⁷	106R03909 106R03910	C605: Yellow: 16,800 pages ⁷	106R03938	Wireless Network Adapter (Wi-Fi Kit)	497K16750
High Capacity Toner Cartridges: Black: 12,200 pages ⁷ Cyan: 10,100 pages ⁷ Magenta: 10,100 pages ⁷ Yellow: 10,100 pages ⁷	106R03915 106R03912 106R03913 106R03914	Cyan Drum Cartridge: 40,000 pages ⁸ Magenta Drum Cartridge: 40,000 pages ⁸ Yellow Drum Cartridge: 40,000 pages ⁸ Black Drum Cartridge: 40,000 pages ⁸ Waste Cartridge: 30,000 pages ⁸	108R01485 108R01486 108R01487 108R01488 108R01416	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.	

Configurations vary by geography.



XEROX® VERSALINK® COLOUR MULTIFUNCTION PRINTER

Reliable. Connected. Business Ready.

C7020/C7025/C7030







Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

The Xerox® ConnectKey® Technology-enabled VersaLink C7000 Series Colour Multifunction Printer offers flawless reliability, seamless integration and advanced productivity. Cloud connected, mobile ready, app-enabled, and easy to personalise, the C7000 Series is your modern workplace assistant – helping you excel today and stay ready for the future

FLAWLESS RELIABILITY. SUPERIOR PERFORMANCE.

Right out of the box, you'll count on your Xerox® VersaLink C7000 Series Colour Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

Designed for superior reliability, the VersaLink C7000 Series features a new hardware design with fewer moving parts, strengthened paper-path components, and an advanced imaging system.

VersaLink devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview, easily archive, organise and search with scanned documents with built-in optical character recognition (OCR).

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional colour vibrancy, solid fills and skin tones.

CLOUD CONNECTED. PERSONALISED EFFICIENCY.

With the VersaLink C7000 Series Colour Multifunction Printer's oversize, customisable 7-inch colour touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimise office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality – like the optional Xerox® Easy Translator Service app, which quickly translates scanned documents into numerous languages.

Get more done in less time by creating customised 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualised favourite contacts, and commonly used apps on a personalised home screen.

READY FOR THE WAY YOU WORK.

The VersaLink C7000 Series gives you the freedom to work where and how you want — with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

XEROX® CONNECTKEY® TECHNOLOGY-THE CORE OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

Xerox (the company that created the modern workplace) presents the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new and yet entirely familiar way to interact. Including a tablet-like experience with gesture-based touchscreen controls and easy customisation.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimise digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.



- 1 A 110-sheet Duplex Automatic Document Feeder (DADF) scans two-sided black and white or colour originals for copy, scan and fax jobs.
- 2 Optional **Work Surface** (shown with optional Convenience Stapler) gives you plenty of room to sort documents.
- 3 Card Reader Bay with embedded USB port.1
- 4 An easily accessible USB port¹ allows users to quickly print from or scan to any standard USB memory device.
- **5 The 100-sheet Bypass Tray** handles media sizes from 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm.
- **6 The standard 520-sheet Tray 1** handles media sizes from 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm.
- ¹ USB ports can be disabled.



CHOOSE FROM 1 OF THE 5 ADDITIONAL STACKING OPTIONS BELOW (7, 8, 9, 10, 11) TO INCREASE PAPER CAPACITY:

- **7 Add the Single Tray Module** to the Desktop model to increase the total paper capacity to 1,140 sheets (includes Bypass Tray).
- 8 Choose the Single Tray with Stand Module to increase the total paper capacity to 1,140 sheets (includes Bypass Tray) and provides storage for toner cartridges and other supplies.
- **9 Choose the Three Tray Stand Module** to increase the total paper capacity to 2,180 sheets (includes Bypass Tray).
- 10 The High-Capacity Tandem Tray Module allows for a total paper capacity of up to 3,140 sheets (includes Bypass Tray).
- 11 The optional High-Capacity Feeder holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.

ADD INCREASED VERSATILITY WITH FINISHING OPTIONS:

- **12 The Dual Catch Trays** stack up to 250 sheets each, lower tray offsets.
- 13 The optional Office Finisher LX gives you advanced finishing functions at a great value and offers optional booklet making (score, saddle-stitch).
- **14** The optional Integrated Office Finisher provides 500-sheet stacking and 50-sheet, single-position stapling.



INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 7-inch colour touchscreen – the user interface that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience – with support for gestural input and task-focused apps that share a common look and feel – fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C7000 Series Colour Multifunction Printer get more work done, faster.

Xerox® VersaLink® C7020/C7025/C7030



The VersaLink C7020/C7025/C7030 Colour Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

DEVICE SPECIFICATIONS		VersaLink C7020	VersaLink C7025	VersaLink C7030			
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm			
Monthly Duty Cycle ¹		Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages			
Processor/Memory (Standard)		1.05 GHz Dual core/4 GB Memory					
Hard Drive (Optional)		320 GB					
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair					
Controller Features		Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support					
Copy and Print Resolution		Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 2400 dpi					
First-copy-out Time (as fast as)		As fast as 9.0 seconds colour/6.9 seconds black	and white	As fast as 7.2 seconds colour/ 5.8 seconds black and white			
First-print-out Time		As fast as 9.4 seconds colour/ 7.2 seconds black and white	As fast as 9.4 seconds colour/ 7.1 seconds black and white	As fast as 7.3 seconds colour/ 5.6 seconds black and white			
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe® PostScript® 3™					
Paper Input	Standard	Duplex Automatic Document Feeder (DADF): 110 sheets: Speed: up to 55 ipm; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./ 125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm					
Choose One Optional		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm					
		Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm					
		Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Stand Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm High-Capacity Tandem Tray Stand (2,520 sheets): Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm; Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5					
		Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm High-Capacity Feeder (HCF): 2,000 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5					
Paper Output/	Standard	500-sheet Centre Tray					
Finishing	Optional	Dual Catch Tray ² : 250 sheets each; Lower tra Integrated Office Finisher: 500-sheet stacker Office Finisher LX: 2,000-sheet stacker, 50 she Convenience Stapler and Work Surface: Stap	s, 50 sheets stapled, single-position stapling eets stapled, 3-position stapling, optional hole-pund	ch, optional booklet maker (score, saddle stitch)			
INTUITIVE U	SER EXPER						
Customise and Personalise		Walkup customisation, Personalise Home Screen by User, Multiple Home Screens with Simple ID, Customise by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers		Job Identification, Bidirectional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®					
Embedded Web Server		PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning					
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page					
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode					
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Fax ³		Optional Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), optional Fax Over IP					
MOBILE AND	CLOUD REA	DY					
Mobile Printing		Apple® AirPrint®6, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox					
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud ⁵ , Connect via NFC/Wi-Fi Direct Printing ⁵ , Xerox® Mobile Link App ⁶ . Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ⁴		Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform⁵ and more					
BENCHMARK	SECURITY						
Network Security		IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration					
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Integrated Card Reader Bay					
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps with Embedded Certificate Support					
Document Security		Secure Print, Secure Fax, Secure Email, Password Protected PDF					
ENABLES NEX	T GENERAT	ION SERVICES					
Print Management		Xerox® Print Management and Mobility Suite ⁵ , Configuration Cloning, Xerox® Standard Accounting Tool, Equitrac ⁵ , Y Soft ⁵ and more					
Managing Print		Xerox® Device Manager, Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins					
GATEWAY TO	NEW POSSI						
Cloud Services		Xerox® Easy Translator ⁵ , CapturePoint™ ⁵ , many additional services available					
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Requires analogue phone line; ⁴ Free optional download from Xerox App Gallery to the Printer – www.xerox.com/xeroxappgallery; ⁵ Purchased option; ⁶ Visit www.apple.com for AirPrint Certification list.





Xerox® Versant® 80 Press

Simplify. Automate. Do more.





Meet the digital press that changes everything for your business.

With one digital press—easy, accurate and automated—you're making a future-proof investment in performance, quality, versatility and results.

With the Xerox® Versant® 80 Press, your business is more capable—and more creative.

Enhance capabilities. Increase productivity.

The Xerox® Versant 80 Press provides a market-busting combination of features and functionality that will reap more benefits than any other single investment in your business—allowing you to produce higher quality jobs faster, and on more media types and with powerful automation for better output and less waste.

Whether you're looking to build your business, boost productivity or add quality and variety to your offerings, the Xerox® Versant 80 Press is right for you.

It's faster.

The Xerox® Versant 80 Press prints faster (80 ppm), and delivers the Xerox innovation advantage with more standard features, a powerful performance option and efficiency-boosting workflows to keep jobs moving with less wasted time and materials.

It's flexible.

You'll get and keep more jobs with the ability to print on exciting new media types, so you can easily expand to new markets and earn a reputation for high quality and expert finishing with your current customers.

It's full-featured.

The Xerox® Versant 80 Press not only prints faster and on more media types, with our Ultra HD Resolution it does so at a higher level of quality than you've ever believed possible for a digital press. You get all of this, along with fewer manual operations and built-in technologies representing decades of Xerox innovation excellence and technological advances.

Xerox[®] Versant 80 Press Quick Facts

- Speed: Up to 80 ppm
- Media Weights: 52 gsm up to 350 gsm
- Media Sizes: Up to 13" x 19.2"/ SRA3+/330 x 488 mm
- Copy with single-pass duplex scanning at 200 images per minute (ipm)
- Ultra HD Resolution: up to 1200 x 1200 x 10 bit RIP rendering and 2400 x 2400 dpi imaging resolution
- Simple Image Quality
 Adjustment (SIQA) for
 pushbutton-easy image to media
 alignment, density uniformity
 and image transfer
- Performance Package option delivers increased speed and color automation
- Duty Cycle: 460,000



Do more and get more with production-level capabilities scaled to meet your needs.

Everything you need to evolve and grow your business in a digital press that combines walk-up simplicity with offset-quality performance—with automated features that take the guesswork out of achieving picture-perfect results every time.



Performance Without Peer



Top Speeds, Regardless of Media Type

Turn jobs faster without sacrificing quality, with less waste, no do-overs and more high-performance features. With its amazing combination of speed and accuracy enabled by Xerox® technologies, no press in its class outperforms the Xerox® Versant® 80 Press.

Print in color at blazing speeds— 80 ppm/up to 350 gsm—for faster turnaround, higher efficiency and no slowdowns up to 220 gsm coated and uncoated stocks. With the Performance Package option, maintain top speeds on 350 gsm media, and gain color confidence with an inline spectrophotometer and Automated Color Quality Suite (ACQS) to confidently and efficiently produce stable and accurate color on every job.

Our breakthrough compact belt fuser technology applies the uniform heat and pressure needed to bond our Xerox® Emulsion Aggregation (EA) dry ink to a wide range of surfaces without slowing production speed, while optimizing image quality on solids, tints and halftones.

Create exciting new applications, easily finished inline.

It's time to think big, because with the Xerox® Versant 80 Press, you can. Imagine the markets that will open up to you with the increased performance and capabilities within your reach. Print envelopes, labels, tabs, business cards, window decals, durable/synthetic papers, greeting cards, textured stocks, polyesters and custom solutions from 15 lb Bond to 130 lb Cover (52 to 350 gsm). Depending on your business needs, you can choose the finishing options you need to create just about anything.

State-of-the-Art Technologies and Automated Performance Checks

It's what's under the hood that really makes the difference. The Xerox® Versant® 80 Press is packed with Xerox® technologies designed to remove the barriers between quality and quantity in a digital press. With no special training, you'll achieve offset-quality results every time.







Ultra HD Resolution for Stunning Results

The Xerox® Versant 80 Press achieves unprecedented results by combining our 2400 x 2400 dpi imaging resolution with up to 1200 x 1200 x 10-bit rendering resolution. The 10-bit processing delivered by the EFI™ Fiery® Print Server and Versant 80 Press increases the possible number of traditional pick points from 256 (with 8-bit processing) to 1,024 with our 10-bit processing for each color separation. The more pixels moved by the RIP to the print engine, the more customer-pleasing details (four times more pixels than the digital press standard), making for stunning results on every page.

Automated Adjustment for Remarkable Registration and Image Quality

Savvy customers demand accuracy. You'll earn a reputation for excellence with improved print and scan automation from our Simple Image Quality Adjustment (SIQA) tool. SIQA takes the trial and error guesswork out of perfect front-to-back alignment with sophisticated laser technology that generates dozens of reference points to account for paper surface anomalies, changes in humidity and other variables.

But that's not the full story on image quality. The Xerox® Versant 80 Press also has an automated Image Transfer Adjustment, effortlessly adjusting image transfer to ensure optimal quality on a variety of stocks, while a Density Uniformity Adjustment helps maintain

color consistency within a page. No competitive press shares these time and error-saving features as simply. You'll get the same high quality regardless of stock type—even on linens, polyesters and other unique substrates.

Connections Where They Count for More Uptime

Xerox® Connect Advantage combines diagnostic technology with a dedicated team of highly skilled specialists providing problem resolution by maintaining a direct connection between your Xerox® Versant 80 Press and Xerox technicians.

Add our exclusive Performance Package option for higher speeds and automated color management.

Bring your business up to speed—and up to color standards—with a powerful Performance Package option that anticipates and addresses your future needs today—so you're ready for business growth tomorrow.

Typical Approaches to Color



Absence of conventional color management will be hit or miss.

With variations in operator skill, materials and environmental factors, press output quality can easily drift away from optimum results.



Calibration generates more stability, but not necessarily more accuracy. Manual or automated calibration will first help you achieve more predictable color outputs.

ACQS



Keep your Xerox® press both stable and accurate.

With automated, on-press calibration and profiling, you'll be able to better match approved proofs and previously printed jobs.

Top Speeds on Any Stock

With the Performance Package option, your Xerox® Versant® 80 Press will maintain top speeds of 80 ppm on stocks and specialty media up to 350 gsm. That means more versatility and more performance—allowing you to do more, faster, for higher profits.

ACQS for Complete Color Confidence

Eliminate inconsistent manual color processes and eliminate operator error with our Automated Color Quality Suite. ACQS takes the variability out of the color equation by leveraging a full spectrum of color management hardware and software tools—including an inline spectrophotometer—to calibrate, create and verify color profiles automatically.

ACQS eliminates mistakes due to human error or misfeeds when calibrating by hand, while achieving accurate and consistent results. ACQS is so easy to use that operators can get up to speed with little or no training.

Why is color so critical?

To attract larger, more profitable jobs, it's critical that your operation is able to consistently produce accurate color. In fact, when you do color right, you can:

- Retain and acquire customers who demand extremely high image quality
- Charge a premium for colorcritical services you are uniquely capable of delivering
- Fend off competitors who simply can't do what you can
- Eliminate time-consuming and costly rework caused by trial and error color matching
- Earn a reputation as a leader in your field

The Xerox® Versant 80 Press with the Performance Package option removes or reduces the traditional barriers to entry in the lucrative high-volume print market with automated color accuracy tools that anyone can use.

Features That Drive Results





User Interface: The User Interface provides quick and easy access to scan and copy features, automated press processes and to monitor status and maintenance functions.



Advanced High Capacity Feeder (option):

Two 2,000-sheet trays let you run lightweight and heavyweight specialty stocks from 15 lb Bond to 130 lb Cover (52–350 gsm). Auto-Tray Switching and reload-while-run capabilities optimize press time (additional capacity with a four-tray option).



Three Standard Paper Trays: Along with the bypass tray, holds 1,900 sheets of paper.



Seamless Intermediate Belt Transfer: Provides even greater versatility, speed and reliability across a wide range of media and applications.



Bias Charge Rolls/Long Life Photoreceptors:

Uniform charge to the photoreceptor delivers more stable print quality within a page and from page to page. Self-cleaning technology optimizes press availability while maintaining high print quality standards.



Scanner: Automated duplex scanning at a resolution of 600×600 dpi at up to 200 ipm and copying at 2400×2400 dpi at speeds of up to 80 ppm through the Duplex Automatic Document Feeder, scanning SIQA targets for more automation.



Load-While-Run Dry Ink: Improves productivity because you don't have to stop printing when loading dry ink. A reservoir holds enough toner to continue operation while you load new toner cartridges.

Emulsion Aggregation (EA) Low Melt Dry Ink:

Small, consistent particles produce great quality with a low gloss formulation giving all your applications a smooth offset-like finish. Requires less power to fuse to a variety of stocks.



Powerful Performance

With the Xerox® Versant® 80 Press, powerful performance comes standard. When you add the optional Performance Package, you're ready for anything—and everything—with even more automation, quality control and top production speeds, regardless of media.

Inline Spectrophotometer (see ▲ on image left)

An integrated spectrophotometer in the paper path automates functions like calibration and destination profiling.

Automated Color Quality Suite

Our Automated Color Quality Suite (ACQS) is designed with built-in automation to deliver color accuracy, stability and repeatability while increasing productivity and available press time.

80 ppm up to 350 gsm

Specialty stocks won't slow you down with the Performance Package option. You'll maintain top speeds with top quality.



Compact Belt Fuser Assembly: Provides the uniform heat and pressure needed to fuse images onto a wide variety of stocks up to 350 gsm.



Paper Path: Including the stainless steel inversion and duplex paths, plays an important role in supporting benchmark image quality, reliability and speed. Customer adjustable settings let you fine tune image positioning.



Ultra HD Resolution: The combination of rendering resolution (up to $1200 \times 1200 \times 10$ -bit) and imaging resolution (2400×2400) with expanded halftone screens yields a smoother, crisper resolution of objects and improved graphic fills and sweeps.



Smart Decurler Module: The robust "smart" decurler built into the paper path takes into consideration the paper side, necessary coverage and the humidity, and uses two rollers and bars to apply the most appropriate pressure—resulting in the flattest output possible.



Finishers with or without Booklet Maker (options):

Produce more revenue-generating applications inline, including coated paper, with a suite of optional finishers: Xerox® SquareFold® Trimmer Module, Xerox® 2-Knife Trimmer, GBC® AdvancedPunch™ Pro and Xerox® High Capacity Stacker.

Anatomy of a Perfect Print

Take a closer look at the Xerox® Versant® 80 Press difference. What's in the machine is important, but it all comes down to what's on the page. It's fine to talk about results, but seeing is truly believing.







Truth in Toner: Our Xerox® EA Low Melt Dry Ink technology gives all your applications a smooth offset-like finish. The product of an advanced engineering process, the small, consistent particles produce outstanding image quality and uniformity. The unique properties of Xerox® EA dry ink are also environmentally friendly.



More Than Skin Deep: With powerful color management tools built right in, there's no guesswork or trial and error involved in getting accurate, consistent color time after time, job after job. And not just any color—outstanding color accuracy to industry color standards such as GRACoL and Fogra.

It's in the Details: With 2400 x 2400 image resolution and RIP resolution sending data to the press at up to 1200 x 1200 x 10, even your most hard-to-please customers will marvel at the quality of your output.




Size Up for Success: With the capacity to handle paper sizes up to 13" x 19.2" (330 x 488 mm), you'll be capable of producing high-value applications faster and easier—and more economically.



Better by Any Measure: Simple Image Quality Adjustment (SIQA) automates three critical processes. Automated registration control assures your customers' jobs meet the most exacting standards. The Density Uniformity Adjustment delivers consistent density across the page and the Image Transfer Adjustment optimizes the printed image based upon your media selection.



High Touch: A combination of technologies, including our Compact Belt Fuser Assembly and our Xerox® EA Low Melt Dry Ink, conspire together to print consistently on any stock or media type—even synthetics and linens—with uniform coverage and a smooth, offset-like finish.



Versatile Enough to Answer All Your Changing Business Needs

The Xerox® Versant® 80 Press is the answer to everything you need to grow your business, all in one highly automated, versatile press. You'll expand your capabilities and output quality exponentially without the need for highly trained operators or—depending on the finishing options you choose—outsourcing complex finishing operations.



Xerox[®] EX 80 Print Server Powered by Fiery[®]



Xerox® FreeFlow® Print Server

Easy-to-Use, Powerful Features and Finishing Options

No other digital press in its class combines the simplicity of a walk-up copier with the power of a high performance digital press so completely and seamlessly.

Make a simple copy at 2400 x 2400 dpi one minute, and start a color-critical 350 gsm monster run with the optional Performance Package printing at 80 ppm the next.

There's also built-in scanning at up to 200 pages per minute at 600 x 600 dpi resolution with multiple output options including scan-to-file, email, network or cloud. Our larger, higher capacity document feeder holds 11" x 17"/A3 originals at weights up to 200 gsm, and reliably scans two-sided originals automatically.

Your Choice of Three Print Servers for Workflow Capabilities and Control at Your Fingertips

When choosing a print server for your Xerox® Versant 80 Press, you'll want to consider your future growth potential along with your current needs. Select either an external Xerox® FreeFlow® server option, or choose between two Fiery® server platforms—the integrated Xerox® EX-i 80 Printer Server Powered by Fiery® or the external Xerox® EX 80 Print

Server Powered by Fiery. The two EFI options vary by level of color management controls, automation, productivity, workflow integration and expandability they offer.

Power and Performance

Xerox® FreeFlow Print Server is a powerful standalone unit with benchmark RIP performance using data caching and distributed processing. The server provides full production capabilities, outstanding color management and the flexibility to make late stage edits, like imposition and color corrections.

Xerox® EX 80 Powered by Fiery is an external print server that provides maximum flexibility, productivity and capability to your print environment—providing a framework for efficient workflows and high-quality, creative output. Add the optional Performance Package, and your Xerox® EX 80 Print Server becomes even more powerful with additional color management tools.

Xerox® EX-i 80 Print Server Powered by Fiery is an integrated print server attached to the back of the press for environments where physical space is at a premium, and where the additional speed, flexibility and capabilities offered by the EX 80 print server are not required.



Whatever the size and scope of your work, we'll fit your needs.

Feeding Options



High-Capacity Feeder—Longer, uninterrupted runs for more uptime. One tray 2,000 sheets, 8.5" x 11"/A4, 64–220 gsm (uncoated only).



- One tray 2,000-sheet capacity up to 13" x 19.2" (330.2 × 488 mm), 64 gsm uncoated or 106 gsm coated to 300 gsm; includes storage area.
- Two-Tray Advanced adds 4,000 sheets, best registration capability, 52 gsm uncoated up to 350 gsm.
- Dual Advanced with four trays adds 8,000 sheets up to 350 gsm.

Finishing Options



Offset Catch Tray—Grab-and-go access and offset sorting; 500-sheet stacking.



High Capacity Stacker— Pile on the productivity with less unloading. Stacking and offsetting 5,000 sheets with movable cart; 500-sheet top tray output.



GBC® AdvancedPunch™ Pro—Printing,

collating and punching with inline interchangeable die punch patterns, 75–300 gsm, coated and uncoated, supports tab stock to create punched applications, binding offline.



Business Ready Finisher—Versatile options for your most common job types. 50-sheet stapling uncoated paper or 15 sheets of coated, hole punching, 500-sheet top tray, 3,000-sheet stacker tray for offset/stapled/punched output.



Business Ready Booklet Maker Finisher—

All features of Business Ready Finisher plus three output trays, bi-fold, saddle-stitch booklets 16 sheets (64 imposed pages/90 gsm uncoated), 7 sheets (28 pages) 106–176 gsm coated, 5 sheets (20 pages) 177–220 gsm coated.



Standard Finisher—From everyday to extraordinary in one finisher.

100-sheet stapling coated/uncoated, hole punching, 500-sheet top tray, 3,000-sheet stacker for offset/stapled/punched output, 200-sheet interposer input tray for insertions, optional C/Z Folder, built-in decurling for coated/heavyweight media through ICM/IFM required to connect to printer.



Booklet Maker Finisher—All features of

Standard Finisher plus three output trays, bifold, saddle-stitch booklets up to 25 sheets (100 imposed pages/80 gsm), 10 sheets (40 pages) 106–176 gsm coated, 5 sheets (20 pages) 177–220 gsm coated, optional C/Z Folder.



C/Z Folder—Optional module for folding Letter, Tri, Envelope, Accordion, Concordia, ½ Accordion and Accordion Fold-out, 64–90 gsm uncoated.



Xerox® SquareFold® Trimmer—Get the professional edge with flat spine and face trim. Square fold flattens booklet spines up to 25 sheets (100 imposed pages) and face trims lead edge of booklet.



Xerox® 2-Knife Trimmer—Sharp results for full-bleed applications. Attaches to Xerox® SquareFold Trimmer and cuts top and bottom edges for full bleed finishing.



Standard Finisher Plus—Connect to more capacity, more options. Same feature set of Standard Finisher, 2,000-sheet stacker, including integrated Document Finishing Architecture (DFA) connecting a variety of third-party inline finishing options.



Plockmatic Pro 50/35 Booklet Maker—

Produce a variety of booklet types in one continuous operation. Requires Standard Finisher Plus, enabling production run finishing consisting of booklet maker, output tray, stapling and folding; with optional Rotate Crease and Bleed Trim, Face Trimmer, Square Folder and Cover Feeder.

Finishing Applications



Sort and Collate



Staple



Hole Punch



Booklet



2-Knife Trim



Square Fold



Z-Fold



Tri-Fold



Tabloid Z-Fold



Face Trim



C-Fold

Results That Add Up to Business Success

With the Xerox® Versant® 80 Press, business transformation comes standard. Work faster and smarter with less waste and more capabilities than ever before. You'll get peace of mind for your business, and the satisfaction of knowing you've made a sound investment.



Do more. Get more.

We can't add more hours to your day, but the Xerox® Versant 80 Press can help you do more with the hours and resources you have. You'll be more competitive, and able to turn high-quality, high-quantity jobs faster and more efficiently.

Reduce Costs

Eliminate trial and error, waste and operator intervention with automation, including color calibration and profiling, image to media registration and more.

Produce More Jobs

Take on short or long runs, on exciting new media types—faster and with effortless customer-pleasing quality that will earn loyalty and win new business.

Impress Your Customers

Image quality is, and always will be, the best way to impress your customers. With the Xerox® Versant 80 Press, you can guarantee image quality with built-in color management, Ultra HD Resolution and consistent performance regardless of media type.

Grow Your Business

Whether your business is print-for-pay or an in-plant operation, you can grow your business and your reputation for excellence—both essential to your long term viability. The Xerox® Versant 80 Press will drive success for years to come.

Xerox[®] Versant[®] 80 Press

Productivity/Print Speed

- Print/Copy/Scan
- Duty Cycle: 460,000
- Average Monthly Print Volume: up to 80,000
- 80 ppm (8.5" x 11"/A4), 52–350 gsm with Performance Package option
- 80 ppm (8.5" x 11"/A4), 52–220 gsm
- 60 ppm (8.5" x 11"/A4), 221–350 gsm
- 44 ppm (11" x 17"/A3), 52–350 gsm with Performance Package option
- 44 ppm (11" x 17"/A3), 52–220 gsm
- 32 ppm (11" x 17"/A3), 221–350 gsm

Image Quality

- 2400 x 2400 dpi VCSEL ROS for Ultra HD sharpness, detailed shadows and bright highlights
- Halftone Screens for smoother and crisper resolution
 - 150, 175, 200, 300, 600 Clustered Dot
 - 150, 200 Rotated Line Screen
 - FM Stochastic Screen

Technology

- Performance Package option increases speed and color automation running all stocks at 80 ppm
- Ultra HD Resolution creates detailed, lifelike images and ultra smooth gradients
- Closed Loop Process Controls monitoring system makes quality adjustments in real time
- Compact Belt Fuser has higher speeds, image consistency and runs heavyweight and mixed media
- Simplified Image Quality Adjustment (SIQA) automated features:
 - Image to media alignment adjustment
 - Density Uniformity provides consistent ink density across the page
- Image Transfer adjusts bias for best quality
- Xerox® EA Low Melt Dry Ink toner with small, uniform particles, fine lines and overall image quality
- Bias Charge Rolls with auto cleaning technology improves press productivity
- Smart Decurler calculates coverage, paper and humidity for flat sheets
- Modular feeding and finishing creates a customized solution
- Customer replaceable items increase up-time
- Xerox® Connect Advantage diagnostic technology

Paper

Format/Sizes

- Maximum sheet size: 13" x 19.2" (330 x 488 mm)
- Minimum sheet size: 5.5" x 7.2" (140 x 182 mm)
- Minimum sheet size: By-Pass 3.9" x 5.8" (100 x 148 mm)
- Tray inserter OHCF supports: 4" x 6" (102 x 152 mm)
- Maximum print area: 12.83" x 18.98" (326 x 482 mm)
- Maximum copy area: 11.7" x 17" (297 x 432 mm)

Flexibility/Weights

Coated, uncoated, tabs, envelopes, polyester/ synthetic, textured, colored, custom media and mixed-stock printing

- 52-350 gsm uncoated and coated
- 64–256 gsm from Trays 1–3
- 52–300 gsm from By-Pass
- 64–220 gsm from optional HCF
- 52–300 gsm from optional OHCF
- 52–350 gsm from optional Advanced OHCF

Capacity/Handling

- Base:
 - 1,900 at 24 lb/90 gsm
 - Trays 1-3: 550 sheets each
 - By-Pass: 250 sheets
- · Maximum:
 - 9,900 sheets at 24 lb/90 gsm
 - Optional Dual Advanced OHCF: 8,000 sheets
 - Trays 1-3: 550 sheets each
- By-Pass: 250 sheets
- Auto-Tray Switching/Reload-While-Run Capability
- Auto-Duplex 300 gsm (4/4 impressions)
- Simplex/Manual Duplex 350 gsm

Feeding Options

High Capacity Feeder

One tray 2,000 sheets, 8.5" x 11"/A4, 64–220 gsm (uncoated only)

One Tray Oversized High-Capacity Feeder

2,000-sheet capacity, min size: 7.2" x 8.3" (182 x 210 mm) (4" x 6" with Tray Inserter), max size: 13" x 19.2" (330 x 488 mm); 52 gsm uncoated or 106 gsm coated to 300 gsm

Two Tray Advanced Oversized High-Capacity Feeder

4,000-sheet capacity, min size: 7.2" x 8.3" (182 x 210 mm) (4" x 6" with Tray Inserter), max size: 13" x 19.2" (330 x 488 mm); 52 gsm uncoated or 106 gsm coated to 350 gsm

Dual Advanced Oversized High-Capacity Feeder

Four trays, 8,000-sheet capacity, min size: $7.2^{\circ} \times 8.3^{\circ}$ (182 x 210 mm) (4" x 6" with Tray Inserter), max size: $13^{\circ} \times 19.2^{\circ}$ (330 x 488 mm); 52 gsm uncoated or 106 gsm coated to 350 gsm

Finishing Options

Offset Catch Tray

500-sheet stacking

High Capacity Stacker

Stacking and offsetting 5,000 sheets with movable cart, 500-sheet top tray output

GBC[®] AdvancedPunch™ Pro

Inline interchangeable die punch patterns, 75–300 gsm, coated and uncoated, supports larger sheet and tab stock to create punched applications, binding offline

Business Ready Finisher

50 stapling uncoated or 15 coated, hole punching, 500 top tray, 3,000 stacker tray for offset/stapled/punched output

Business Ready Booklet Maker Finisher

All features of Business Ready Finisher plus three output trays, bi-fold, saddle-stitch booklets 16 (64 imposed/90 gsm uncoated), 7 (28 imposed) 106–176 gsm coated, 5 (20 imposed) 177–220 gsm coated

Standard Finisher

100 stapling coated/uncoated, hole punching, 500 top tray, 3,000 stacker for offset/stapled/punched output, 200 interposer input tray for insertions, optional C/Z Folder, built-in decurling for coated/heavyweight media through ICM/IFM to connect to printer

Booklet Maker Finisher

All features of Standard Finisher plus three output trays, bi-fold, saddle-stitch booklets up to 25 sheets (100 imposed/80 gsm), 10 sheets (40 imposed) 106–176 gsm coated, 5 (20 imposed) 177–220 gsm coated, optional C/Z Folder

C/Z Folder

Optional module for folding Letter, Tri, Envelope, Accordion, Concordia, ½ Accordion and Accordion Fold-out, 64–90 gsm uncoated

Xerox® SquareFold® Trimmer

Square fold flattens booklet spines up to 25 sheets (100 imposed) and face trims lead edge of booklet

Xerox® 2-Knife Trimmer

Attaches to Xerox® SquareFold Trimmer and cuts top and bottom edges for full bleed finishing

Standard Finisher Plus

Same feature set of Standard Finisher, 2,000 stacker, integrated Document Finishing Architecture (DFA) connecting a variety of third-party inline finishing options

Plockmatic Pro 50/35 Booklet Maker

Requires Standard Finisher Plus, delivers production volume booklet making, stapling and folding with optional Rotate Crease and Bleed Trim, Face Trimmer, Square Folder and Cover Feeder

Integrated Scanner

Single-pass Duplex Automatic Document Feeder, up to 200 ipm Color/B&W, 250-sheet capacity, up to 11" x 17"/A3, 38 gsm (16 lb Bond) to 200 gsm (53 lb Bond), copy or scan to a variety of output options

Performance Package Option

- Runs all jobs at 80 ppm, up to 350 gsm
- Xerox Automated Color Quality Suite calibrates and accurately creates color destination profiles automatically, working with the inline spectrophotometer

Print Server Options

- Xerox® FreeFlow® Versant 80 Print Server
- Xerox® EX 80 Print Server Powered by Fiery®
- Xerox® EX-i 80 Print Server Powered by Fiery


Electrical

- North America: 208–240 V, 50/60 Hz, 16 amps/ Requires 20A circuit, NEMA 6-20-R socket
- Europe: 220–240 V, 50 Hz, 20 amps/Requires 20A circuit, PCE Shark 023-6 mating socket
- Additional electrical required for print server and feeding/finishing devices:
 - 115 VAC, 15 Amp for 60 Hz or 220 VAC, 10 Amp for 50 Hz (Western Hemisphere)
 - 220–240 Volts, 10 Amp, 50 Hz (Europe)

Dimensions/Weight

- Height: 48" (1,212 mm)
- Width: 33" (840 mm)
- Depth: 33" (831 mm)Weight: 651 lb (295 kg)






MEET THE XEROX® VERSANT® 180 PRESSES

Advance. Automate. Do More.



What's your strategy?

The Xerox® Versant® Family of Presses delivers the full promise of digital print. Whichever you choose, you'll become an instant player in the fastest-growing sector in the industry.



Achieve benchmark quality and advance your capabilities with the Xerox[®] Versant[®] 180 Press.

The Versant Family of Presses is known for high quality and easy automation, and the ability to print on a wide range of media types. With the Versant 180, you'll instantly advance your capabilities.

You'll gain a competition-busting quality advantage and the ability to create high-value applications. Attract new business, increase margins and earn a reputation for excellence with stunning, accurate output.

Reduce waste and maximize uptime with Simple Image Quality Adjustment (SIQA) for perfect front-to-back registration at the touch of a button. Choose from a full range of fully automated inline finishing options, including full bleed booklets.

Print at top speeds on stock weights from 52–350 gsm, and maximize your job types with the ability to run envelopes, 26" (660 mm) banners, polyester/synthetic, textured, colored, custom media and mixed-stock printing.

EXPAND YOUR OPERATION AND PRINT 25% FASTER ON EVEN THE HEAVIEST STOCKS WHEN YOU ADD THE PERFORMANCE PACKAGE.

The Xerox® Versant 180 with Performance Package delivers full automatic color calibration and in-machine processes that take the guesswork out of producing perfect output every time.

Build your business—and keep up with demand as it grows over time—with the easy investment that provides even more power and performance. More advanced automation, faster speeds and built-in productivity enhancers boost efficiency and bottom-line results as your business grows.

A powerful combination of process controls and our Automated Color Quality Suite (ACQS) with an X-Rite® Inline Spectrophotometer provides fully automated color management and the highest possible print quality. Complex, multi-step calibration operations are reduced to pushbutton simplicity.

Even the heaviest stocks won't slow you down with our advanced Compact Belt Fuser capable of running 80 ppm on stocks up to 350 gsm. And with a maximum paper size of 26" (660 mm), you'll gain even more flexibility in terms of applications and production capabilities.

Find out more and explore options at www.xerox.com/versant180.

MORE AUTOMATION ADDS UP TO

With Versant®, automation enhances key production processes providing competition-busting performance, image quality and versatility. That means better results for your growing print operation, with across-the-board improvements to workflows, output and your bottom line.



MORE PERFORMANCE

Combine powerful Versant 180 base capabilities with the Performance Package and print 25% faster on stocks up to 350 gsm. Gain media latitude and industry-leading capabilities you can't get from competitive presses.



MORE IMAGE QUALITY

Wow your customers and deliver quality your competitors can't match with stunning HD output, enhanced by simplified and automated registration and color calibration controls.



□... MORE VERSATILITY

Build the press you need to grow your business with innovative inline finishing options. You'll even have the convenience of a walkup copier, scanner and printer.



MORE RESULTS

It all adds up to better margins, higher profits and the ability to grow strategically with a single, future-proof investment.



Extra-long sheet printing—maximum paper size 13 x 26" (330 x 660 mm)

Xerox[®] Versant[®] 180 Press and Xerox[®] Versant[®] 180 Press with Performance Package

VERSANT 180 AT-A-GLANCE

- It's a compact—but powerful—production press printing at 80 ppm.
- Wide media latitude, with the ability to print on stocks and specialty media from 52–350 gsm.
- Automated registration and image quality controls create error-free output and tolerances to within one millimeter.
- High-performance press features combine with the convenience and walk-up simplicity of scanning and copying.
- Feeding and inline finishing versatility create opportunities for the higher-margin, higher-profit applications your competition can't offer. Print everything from envelopes to banners to full bleed booklets.
- With an Average Monthly Printing Volume (AMPV) of up to 80,000 and a maximum monthly duty cycle of 750,000, you can keep up with demand and grow your business, month after month.

WITH PERFORMANCE PACKAGE

All of the groundbreaking Versant 180 features, plus even more power and automation.

- Print 25% faster on heavier stocks and substrates—full rated speed of 80 ppm on stocks up to 350 gsm.
- An X-Rite® Inline Spectrophotometer automates once-tedious color calibration, eliminating guesswork, saving time and upping your color game with its easy operation.

And that's just the beginning.

STUNNING IMAGE OUALITY

The Versant 180 achieves a new standard of image quality, delivering four times more pixels than other presses while still printing at blazing fast speeds. It's a winning combination of technologies, including our Xerox® EA Toner, 2400 x 2400 dpi with 10-bit RIP and an advanced Compact Belt Fuser that provides just the right amount of consistent heat and pressure for a given stock. Every job is rendered with jaw-dropping detail, crispness and clarity from first print to last.

AUTOMATED QUALITY AND ALIGNMENT CONTROLS

You'll spend less time in preproduction, and get the highest quality without guesswork from job start to finish. Our Simple Image Quality Adjustment (SIQA) automates three critical components of your print job throughout the run.

- Automated Image-to-Media Alignment ensures each page is perfectly registered and aligned—saving time and eliminating costly waste caused by registration errors or image skew—for perfect front-to-back registration regardless of media type or sheet size
- Automated Image Transfer Adjustment ensures unsurpassed print quality on every stock—smooth, textured or unique—by optimizing toner coverage based on media type.
- Automated Density Uniformity Adjustment safeguards image integrity across the page, delivering consistent and uniform toner coverage and preventing washed-out areas before they occur.

SIQA works in conjunction with the Versant 180's Integrated Registration Alignment (IRA) technology to make remarkable registration easy, accurate and automated—allowing you to produce higher quality jobs faster, on more media types, with better output and less waste.







I want to build my business strategically with more automation, quality and capabilities.










Features That Drive Performance, Image Quality and Versatility





Ultra HD Resolution—The combination of rendering resolution and imaging resolution with expanded halftone screens yields a smoother, crisper resolution of objects and improved graphic fills and sweeps.



Advanced Oversized High Capacity Feeder (option)—Total paper capacity of 4,000 sheets (13 x 19.2"/330 x 488 mm) in two trays, with integrated technology to reduce skew, improve paper handling and prevent misfeeds. A Tray Inserter extends minimum size to 4 x 6" (102 x 152 mm) for postcards and envelopes.



Bypass Tray—A convenient and accessible pick point for feeding standard and specialty media like envelopes or extra-long sheets (XLS).



Extra-Long Sheet (XLS) Capability—Print banners, dust jackets, calendars and other applications up to 26" (660 mm) long.



Custom Paper Settings—Ensure perfect output on all stocks by allowing users to set, save and recall a wide range of technical settings for specific media types.



Press Interface—Provides quick and easy access to scan and copy features, automated processes, status and maintenance functions.



Automated Run-Time Color Controls—An internal subsystem of closed-loop process controls works continuously during printing to automatically maintain color consistency and color-to-color registration throughout the run.



Integrated Registration Alignment (IRA)—Uses over 50 sensors and switches to intelligently control paper transport that is accurate and automated.



Three Standard Paper Trays—Each holds 550 sheets of coated or uncoated stocks in sizes ranging from 5.5×7.2 " (140 x 182 mm) up to 13×19.2 " (330 x 488 mm) and weights up to 256 gsm.

More power. More performance.

The Xerox® Versant® 180 Press with the Performance Package option enhances base capabilities with greater speeds on heavyweight stocks and automated color management tools.

PRINT 25% FASTER ON THE HEAVIEST STOCKS.

Most presses slow down with heavier stocks—sometimes as much as half the rated speed. The Performance Package's All Stocks Rated Speed (ASRS) feature eliminates bottlenecks caused by heavier-weight stocks. Even stock weights up to 350 gsm will run at 80 ppm.

AUTOMATED COLOR QUALITY SUITE (ACQS)

Xerox ACQS is a powerful combination of advanced color management software and integrated hardware that transfers complex decisions about color maintenance from the operator to an automated system, eliminating the time and error associated with manual color management. Once initiated by the operator, ACQS automates the printing and measurement of calibration charts, and calculates precise adjustments to color tables based on the results.



Inline Spectrophotometer



X-RITE® INLINE SPECTROPHOTOMETER (ILS)

The Performance Package option includes an inline spectrophotometer built into the paper path where it measures spectral data and hands it over to the ACQS color management software for print server calibration and stock profiling.

By removing the need for an operator-intensive handheld spectrophotometer and manual process, the ILS reduces errors and time spent on calibration while ensuring stable, accurate and repeatable color. And because the process is pain-free and easy, operators are more likely to complete calibration and profiling.



Intermediate Belt Transfer—An automated and continuous process applying bias (voltage) and sensors to transfer images to registered paper with higher color quality and consistency with no operator involvement.



Bias Charge Rolls and Auto Cleaning Technology—Provides uniform electrical charging of key xerographic components, ensuring smoother halftones and reduced downtime. Both Bias Charge Rolls and Drum Cartridges are combined as a single, customer replaceable unit (CRU) for easier, faster maintenance.



Integrated Scanner—A dual-head color scanner provides copy and scanning up to 200 ipm and scans in black and white or color, up to 600 dpi, with a 250-sheet (90 gsm) Duplex Automatic Feeder up to 11 x 17" (A3) sheets. Scanning output options include scan-to-file, email, USB or a server.



Simple Image Quality Adjustment (SIQA)—Pushbutton-easy print and auto-scan adjustments produce higher quality jobs faster, on more media types, with better output and less waste.



Load-While-Run Dry Ink—Specially engineered Xerox® Emulsion Aggregation (EA) Low Melt Dry Ink provides a smooth, offset-like finish and outstanding color image quality with smaller, more uniform particles and less energy.



Advanced Fusing Technology—A newly designed flat fuser pad in the Compact Belt Fuser results in a larger surface contact area, reducing paper stress and deformation. The fuser uses two heat rolls to replenish the heat lost through the fusing process more quickly and efficiently for consistent image quality at high speeds. Although designed for long life, the entire assembly is customer replaceable, eliminating downtime and lost productivity.



Smart Decurler Module—Delivers consistent, error-free finishing by automatically removing up or down curl using paper weight and ambient temperature/humidity data.

Grow your business with Versant®.

When choosing a print server for your Xerox® Versant 180 Press, you'll want to consider your future growth potential along with your current needs.



PRINT SERVERS

Xerox° **EX-i 180 Print Server Powered by Fiery**° **for the Xerox**° **Versant 180 Press** provides world-class color and easy access to essential tools. This integrated unit is well-suited to lighter production environments with all the power you need to print large, complex Microsoft® Office documents and color-critical PDFs accurately and quickly.

With Fiery® Hot Folders and Virtual Printers, you can automate job submission and eliminate repetitive workflows. You'll get consistent color and take full advantage of Versant's Ultra HD Resolution capabilities with 10-bit architecture and special processing. And, you'll be able to offer personalized printing with Fiery FreeForm™, a built-in, free variable data printing format.



Xerox® EX 180 Print Server Powered by Fiery for the Xerox® Versant 180 Press (required for the Performance Package option) is a powerful, scalable standalone digital front end delivering outstanding quality and best-in-class performance. You'll handle heavy workloads with faster turnaround times and turn short-run jobs more profitably by automating manual tasks, and even create a powerful Web-to-print solution to move job information through your system more efficiently.

You'll also get support for industry-leading variable data printing formats and powerful processing, and 10-bit architecture for ultra-smooth gradients. Includes Fiery Impose for intuitive, visual document imposition and templates to automate common layouts.



Xerox® FreeFlow® Print Server for the Xerox® Versant 180 Press is a powerful standalone unit with benchmark RIP performance using data caching and distributed processing. You'll get full production capabilities, outstanding color management and the flexibility to make late stage edits like imposition and color corrections. Make the most of Versant's Ultra HD Resolution with true 2400 dpi resolution and extensive color management controls.









Versatile Enough To Fit Your Needs



FEEDING OPTIONS



Three Internal Trays—Hold 550 sheets each of 52-256 gsm coated or uncoated sizes from 5.5×7.2 " (140×182 mm) up to 13×19.2 " (330×488 mm).



Bypass Tray—Holds 250 sheets, providing a convenient media pick point for feeding standard or specialty media. Auto-duplexing up to 300 gsm and simplex to 350 gsm. It also accommodates extra-long sheets (XLS) for 13 x 26" (330 x 660 mm) simplex-printed banners on coated or uncoated stocks up to 220 gsm.



Xerox® High Capacity Feeder (HCF)—Holds 2,000 sheets of 8.5 x 11" (A4) paper, 64–220 gsm, uncoated only. Ideal for long print runs of reports, presentations and mailers on A4 or letter-sized sheets.



Xerox® Advanced Oversized High Capacity Feeder (Adv OHCF)—Provides a total paper capacity of 4,000 sheets (two trays of 2,000), 52–350 gsm coated or uncoated to a maximum 13 x 19.2" (330 x 488 mm). Innovative technologies minimize skew, improve feeding reliability and paper handling, and prevent misfeeds. A Tray Inserter extends minimum paper size to 3.9 x 5.8" (98 x 148 mm) for postcards and envelopes.

Xerox® Dual Advanced High Capacity Feeders—Extend feeding capacity to 8,000 sheets with a second chained Advanced Oversized High Capacity Feeder. (Not pictured)

One Tray Xerox® Oversized High Capacity Feeder (OHCF)—Holds 2,000 sheets up to 13 x 19.2" (330 x 488 mm) in one tray, 52–350 gsm coated or uncoated stock. (Not pictured)

FINISHING OPTIONS

Offset Catch Tray—500-sheet stacking. (Not pictured)



Xerox® Interface Decurler Module—Inline paper cooling and decurler unit improves throughput and efficiency connecting Production Ready finishing modules (not required for Business Ready Finisher/Booklet Maker), ensuring flat sheets for reliability and speed.

Xerox[®] **Interface Decurler ILS Module**—All the features above, but with improved cooling features to handle the Performance Package's 80 ppm on stocks up to 350 gsm, and an integrated X-Rite[®] Inline Spectrophotometer providing even more color automation. (Required for Performance Package.)




Xerox® Inserter—Inserts 250 preprinted or blank sheets into finishing for preprinted covers. Enables trimming, punching, folding, stapling and stacking of inserted sheets from 13×19.2 " (330 x 488 mm) to 7.2×5.8 " (182 x 148 mm) up to 350 gsm coated and uncoated.



GBC® AdvancedPunch™ Pro—Punch for coil and comb binding near-line or punch and bind inline with GBC eWire™. Easy-to-insert punch/hole die sets are available. Able to punch a variety of standard sheets in long or short edge, tabs and weights up to 300 gsm. Supports commonly used offline binding styles like comb, coil, wire, ring, GBC ProClick® and VeloBind®.



Xerox° **High Capacity Stacker**—Enables stacking and offsetting for 5,000 sheets up to 350 gsm, using standard size sheets or custom sizes (maximum 13 x 19.2"/330 x 488 mm to minimum 8 x 7.2"/203 x 182 mm); stacking tray with a movable cart. Includes a 500-sheet top tray for proofs/output.





Xerox® Two-Sided Trimmer—Trims the head and foot of a sheet up to 0.985" (25 mm) with a minimum trim of 0.236" (6 mm) using standard or custom sizes (maximum 13 x 19.2"/330 x 488 mm to minimum 7.7 x 8.3"/194 x 210 mm) on uncoated and coated stocks up to 350 gsm. Includes a buffering unit that extends print productivity during trimming. For the Production Ready Finisher and Booklet Maker.



Xerox° C/Z Fold Module—Produces sheets with C and Z folds for 8.5 x 11" (A4), half-Z fold on larger stocks reducing to 8.5 x 11" (A4) on 64–90 gsm uncoated. For the Production Ready Finisher and Booklet Maker.



Xerox° **Production Ready Finisher**—Produces superior quality finishing and stacking with built-in bi-directional decurler. Staple up to 100 sheets (90 gsm) uncoated and 35 sheets (90 gsm) coated stock using standard or custom sizes of maximum 11.7 x 17" (297 x 432 mm) to minimum 7.2×5.7 " (182 x 146 mm) with variable-length staples on stocks up to 350 gsm. Add optional Punch, Inserter or C/Z Folder. Includes two output trays, 500-sheet top tray, finish up to 3,000-sheet stack tray of maximum 13×19.2 " (330 x 488 mm) to minimum 5.83×5.75 " (148 x 146 mm).

Xerox® Production Ready Booklet Maker Finisher—Provides booklet making with features of the Production Ready Finisher. Includes a third tray for saddle-stitch booklets up to 120 pages (30 sheets/90 gsm uncoated–25 sheets/90 gsm coated). Includes a 500-sheet top tray and 2,000-sheet stack tray. Create big booklets (maximum sheet 13 x 19.2"/330 x 488 mm) to small booklets (7.17 x 10.1"/182 x 257 mm) on uncoated and coated stocks up to 350 gsm; half-fold unstapled up to 5 sheets (216 gsm) on stock up to 350 gsm.

Xerox® Production Ready Finisher Plus—Provides same function as the Production Ready Finisher with a 500-sheet top tray and 2,000-sheet stacker tray. Used to connect third-party inline finishing options. (Not pictured)

Xerox® Business Ready Finisher—A lighter-duty option for finishing and stacking and staples up to 50 sheet uncoated/15 coated. Includes hole punch and two output trays, 500-sheet top tray and up to 3,000 sheets using standard size sheets or custom sizes of maximum 13 x 19.2" (330 x 488 mm) to minimum 8 x 7.17" (203 x 182 mm) up to 350 gsm uncoated and coated. (Not pictured)

Xerox® Business Ready Booklet Maker Finisher—Provides booklet making with Business Ready Finisher features including a 500-sheet top tray and 1,500-sheet stack tray. Includes a third tray to output saddlestitch booklets up to 64 pages (16 sheets/90 gsm uncoated–7 sheets/to 176 gsm coated). Booklets on uncoated and coated stocks to 300 gsm; maximum sheet 13 x 18" (330 x 457.2 mm); half-fold up to 5 sheets on 220 gsm. (Not pictured)

Xerox $^{\circ}$ **Basic Punch**—An option for punching 2/3, 2/4 and Swedish 4-hole on the Production Ready Finisher and Booklet Maker using standard or custom sizes—maximum 11.69 x 17"/297 x 431.8 mm to minimum 8 x 7.2"/203 x 182 mm (for 2 hole), 10 x 7.2"/254 x 182 mm (for 3 hole) and 10.5 x 7.2"/267 x 182 mm (for 4 hole) on uncoated and coated stocks up to 220 qsm. (Not pictured)



Xerox® SquareFold® Trimmer—Creates flat finished booklets with the appearance of bound book-like edge; eliminate shingle effect with professional face trim up to 120 pages (30 sheets). Combine with the Two-Sided Trimmer for finished full bleed booklets. For the Production Ready Booklet Maker Finisher.

Plockmatic Pro 50/35 Booklet Maker—Highest quality production booklets up to 200 pages (50 sheets). Do face trimming, square fold, rotate crease and bleed trim, and hand feeding, sizes up to 12.6 x 9" (320 x 228.6 mm) and 300 gsm. Connects via Production Ready Finisher Plus. (Not pictured)

GBC® eWire™—Automated twin-loop wire binding up to 160 pages (80 sheets). Includes various wire options for letter, 8.5 x 5.5", A4 and A5 up to 300 gsm. Connects via Production Ready Finisher Plus; requires GBC AdvancedPunch Pro. (Not pictured)

FINISHING APPLICATIONS								
Sort and Collate	Staple	Hole Punch	Basic Punch	Booklet	2-Sided Trim			
Z-Fold	Tri-Fold	Tabloid Z-Fold	Half-Fold	Square Fold	Face Trim			

Xerox® Versant® 180 Press

PRODUCTIVITY/PRINT SPEED

- Average Monthly Print Volume: Up to 80,000
- Duty Cycle: 750,000
- 80 ppm (8.5 x 11"/A4), 52–350 gsm with Performance Package
- 80 ppm (8.5 x 11"/A4), 52-220 gsm
- 60 ppm (8.5 x 11"/A4), 221-350 gsm
- 44 ppm (11 x 17"/A3), 52–350 gsm with Performance Package
- 44 ppm (11 x 17"/A3), 52-220 gsm
- 32 ppm (11 x 17"/A3), 221–350 gsm

IMAGE QUALITY

- 2400 x 2400 dpi VCSEL ROS for sharpness, detailed shadows and bright highlights
- 1200 x 1200 x 10 RIP rendering without down sampling for Ultra HD performance
- Halftone Screens for smoother, crisper resolution and improved gradients
- 150, 175, 200, 300, 600 Clustered Dot
- 150, 200 Rotated Line Screen
- FM Stochastic Screen

TECHNOLOGY

- Performance Package option increases speed by 25% on the heaviest stocks, delivering full rated 80 ppm on all stocks up to 350 gsm; adds automated color calibration with X-Rite® Inline Spectrophotometer
- Ultra HD Resolution with four times more pixels than competitive presses
- Integrated Registration Alignment (IRA) sensors and switches for accurate and automated paper transport controls
- Closed Loop Process Controls make quality adjustments in real time
- Compact Belt Fuser for higher speeds, image consistency, runs heavyweight and mixed media
- Simplified Image Quality Adjustment (SIQA) for automated Image-to-Media Alignment, Density Uniformity and Image Transfer Adjustments
- Xerox® EA Low Melt Dry Ink toner with small, uniform particles, fine lines and overall image quality

- Bias Charge Rolls with auto cleaning technology improve press productivity
- Smart Decurler calculates coverage, paper and humidity for flattest possible output
- Modular feeding and finishing options for configuration versatility
- Xerox® SMart Kit® customer replaceable items increase up-time
- Xerox® Connect Advantage diagnostic technology

PAPFR

Format/Sizes

- Maximum size: 13 x 26" (330 x 660 mm)
- Maximum standard sheet: 13 x 19.2" (330 x 488 mm)
- Minimum size: 3.9 x 5.7" (98 x 146 mm)

Flexibility/Weights

- Coated, uncoated, envelopes, tabs, polyester/ synthetic, textured, colored, banner, custom media and mixed-stock printing
- 52–350 gsm uncoated and coated
- 52-256 gsm from Trays 1-3
- 52–350 gsm from Bypass
- 52-220 gsm from optional HCF
- 52-350 gsm from optional OHCF
- 52-350 gsm from optional Adv OHCF

Capacity/Handling

- 1,900 sheets standard (80 gsm)
- Trays 1–3: 550 sheets each, maximum size 13 x 19.2" (330 x 488 mm), minimum size 5.5 x 7.2" (140 x 182 mm)
- Bypass: 250 sheets, maximum size 13 x 26" (330 x 660 mm), minimum size 3.9 x 5.7" (98 x 146 mm)
- 9,900 sheets maximum (80 gsm)
- Trays 1-3: 550 sheets each
- Bypass: 250 sheets
- Optional Dual Adv OHCF, 4 trays, 8,000 sheets
- Registration on standard sheets +/- 1.0 mm, 52–300 qsm
- Auto-Tray Switching/Reload-While-Run Capability
- Auto-Duplex 300 gsm (4/4 impressions)
- Simplex 350 gsm (4/0 impressions)

INTEGRATED SCANNER

 Includes Single-pass Duplex Automatic Document Feeder, up to 200 ipm color/black and white; 250-sheet capacity, up to 11 x 17" (A3), 38 gsm (16 lb Bond) to 200 gsm (53 lb Bond); copy or scan to a variety of output options

XEROX EXTENSIBLE INTERFACE PLATFORM®

• EIP version 1.5 compatible

VARIABLE DATA OPTIONS

• XMPie®, Xerox® FreeFlow® Variable Information Suite and other industry partners

PERFORMANCE PACKAGE OPTION

- Up to 25% faster on 221-350 gsm
- Automated Color Quality Suite with an inline spectrophotometer for pushbutton-simple automated color management

PRINT SERVER OPTIONS

- Xerox® EX 180 Print Server Powered by Fiery®
- Xerox® EX-i 180 Print Server Powered by Fiery
- Xerox® FreeFlow Print Server

ELECTRICAL

- North America: 208–240 V, 50/60 Hz, 16 amps/ requires 20A circuit, NEMA 6-20-R socket
- Europe: 220–240 V, 50 Hz, 20 amps/requires 20A circuit, PCE Shark 023-6 mating socket
- Additional electrical required for print server and feeding/finishing devices:
 - 115 VAC, 15 Amp for 60 Hz or 220 VAC, 10 Amp for 50 Hz (Western Hemisphere)
 - 220-240 Volts, 10 Amp, 50 Hz (Europe)

DIMENSIONS/WEIGHT OF BASE PRESS

• Height: 48" (1,212 mm)

• Width: 30" (760 mm)

• Depth: 33" (831 mm)

• Weight: 651 lb (295 kg)

Note: Heavier weight and larger stocks can reduce specifications. Consult the Customer Expectation and Installation Guide (CEIG) for full details.

Which Versant is right for you? Find out more and explore options at **www.xerox.com/versant180.**





Xerox® Versant® 2100 Press

Do more. With more.





The secret to achieving more? Performance. Quality. Flexibility. Solutions.

To some, less is more.

Depending on your circumstances and the unique demands of your business, you may be focused on less—less cost in your everyday operations. Removing costs is one of the keys to being viable, in any situation. With reduced costs, you can be more competitive in your own pricing and more immune to the ups and downs of the marketplace.

The Xerox® Versant® 2100 Press can help streamline your operation and make you more competitive and indispensable in a number of ways:

- Less waste—print in exact quantities
- Less downtime—Xerox® Connect Advantage means more press availability
- Improved efficiency—fewer steps and less operator intervention
- Reduced turnaround times—less trial and error means jobs are produced and in your customers' hands more quickly
- Automated workflow—reduced labor costs and more accurate output

To others, more is more.

Doing more than you did yesterday is an ideal way to differentiate your business and strengthen yourself against increased external competition and the eye of internal corporate cost-cutters. When you can offer your customers additional options in reaching their customers, you become a go-to option and an indispensable partner.

The Versant 2100 Press can help you expand your relevance through a unique combination of capabilities:

- Outstanding performance—produce more in an hour, a shift and a day
- Automated workflow—fewer touchpoints, less intervention and greater intelligence drive automation and shorten setup times
- Optional Dual Advanced High Capacity Feeders for more pick points and uninterrupted production
- Integrated communications—maximize the impact for each customer by augmenting digital print with multimedia publishing
- Higher response rates—on printed pieces designed to motivate consumers
- Higher quality—deliver even the most demanding marketing applications with a new level of quality in less time

We're well versed in more of what matters to you.

We're experienced in more of the things that make a difference in your business. Cost savings. Increased revenue. Greater productivity. We are able to speak the language of your business because we live it every day. And that experience is built right into the Versant 2100 Press.





To tackle more pressure, you need more performance. Automation is the key.

Changes in the print marketplace have increased the challenges you face every day. Faster turnaround times. More competition. Price wars. Internal cost reductions. Online distribution. You simply can't do business the same way anymore.



The very nature of the jobs you print has changed, in their complexity, their urgency, their personalization and in the frequency that they are printed.

It all adds up to the need to process many more jobs in a day than you used to. That adds pressure on everyone throughout the print process from the salespeople who bring in the volume to the operators who produce the jobs.

It won't be news to you that it means more pressure from beginning to end. More pressure to find jobs. More pressure to produce jobs.

But More Opportunity as Well

With the right tools, this new environment means greater opportunity. At the simplest level, it's because not many in the industry have grasped what that change means, and what it needs.

It Means Automation

When you tap into this burgeoning demand for short runs, quick turnarounds and personalized print, and have the hundreds of jobs you need to print in a day to get a return on your investment, the sobering truth can settle in. Fifty to 100 or more jobs in a day simply can't be produced using the same processes and equipment as in the past.

The Xerox® Versant® 2100 Press brings together automation from beginning to end to make it possible—and productive—to produce the greater number of smaller jobs that now characterize the print marketplace.

- Automation that makes job setup faster
- Automation that makes it easier to get outstanding, consistent color
- Automation that opens up new areas of finishing versatility like automated inline punching for cost effective booklet production

You can't make more hours in a day. But you can make better use of the 24 that exist.

More performance takes the finite resource of time and multiplies it to make more out of every shift and more out of every customer relationship.

In many areas, the Versant 2100 Press ups your performance with integrated workflow, precision automation, broad media support and distinctive image quality.

Powerful Workflow Choices

Your workflow is unique—a combination of the customers, the demands, the jobs, the equipment and the processes that are exclusive to your business. Because of that, we offer a choice of print servers that can be combined with a range of apps and solutions to provide a highly customizable workflow and create highly efficient results.

Xerox® FreeFlow® Print Server

This extremely fast, powerful and easy to use color server with Xerox® Confident Color Technology provides enhanced color management and on-demand digital production capabilities. Built-in features such as page-exception programming, job forwarding and customizable print queues make job management easier.



Xerox[®] EX and Xerox[®] EX-P 2100 Print Servers, Powered by Fiery[®]

The Xerox® EX and EX-P 2100 Print Servers have powerful features, like Adobe® PDF Print Engine® support, that enable complex and impactful imaging on your press. Extensive EFI® ColorWise® color management tools make it possible to produce consistently brilliant output, regardless of the user's color management experience. Ultra Smooth Gradients, 10-bit rendering and an all new Stochastic screen optimize the Ultra HD Resolution experience. EX-P offers a HyperRIP with up to 40% more horsepower and performance, allowing you to process complex files like variable data print jobs in less time.

Automation delivers consistency and reliability.

Without automation, the increased flow of jobs to a digital press can become a bottleneck that reduces your productivity. So we built automation into important areas of the print production process to increase performance, quality and consistency.



Xerox® Stock Library Manager

Your ability to respond to your customers' demands increases with the variety of stocks that you can run. And the Xerox® Versant® 2100 Press handles a wide range of media so you can produce an impressive range of jobs—coated and uncoated papers, bright papers, labels, business cards, glossy brochures, window decals, durable/synthetic papers, greeting cards, tabs, embossed, polyesters and custom solutions from 15 lb Bond to 130 lb Cover (52 to 350 gsm).

But a variety of different stocks have the potential to slow your performance if they aren't handled efficiently. The Stock Library Manager simplifies the process of creating, managing and profiling stocks, so you can save time and count on consistent quality. And while it is simple to use, it provides unparalleled control over press features to maximize image quality on each unique stock you use.

Production Accurate Registration (PAR)

Xerox® Versant 2100 Press Production Accurate Registration, or PAR, delivers more performance by making precise image registration easier than ever—from page to page and from run to run.

The wide variety of stocks that customers ask for and the frequency you change from one to another can make it a challenge to assure precise registration and the level of quality your customers demand. In the past, addressing it was time consuming and required a lot of operator attention and time. But that is no longer the case with the Versant 2100 Press' industry-leading automation.

A combination of mechanical and optical sensors and controls ensure stable, accurate registration all along the paper path from the tray to the finisher. This means that you can offer more stock weights and more finishes such as synthetics, linen or felt while confidently maintaining the highest levels of image quality.



Support at the Speed You Need

Xerox® Connect Advantage

Xerox® Connect Advantage is a comprehensive suite of service offerings that combines sophisticated diagnostic technology with a dedicated team of highly skilled specialists. This combination provides proactive problem resolution and a robust understanding of your needs, making it easier and faster for us to help you achieve your business goals.

By maintaining a connection between your Versant 2100 Press and Xerox, Xerox® Connect Advantage analyzes real-time performance information to proactively maximize your uptime. It continually monitors performance and automatically makes adjustments when necessary so issues can be resolved without ever having to place a service call. It offers a "one-stop shop" on the Web where you can find print driver updates, software releases, user documentation, tips, videos and answers to commonly asked questions. It can automatically replenish supplies, making sure you have what you need to keep printing and it automatically submits meter reads, saving time and improving accuracy.

Xerox® Connect Advantage also gives you access via the phone to our dedicated, Remote Support Specialists, including engineers with over 25 years of technical field experience. In most cases, these experts are able to answer your questions over the phone, keeping your productivity at its highest.

Xerox[®] Versant[®] 2100 Press— More Features That Drive Results





Optional Manual Sheet Inserter

Provides an extra 250 oversized sheet capacity, expanding the total number of pick points to six for added production flexibility.



Advanced High Capacity Feeders

Comprised of two 2,000-sheet trays, enabling you to run lightweight, heavyweight and specialty stocks from 15 lb Bond to 130 lb Cover (52–350 gsm). Auto-Tray Switching and reloadwhile-run capabilities optimize press time.

Optional Dual Advanced High Capacity Feeders configuration offers four trays with 2,000 sheets each, 52–300 qsm coated/uncoated.



Customer Adjustable Alignment

Keeps registration with a tight tolerance using electronic control over skew, perpendicularity and lead-edge adjustments.

Production Accurate Registration (PAR)

Provides consistent front-to-back registration automatically, from page to page and run to run.



Paper Feed Module

A module with three 550-sheet trays accommodates an array of stocks from 64-256 gsm. Along with the Advanced High Capacity Feeder and Optional Manual Sheet Inserter, the Versant 2100 holds 5,900 sheets of paper.



Seamless Intermediate Belt Transfer

Provides even greater versatility, speed and reliability across a wide range of media and applications.



Bias Charge Rolls/Long Life Photoreceptors

This new innovation provides more uniform charge to the photoreceptor to deliver more stable print quality within a page and from page to page.
Self-cleaning technology optimizes press availability while maintaining high print quality standards.



Load-While-Run "Low Gloss" Dry Ink

Improves productivity because you don't have to stop when loading dry ink. A reservoir holds enough dry ink to continue operation while you load new dry ink cartridges.

Xerox® EA Low Melt Dry Ink

Chemically grown, small, consistent particles produce great quality and a new low gloss formulation gives all your applications a smooth offset-like finish. Requires less power to fuse to a variety of stocks.



We put more of our industry experience and innovation into every part of the Xerox® Versant® 2100 Press. It is in those details where you find the excellence of the solution whether you are looking to cut costs or increase revenue. Or both.



Fully Automated Output Decurler

Provides consistent and reliable output quality. Programmable settings let you define parameters for specific stocks, ensuring flat output that is ready for finishing.



Compact Belt Fuser Assembly

Provides the uniform heat and pressure needed to fuse images onto a wide variety of stocks up to 350 gsm.



Paper Path

Including the stainless steel inversion and duplex paths, plays an important role in supporting benchmark image quality, reliability and speed. Customer adjustable settings let you fine tune image positioning.

Auto Sheet Clearing

Provides simple, efficient and virtually hands-free jam recovery.



Ultra HD Resolution

The combination of rendering resolution (1200 x 1200 up to 10-bit) and imaging resolution (2400 x 2400) with expanded halftone screens yields a smoother, crisper resolution of objects and improved graphic fill sweeps.



Compact Cooling Module

Enables maximum productivity by cooling stocks at rated speed so applications can be finished immediately.



Full Width Array Inline Sensor

Integrated RGB scanner delivers three functions that automate otherwise time-consuming setup tasks: IOT Color Control, Image to Media Alignment and Color Management via ACQS.



Integrated User Interface

Provides access to press controls and statuses. Also provides access to Full Width Array IOT Color Control functions.



High Capacity Stacker

Provides production stacking capabilities by supporting all media regardless of size and weight. Removable cart adds unload-while-run capability, maximizing press time.



Output Tray

Provides quick and easy access for short runs and proofs.

Stunning image quality that keeps customers coming back for more.

Quality has always been, and will always be, one of the most important criteria your customers use to evaluate a printing solution...and to evaluate you. We appreciate that but we also appreciate that you can't slow your operation to achieve outstanding image quality. So the Xerox® Versant® 2100 Press uses new levels of sophistication and automation to make achieving outstanding image quality easier than ever.

Powerful Color Management Technologies Built into the Press

Xerox® Confident Color is a collection of the finest color management technologies, designed and refined to deliver more outstanding color and more saleable output. These built-in technologies are supported by our unique consultation, customization and business development services so you can be sure you are ready to meet—or exceed—the expectations of your customers. Confident Color allows you to emulate a range of industry standards such as GRACoL and Fogra and adhere to PANTONE standards so you can accurately match colors, from job to job, shift to shift, and from press to press.

Ultra HD Image Quality for Ultra-Satisfied Customers

Xerox® digital presses have already been proven to deliver vibrant image resolution at 2400 x 2400 dpi for excellent sharpness and uniformity. The Versant 2100 Press' Ultra HD Resolution has now introduced increased RIP resolution, sending data to the press at up to 1200 x 1200 up to 10-bit.

By rendering at a higher dpi, Ultra HD Resolution preserves fine details in graphic fills, continuous sweeps, line art and text. The more pixels moved by the RIP to the print engine, the more customer-pleasing details are resident within the job that makes it into the customer's hands. The new Stochastic screen creates offset-like output enabling even easier migration to digital.

Closed Loop Process Controls

The Versant 2100 Press features a closed loop process of density patches on the Intermediate Belt Transport (IBT) and sensors that constantly monitor the system and make quality adjustments on the fly. The result is higher quality with no operator involvement and a positive impact on your productivity.


Compact Belt Fuser

The Versant 2100 Press' compact belt fuser allows you to maintain excellent image quality on a wide variety of stocks up to 350 gsm. The fuser uses uniform heat and pressure transfer technology to optimize image quality features such as solids, tints and halftones.

Like so many of the innovations in the Versant 2100 Press, the compact belt fuser simultaneously delivers more uptime and performance while ensuring the image quality your customers demand.









Automation brings repeatable color and frees operators to do more.

Give Time Back to Your Operators with a Full Width Array

The Xerox® Versant® 2100 Press' Full Width Array inline sensor provides key functions that automate otherwise time-consuming setup tasks. These automated adjustments are easy, integrated and fast and they help your operators ensure the system is ready for optimal performance before jobs start running, minimizing costly interruptions and maximizing performance.

Baselining the Press

To help the press achieve optimal performance from the first job, the Versant 2100 Press performs Density Uniformity adjustments to reduce waste and a considerable amount of operator intervention while consistently meeting image quality expectations.

Registration Profiling

Consistent alignment is critical for all stocks and for removing image-to-paper alignment defects. The Versant 2100 Press' automated image-to-media alignment function replaces the time-consuming and iterative procedure of having to print, measure and manually adjust individual settings.

Color Management

Without the Full Width Array, color management requires a number of time-consuming, productivity-reducing steps. With the automation of the Full Width Array, test print values are read automatically, allowing you to easily create revised color calibration profiles.

Automated Excellence

The Versant 2100 Press features the Automated Color Quality Suite (ACQS) with its Full Width Array that gives you more quality and more consistency automatically. It is designed with built-in automation to deliver color accuracy and repeatability while increasing productivity and available press time.



Full Width Array Photo Inline Sensor delivers three functions that automate otherwise time-consuming setup tasks: IOT Color Control, Image to Media Alignment and Color Management via ACQS.

Flexible Solutions to Grow with Your Business

As the marketplace demands more of you, your printing solutions need to be more configurable, modular and flexible to allow you to produce the variety of jobs that your customers are looking for. With the Xerox® Versant® 2100 Press' performance, quality and automation, you are able to tackle more jobs of greater variety and deliver in new ways that are even more valuable to your customer.

Configurability and Modularity Down to Our Core

Xerox® FreeFlow® Core is designed to serve as the new backbone of our entire new Xerox® production workflow solutions. It's modular and scales easily. Xerox® FreeFlow Core is designed to easily integrate with other prepress tools, workflow solutions, Digital Front Ends (DFEs) and Xerox® digital presses including the Versant 2100 Press. Adding advanced capabilities is as simple as adding modules for increased automation and potential. But because it's modular, you can start small—and very affordably.

A Wider Variety of Options for a Wider Variety of Finished Jobs

As the number of jobs coming into your shop goes from a handful to dozens or even hundreds a day and as they come in more shapes and sizes, you just can't afford to have manual labor handling each job. With the Xerox® IntegratedPLUS Finishing Solution, job preparation and finishing setup are automatic. Xerox integrates a broad range of finishing options from world-class finishing partners to provide automation that keeps you productive while saving you time and reducing costly errors.

Consistent Color Prints, Automatically

If you continually wrestle with the challenge of getting consistent color prints, Xerox® IntegratedPLUS Automated Color Management offers a solution that is ideal for managing color across multiple presses at one or multiple locations. IntegratedPLUS Automated Color Management offers Webhosted color management that's seamlessly integrated with your production printing devices and offers simple controls to easily monitor the Versant 2100 Press color as well as centrally manage a fleet of color printers.



Connect the Versant 2100 Press to your entire operation with intelligent workflow solutions that help you do more with less and you'll see more than printing start to happen. You'll see a more efficient print manufacturing process with more exciting opportunities and fewer unnecessary costs.

Xerox® Workflow Solutions has tools and intelligence that generate measurable results. Our toolbox includes the finest fleet of production digital printers and presses, the most advanced software and the smartest people to bring them all together to work in your unique environments.



XMPie® adds even more value.

XMPie increases the number of ways to reach your customers' customers.

XMPie offers a variety of solutions that work in conjunction with the power of the Xerox® Versant® 2100 Press to add value for your customers with personalized, consistent messages delivered across multiple communication channels. Delivering communications including print, email, Web, mobile and video creates a more engaging and interactive experience for customers and gets messages noticed. And XMPie is the leader in the industry in solutions that are as easy to use as they are impactful.

It's good to have friends.

Xerox has formed partnerships with a number of industry leaders to provide personalization, variable data printing and transpromo solutions that integrate with the Versant 2100 Press and immediately add power and flexibility to your shop floor. They dramatically increase the variety of the jobs you can offer your customers and the value they can offer theirs.

More ROI with XMPie Solutions

XMPie provides the right combination of tools and technology to build high-value services that transform your business and differentiate

you from your competition. Web-to-Print allows you to offer new products and services, simplify print ordering processes, increase productivity and expand the capabilities you offer your customers. It enables you to bring your printing services or cross-media marketing operation to the Internet and provide your customers with a convenient online portal to submit and mange orders anytime from any device. Personalized cross-media marketing enables you to deliver engaging communications synchronized across multiple media channels. By targeting individual recipients with relevant messaging, multichannel campaigns can significantly increase response rates as well as your total return on marketing investments.





More Ways to Reach Your Goals and See Great Business Results

Everyone's "results" are different. Your emphasis may be on cost savings. Or it may be on generating more revenue. In truth, almost every customer wants some of both, because that is the ROI equation. Decrease one. Increase the other. And enjoy a far stronger business as a result.

The Xerox® Versant® 2100 Press excels at delivering results...in a number of ways.



Reduce Costs

The Versant 2100 Press is the centerpiece of a solution that can help you reduce costs across your enterprise. The primary tool in that cost reduction is advanced automation that drives trial and error, waste and operator intervention out of the print production process. The quality and speed you need to satisfy your customers comes more easily and efficiently than ever.



Produce More Jobs

The Versant 2100 Press gives you everything you need to produce more jobs—and by that we mean a couple of things. It equips you with the workflow, intelligence and power to produce the 50 to 100 different jobs that digital, short-run printing demands in a day. And it gives you the flexibility to produce jobs of greater variety on a range of media, finished in ways that increase value and with personalized content that increases response rates.



Impress Your Customers

Image quality is, and will always be, a primary way that you can satisfy your customers. The Versant 2100 Press provides excellent image quality to impress on a tremendous range of jobs. It does it with built-in color management technologies, ultra HD image quality—and with less operator intervention than ever.




Grow Your Business

Much like results, growing your business is different for everyone. But it is something that every organization is striving for. That growth can be with external customers for graphic communications printers or internal customers for in-house print shops. But whichever it is, growth is essential to your continued viability. And whichever it is, it is achieved in the same way—with the Xerox® Versant 2100 Press.







MEET THE XEROX® VERSANT® 3100 PRESS

Advance. Automate. Do More.



Improve margins. Grow profits.

Step up to the most advanced press in the Versant® Family. The Xerox® Versant 3100 Press delivers more of what you need in a high-volume print solution. Speed, optimized alignment, color calibration technologies and robust finishing options allow you to respond with confidence to the ever-changing print market.



The Versant® family's unique combination of competition-busting image quality, media latitude and workflow automation is brought to its highest, most powerful potential in the Versant 3100

ATTRACT NEW BUSINESS.

You'll gain an instant quality advantage and ability to create high-value applications. Attract new business, increase margins and build a reputation for excellence with stunning, accurate output.

IMPROVE UPTIME AND INLINE CAPABILITIES.

Reduce waste and maximize uptime with fully automated color calibration and image-to-media alignment, as well as a wide range of inline finishing options.

PRINT AT TOP SPEEDS ON A WIDE RANGE OF MEDIA.

Print at a top speed of 100 ppm on stock weights from 52–350 gsm, and maximize your job types with the ability to run envelopes, 26" (660 mm) banners, polyester/synthetic, textured, colored, custom media and mixed-stock printing.



EASY, AUTOMATED AND PRECISE

You'll also get our automated Production Accurate Registration (PAR) for precise registration from first print to the end of the run, with automatic sheet clearing and three automated production modes to balance production needs without complicated setup.

THE VERSANT AUTOMATION ADVANTAGE

The Versant 3100 Press takes the Versant family's automation advantage to extremes. Groundbreaking technologies based on Xerox innovation and ingenuity combine with a single focus—ultimate productivity without sacrificing quality,



MORE PERFORMANCE

From its enhanced monthly duty cycle of 1.2 million prints to its advanced fusing technology, engine cooling module and wide media latitude with auto-duplexing on even the heaviest stocks and substrates, the Versant 3100 is a powerful—and sophisticated—press.



MORE IMAGE QUALITY

Head-turning Ultra HD Resolution Technology is just the start. Our incredibly competent Full Width Array enables near-total automation of virtually every quality parameter, from color calibration to registration, image transfer, density uniformity, image-to-media alignment and more. Closed loop, operatorfree processes ensure color consistency and overall image quality within each run.



□... MORE VERSATILITY

Versatile feeding and finishing options allow you to create exactly the Versant press you need to build your business. There's no need to choose between capacity and capability. With Versant, you can have it all—inline and hands-free.



MORE RESULTS

Time-saving, profit-building productivity, driven by astounding levels of automation and image quality. That's the Versant Automation Advantage.

Find out more and explore options at www.xerox.com/versant3100.

Xerox® Versant® 3100 Press


Full automation. More productivity.

VERSANT 3100 AT-A-GLANCE

- Powerful production press, printing 100 ppm on stocks and specialty media from 52–350 gsm.
- Wide media latitude including banner printing (26"/660 mm), synthetics, labels, envelopes and more. Our Stock Library Manager (SLM) provides single-click convenience when assigning and optimizing specific media.
- Automated color calibration, Production Accurate
 Registration (PAR) and other registration and image quality
 controls create error-free output and tolerances to within
 a half millimeter without manual adjustments, operator
 error or profit-busting do-overs. Automated Sheet Clearing
 reduces downtime.
- Feeding and inline finishing versatility create opportunities
 for the higher-margin, higher-profit applications your
 competition can't offer. Print everything from envelopes to
 banners to full bleed booklets. An integrated cooling module
 eliminates stock cool-down time for seamless operation
 from start to finish.
- With an Average Monthly Printing Volume (AMPV) of up to 250,000 and a maximum monthly duty cycle of 1.2 million, you're ready for anything.
- Exclusive Xerox® Ultra HD Resolution Technology, with four times more resolution and low-gloss, low-melt EA Toner for an offset-like finish with all the ease and convenience of a digital press.

STUNNING IMAGE QUALITY

The Versant 3100 achieves a new standard of image quality with Ultra HD Resolution Technology, delivering four times more pixels than other presses while still printing at blazing fast speeds. It's a winning combination of technologies, including our EA Toner, 2400 x 2400 dpi with 10-bit RIP and an advanced Compact Belt Fuser that provides just the right amount of consistent heat and pressure for a given stock. Every job is rendered with jaw-dropping detail, crispness and clarity from first print to last.



AUTOMATED COLOR CALIBRATION, IMAGE QUALITY CONTROLS AND REGISTRATION

Color calibration is no longer a time-consuming, labor-intensive chore with the Versant 3100's Full Width Array (FWA) inline scanning assembly and Automated Color Quality Suite (ACQS) software. Working together, they safeguard color quality and consistency throughout the run, ensuring every page of output matches the desired target.

The Full Width Array also adjusts Image Transfer and Density Uniformity, fine-tuning and preventing issues before they occur to deliver optimized output. The Image-to-Media Alignment saves time and eliminates costly waste caused by registration errors or image skew—for perfect front-to-back registration regardless of media type or sheet size.





I'm ready to grow with the most powerful, advanced digital press in its class.

AUTO-DUPLEX UP TO 350 GSM

Working with heavyweight stocks won't slow you down, even on duplex jobs. The Versant® 3100 can print duplex media up to 350 gsm without operator intervention.

PRODUCTIVITY ON MIXED MEDIA

The Versant 3100's Productivity Mode lets you optimize the speed of the press when printing with mixed media. There are three settings, allowing you to easily balance production needs without complicated and time-consuming setup.

- Optimize for Speed—Prints mixed media automatically at a fast rate with fewer fuser temperature adjustments.
- Optimize for Image Quality—Instructs the fuser to adjust its temperature to maintain the best image quality when printing with mixed media.
- Optimize for Speed for Mixed Weight Papers Above 300 gsm— Provides the fastest speed when using mixed stock with some papers over 300 gsm.

STOCK LIBRARY MANAGER

Manage media faster in your busy production environment by creating and managing a library of frequently used stocks for easy selection when printing. Library stocks can be quickly assigned to specific trays, and it's easier than ever to add new stock profiles.


- Automatically adjust print engine parameters for specific stocks
- Create and name special alignment and fold profiles for challenging media
- Adjustments include fuser temperature, fuser speed, paper speed at transfer, roll nip pressure, primary and secondary voltage transfer, alignment roll pressure and many customized image-optimizing settings







The Xerox® Versant® 3100 Press: Features That Drive Results





Ultra HD Resolution Technology—The combination of rendering resolution and imaging resolution with expanded halftone screens yields a smoother, crisper resolution of objects and improved graphic fills and sweeps.



Advanced Oversized High Capacity Feeder—Total paper capacity of 4,000 sheets 13 x 19.21" (330.2 x 488 mm) in two trays, with integrated technology to reduce skew, improve paper handling and prevent misfeeds. A Tray Inserter extends minimum size to 3.86×5.83 " (98 x 148 mm) for postcards and envelopes.



Bypass Tray—A convenient and accessible pick point for feeding standard and specialty media like envelopes or extra-long sheets (XLS).



Extra-Long Sheet (XLS) Capability—Print banners, dust jackets, calendars and other applications up to 26" (660 mm) long.



Stock Library Manager (SLM)—Powerful tool for fast media management helps optimize even challenging stocks like textured or heavyweights. With just a few clicks, create reusable profiles to adjust print engine parameters for enhanced quality.



Production Accurate Registration (PAR)—Provides consistent front-to-back registration automatically for perfect registration from job start to finish.



Bias Charge Rolls and Auto Cleaning Technology—Provides uniform electrical charging of key xerographic components, ensuring smoother halftones and reduced downtime. Both Bias Charge Rolls and Drum Cartridges are combined as a single, customer replaceable unit (CRU) for easier, faster maintenance.



Intermediate Belt Transfer—An automated and continuous process applying bias (voltage) and sensors to transfer images to registered paper with higher color quality and consistency with no operator involvement.



Three Standard Paper Trays—Each holds 550 sheets of coated or uncoated stocks in sizes ranging from 5.5×7.17 " (139.7 x 182 mm) up to 13×19.21 " (330.2 x 488 mm) and weights up to 256 gsm.

With Versant®, perfect output, less waste and more productivity are automatic.



FULL WIDTH ARRAY (FWA)

Automates and eliminates time-consuming operator-initiated tasks resulting in greater quality and press productivity.

Automated image quality adjustments, calibration and profiling on the Versant 3100 are enabled and enhanced by this unique inline scanning assembly.

The FWA spans the entire width of the paper path just behind the print engine decurler. With just a few simple clicks, operators can accomplish tasks that, on other presses, may require a service technician or time- and productivity-consuming manual processes to optimize press quality.

Automated Image-to-Media ensures perfect image alignment and front-to-back registration regardless of sheet size or media type—saving time and eliminating costly waste due to misregistration or image skew.



Full Width Array (FWA)

Automated Image Transfer optimizes toner coverage for unsurpassed quality printing on every stock, whether smooth, textured or unique.

Automated Density Uniformity delivers consistent and uniform toner coverage across the sheet, preventing washed-out areas before they occur—safeguarding image integrity across the page.

In addition, the FWA is used to automatically calibrate your print server and create destination profiles without having to manually scan targets.

By removing the need for operator-intensive and complex processes, the FWA reduces errors and time spent on calibration while ensuring stable, accurate and repeatable color. Because the FWA process is pain-free and automatic, operators are more likely to complete calibration and profiling.



Advanced Fusing Technology—A newly designed flat fuser pad in the Compact Belt Fuser results in a larger surface contact area, reducing paper stress and deformation. The fuser uses two heat rolls to replenish the heat lost through the fusing process more quickly and efficiently for consistent image quality at high speeds. Although designed for long life, the entire assembly is customer replaceable, eliminating downtime and lost productivity.



Load-While-Run Dry Ink—Specially engineered Emulsion Aggregation (EA) Low Melt Dry Ink provides a smooth, offset-like finish and outstanding color image quality with smaller, more uniform particles and less energy.



Smart Decurler Module—Delivers consistent, error-free finishing by automatically removing up or down curl using paper weight and ambient temperature/humidity data.



Compact Cooling Module—Enables maximum productivity by cooling stocks at rated speed so applications can be finished immediately.



Automated Sheet Clearing—Provides simple, efficient and faster jam recovery. For increased uptime and fewer job interruptions.



Paper Path—Features include stainless steel inversion and duplex paths, supporting benchmark image quality and reliability at top speeds.



Full Width Array—Assembly contains an integrated RGB scanner, eliminating time-consuming and error-prone setup tasks.



Integrated User Interface—Provides access to press controls and statuses. Also provides access to Full Width Array IOT Control functions.



Output Tray—Provides quick and easy access for short runs and proofs.



High Capacity Stacker—Provides production-stacking capabilities to a removable cart, with the ability to direct sample prints to the top tray for inspection without disturbing stack tray content and integrity, maximizing press time.

Grow profits and achieve efficiency with automation.

Robust features of the Versant® press combine with versatile print server, feeder and finishing options to extend your production-level capabilities while driving profits with time-saving automation and exclusive Xerox image quality.

PRINT SERVERS



When choosing a print server for your Xerox® Versant 3100 Press, consider your future growth potential along with your current needs.

The Xerox® EX-P 3100 Print Server Powered by Fiery® is the more powerful of the two EFI™ server options. This print server is ideal for production environments that need more power to efficiently handle complex graphics-intensive files today and in the future. With 4 TB data storage, 16 GB system memory and HyperRIP parallel processing, the EX-P 3100 has the capacity to handle the most challenging production schedules and variable data jobs. This server comes standard with the Fiery® Graphic Arts Package, Premium Edition, as well as Fiery Impose-Compose and Fiery® Color Profiler Suite with EFI ES-2000 spectrophotometer.



The Xerox® EX 3100 Print Server Powered by Fiery provides similar tools to the EX-P 3100, giving operators easy control of color output and flexible job management using Command WorkStation®, but without the HyperRIP capabilities and better suited for less demanding production environments. It also features Ultra High Definition Resolution with 10-bit color depth and Fiery Ultra Smooth Gradients. This server comes standard with Fiery Impose-Compose and Fiery Color Profiler Suite with EFI ES-2000 spectrophotometer. The Fiery Graphic Arts Package, Premium Edition is an option.



The Xerox° FreeFlow° Print Server is a powerful standalone unit with benchmark RIP performance using data caching distributed processing and supporting AFP/IPDS™ transactional data streams. You'll get full production capabilities, outstanding color management and the flexibility to make late stage edits like imposition and color corrections.



Ultra HD Resolution Technology









Extra-long sheet printing—maximum paper size 13 x 26" (330.2 x 660 mm)

Versatile Enough To Fit Your Needs









FEEDING OPTIONS



Xerox° **Advanced Oversized High Capacity Feeder (Adv OHCF)**—Provides a total paper capacity of 4,000 sheets (two trays of 2,000), 52–350 gsm coated or uncoated to a maximum 13 x 19.21" (330.2 x 488 mm). Innovative technologies minimize skew, improve feeding reliability and paper handling, and prevent misfeeds. A Tray Inserter extends minimum paper size to 3.86 x 5.83" (98 x 148 mm) for postcards and envelopes.



Bypass Tray—Holds 250 sheets, providing a convenient media pick point for feeding standard or specialty media. Auto-duplexing up to 350 gsm and simplex to 350 gsm. It also accommodates extra-long sheets (XLS) for 13 x 26" (330.2 x 660.4 mm) simplex-printed banners on coated or uncoated stocks up to 220 gsm.



Three Internal Trays—Hold 550 sheets each of 52-256 gsm coated or uncoated sizes from 5.5×7.17 " (139.7×182 mm) up to 13×19.21 " (330.2×488 mm).



Xerox® Dual Advanced High Capacity Feeders—Extend feeding capacity to 8,000 sheets with a second chained Advanced Oversized High Capacity Feeder.

FINISHING OPTIONS



Offset Catch Tray—500-sheet stacking.



Xerox° **Interface Decurler Module**—Inline paper cooling and decurler unit improves throughput and efficiency connecting Production Ready finishing modules and ensuring flat sheets for reliability and speed.



Xerox° Inserter—Inserts 250 preprinted or blank sheets into finishing for preprinted covers. Enables trimming, punching, folding, stapling and stacking of inserted sheets from 13 x 19.2" (330 x 488 mm) to 7.2 x 5.8" (182 x 148 mm) up to 350 gsm coated and uncoated.




GBC® AdvancedPunch™ Pro—Punch for coil and comb binding near-line or punch and bind inline with GBC eWire™. Easy-to-insert punch/hole die sets are available. Able to punch a variety of standard sheets in long or short edge, tabs and weights up to 300 gsm. Supports commonly used offline binding styles like comb, coil, wire, ring, GBC ProClick® and VeloBind®.



Xerox° **High Capacity Stacker**—Enables stacking and offsetting for 5,000 sheets, up to 350 gsm, using standard size sheets or custom sizes (maximum 13×19.2 "/ 330×488 mm to minimum 8×7.2 "/ 203×182 mm); stacking tray with a movable cart. Includes a 500-sheet top tray for proofs/output.



Xerox° **Two-Sided Trimmer**—Trims the head and foot of a sheet up to 0.985" (25 mm) with a minimum trim of 0.236" (6 mm) using standard or custom sizes (maximum 13 x 19.2"/330 x 488 mm to minimum 7.7 x 8.3"/194 x 210 mm) on uncoated and coated stocks up to 350 gsm. Includes a buffering unit that extends print productivity during trimming. For the Production Ready Finisher and Booklet Maker.





Xerox° C/Z Fold Module—Produces sheets with C or Z folds for $8.5 \times 11^{\circ}$ (A4), half-Z fold on larger stocks reducing to $8.5 \times 11^{\circ}$ (A4) on 64–90 gsm uncoated. For the Production Ready Finisher and Booklet Maker.



Xerox° Production Ready Finisher—Produces superior quality finishing and stacking with built-in bi-directional decurler. Staple up to 100 sheets (90 gsm) uncoated and 35 sheets (90 gsm) coated stock using standard or custom sizes (maximum 11.7 x 17"/297 x 432 mm to minimum 7.2 x 5.7"/ 182 x 146 mm) with variable-length staples on stocks up to 350 gsm. Add optional Punch, Inserter or C/Z Folder. Includes two output trays, 500-sheet top tray, finish up to 3,000-sheet stack tray of maximum 13 x 19.2" (330 x 488 mm) to minimum 5.83 x 5.75" (148 x 146 mm).

Xerox° Production Ready Booklet Maker Finisher—Provides booklet making with features of the Production Ready Finisher. Includes a third tray for saddle-stitch booklets up to 120 pages (30 sheets/90 gsm uncoated–25 sheets/90 gsm coated). Includes a 500-sheet top tray and 2,000-sheet stack tray. Create big booklets (maximum sheet 13 x 19.2"/330 x 488 mm) to small booklets (7.17 x 10.1"/182 x 257 mm) on uncoated and coated stocks up to 350 gsm; half-fold unstapled up to 5 sheets (216 gsm) on stock up to 350 gsm. (Not pictured)

Xerox° Production Ready Finisher Plus—Provides same function as the Production Ready Finisher with a 500-sheet top tray and 2,000-sheet stacker tray. Used to connect third-party inline finishing options. (Not pictured)

Xerox° Basic Punch—An option for punching 2/3, 2/4 and Swedish 4-hole on the Production Ready Finisher and Booklet Maker using standard or custom sizes—maximum 11.69 x 17"/297 x 431.8 mm to minimum 8×7.2 "/203 x 182 mm (for 2 hole), 10×7.2 "/254 x 182 mm (for 3 hole) and 10.5×7.2 "/267 x 182 mm (for 4 hole) on uncoated and coated stocks up to 220 gsm. (Not pictured)



Xerox° **SquareFold**° **Trimmer**—Creates flat finished booklets with the appearance of bound book-like edge; eliminate shingle effect with professional face trim up to 120 pages (30 sheets). Combine with the Two-Sided Trimmer for finished full bleed booklets. For the Production Ready Booklet Maker Finisher.

Plockmatic Pro 50/35 Booklet Maker—Highest quality production booklets up to 200 pages (50 sheets). Do face trimming, square fold, rotate crease and bleed trim, and hand feeding, sizes up to 12.6 x 9" (320 x 228.6 mm) and 300 gsm. Connects via Production Ready Finisher Plus. (Not pictured)

GBC° eWire™—Automated twin-loop wire binding up to 160 pages (80 sheets). Includes various wire options for letter, 8.5 x 5.5", A4 and A5 up to 300 gsm. Connects via Production Ready Finisher Plus; requires GBC AdvancedPunch Pro. (Not pictured)

FINISHING APPLICA	TIONS				
Sort and Collate	Staple	Hole Punch	Basic Punch	Booklet	2-Sided Trim
Z-Fold	Tri-Fold	Tabloid Z-Fold	C-Fold	Square Fold	Face Trim

Xerox® Versant® 3100 Press

PRODUCTIVITY/PRINT SPEEDS

- Average Monthly Print Volume: Up to 250,000
- Duty Cycle: 1.2 million
- 100 ppm (8.5 x 11"/A4), 52-300 gsm
- 80 ppm (8.5 x 11"/A4), 301-350 gsm
- 52 ppm (11 x 17"/A3), 52-300 gsm
- 44 ppm (11 x 17"/A3), 301-350 gsm

IMAGE QUALITY

- 2400 x 2400 dpi VCSEL ROS for sharpness, detailed shadows and bright highlights
- 1200 x 1200 x 10 RIP rendering without down sampling for Ultra HD Performance
- Halftone Screens for smoother, crisper resolution and improved gradients
- 150, 175, 200, 300, 600 Clustered Dot
- 150, 200 Rotated Line Screen
- FM Stochastic Screen

TECHNOLOGY

- Full Width Array (FWA) automatic press calibration and stock profiling eliminates time-consuming operator-initiated tasks with greater productivity and quality.
- FWA provides perfect front-to-back alignment adjustments, optimizes tone coverage for smooth to textured stocks and delivers consistent toner coverage, safeguarding image integrity across the page.
- Ultra HD Resolution Technology with four times more pixels than competitive presses
- Production Accurate Registration (PAR) for consistent front-to-back registration
- Stock Library Manager (SLM), with a single click, assigns and optimizes media for fast media management
- Automated Sheet Clearing for less downtime and more productivity
- Closed Loop Process Controls make quality adjustments in real time
- Compact Belt Fuser for higher speeds, image consistency, runs heavyweight and mixed media

- EA Low Melt Dry Ink toner with small, uniform particles for fine lines and overall image quality
- Bias Charge Rolls with auto cleaning technology improve press productivity
- Smart Decurler calculates coverage, paper and humidity for flattest possible output
- Modular feeding and finishing options for configuration versatility
- Xerox® SMart Kit® customer replaceable items
- Xerox® Connect Advantage Services

PAPER

Format/Sizes

- Maximum size: 13 x 26" (330.2 x 660.4 mm)
- Maximum standard sheet: 13 x 19.21" (330.2 x 488 mm)
- Minimum size: 3.86 x 5.75" (98 x 146 mm)

Flexibility/Weights

- Coated, uncoated, envelopes, tabs, polyester/ synthetic, textured, colored, banner, custom media and mixed-stock printing
- 52–350 gsm uncoated and coated
- 52-256 gsm from Trays 1-3
- 52–350 gsm from Bypass
- 52–350 gsm from Advanced OHCF

Capacity/Handling

- 5,900 sheets standard (80 gsm)
- Trays 1–3: 550 sheets each, maximum size 13 x 19.21" (330.2 x 488 mm), minimum size 5.5 x 7.17" (139.7 x 182 mm)
- Bypass: 250 sheets, maximum size 13 x 26" (330.2 x 660.4 mm), minimum size 3.86 x 5.75" (98 x 146 mm)
- Adv OHCF, 2 trays, 4,000 sheets, maximum size 13 x 19.21" (330.2 x 488 mm), minimum size 3.86 x 5.83" (98 x 148 mm)
- 9,900 sheets standard (80 gsm)
- Trays 1-3: 1,650 sheets
- Bypass: 250 sheets
- Optional Dual Adv OHCF, 4 trays, 8,000 sheets

- Registration on standard sheets:
- Internal Trays, and standard sized stocks greater than 300 gsm, +/- 1.0 mm
- Adv OHCF, all standard sized stocks
 52–300 gsm, +/- 0.5 mm
- Auto-Tray Switching/Reload-While-Run Capability
- Simplex 350 gsm (4/0 impressions)
- Auto-Duplex 350 gsm (4/4 impressions)

VARIABLE DATA OPTIONS

• XMPie®, Xerox® FreeFlow® Variable Information Suite and other industry partners

PRINT SERVER OPTIONS

- Xerox® EX 3100 Print Server, Powered by Fiery®
- Xerox® EX-P 3100 Print Server, Powered by Fiery
- Xerox® FreeFlow Print Server

ELECTRICAL

- Base Configuration: 208–240 VAC, 50/60 Hz, 30A (sole use)/single phase/NEMA 14–30
- Additional electrical required for print server, feeding/finishing devices
- 115 VAC 15 Amp for 60 Hz or 220 VAC 10 Amp for 50 Hz (Western Hemisphere)
- 220-240 Volts, 10 Amp, 50 Hz (Europe)

DIMENSIONS/WEIGHT OF BASE PRESS

• Height: 44" (1,110 mm)

• Width: 105" (2,670 mm)

• Depth: 32" (807 mm)

• Weight: 1,631 lb (740 kg)

Note: Heavier weight and larger stocks can reduce specifications. Consult the Customer Expectation and Installation Guide (CEIG) for full details.

Which Versant is right for you? Find out more and explore options at **www.xerox.com/versant3100**.





Xerox® Phaser® 3330 Printer and Xerox® WorkCentre® 3335/3345 Multifunction Printer

Powerful, Built-In Productivity and Ready-To-Go Reliability



High-performance environments need higher-functioning devices.

Introducing the Phaser® 3330 and WorkCentre® 3335/3345—designed to boost productivity with easy connectivity, day-in, day-out dependability and transformative features—ready to work.

Convenience and Connectivity

- Wireless wonders. Internal Wi-Fi connectivity comes standard for untethered mobility and the freedom to put your printer or multifunction device right where you need it. Our Wi-Fi installation wizard and Wi-Fi Print Setup (WPS) make getting connected secure and simple. And, with Wi-Fi Direct®, mobile devices can connect directly and securely.
- Upwardly mobile. With support for Apple®
 AirPrint™, Google Cloud Print™, Xerox® Print
 Service Plug in for Android™ and Mopria®,
 you can print emails, photos and important
 documents from a wide range of mobile
 devices, instantly, and without complicated
 setup.
- Increase security and control. With optional USB card readers, you can enhance your office security and control costs by integrating with many popular pull print and authentication solutions.
- Ready to pair. Now workers can easily print from Android-based mobile phone and tablets with Near Field Communication (NFC) tap-to-pair.

Performance and Productivity

- Multifunction productivity. The spacesaving WorkCentre 3335/3345 Multifunction Printer (MFP) helps you conserve energy and reduce supplies costs by combining the functions of a copier, printer, color scanner and fax into one affordable device.
- Outstanding performance. With hefty processing power and standard memory, you'll see your first print faster and get print speeds up to 42 ppm.
- Print more for longer. An optional second paper tray lets you load an extra 550 sheets at one time for extended interruption-free printing.
- **See the difference.** Your documents will show exceptional sharpness with up to 1200 x 1200 dpi image quality.
- Reliable endurance. A monthly duty cycle up to 80,000 prints means it is capable of high-demand print environments*.
- Economic efficiency. Available high capacity print cartridges reduce your total cost of ownership and demand less frequent replacement.

Easy and Able

- **Touch and go.** The WorkCentre 3335/3345 Multifunction Printer takes walkup simplicity to a new level, with a larger 4.3-inch color touchscreen interface.
- Wherever, whenever and however. Scan to email, or scan-to and print-from from a USB memory drive right at the device. You can even print directly from the cloud with a few simple steps.
- Easy management. With Xerox®
 CentreWare® Internet Services, remote
 device administration is handled with ease
 right from your computer's browser.
- Stay secure. Keep your sensitive documents away from unintended recipients with the latest security features, including IPsec, SNMPv3, IP Filtering and Secure Print.



Xerox® Phaser® 3330 Quick Facts

- Print up to 42 ppm Letter / 40 ppm A4
- Built-in Wi-Fi connectivity
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- Up to 1200 x 1200 dpi image quality

WxDxH:

14.4 x 14.4 x 11.4 in. / 366 x 366 x 289.6 mm

Weight:

23.37 lb / 10.6 kg



Xerox® WorkCentre® 3335/3345 Quick Facts

- Print up to 42 ppm Letter / 40 ppm A4 (WorkCentre 3345)
- 50-sheet Automatic Document Feeder (ADF) with WorkCentre 3335
- 50-sheet Reversing Automatic Document Feeder (RADF) with WorkCentre 3345
- Built-in Wi-Fi connectivity
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- Up to 1200 x 1200 dpi image quality

WxDxH

WorkCentre 3335: 16.3 x 16.6 x 17.7 in. / 414.6 x 420.6 x 449 mm WorkCentre 3345: 18.5 x 17.5 x 19 in. / 469 x 444.3 x 482.6 mm

Moight:

WorkCentre 3335: 34.19 lb / 15.51 kg WorkCentre 3345: 38.07 lb / 17.27 kg

^{* 50,000} prints for WorkCentre 3335

Reliable and full-featured game-changing value.

The Xerox® WorkCentre® 3335/3345 Multifunction Printer builds on the outstanding print performance of the Xerox® Phaser® 3330, delivering a solid lineup of powerful productivity tools designed to make your daily office tasks more efficient than ever.











Phaser 3330

WorkCentre 3335

WorkCentre 3345

- 1 A 50-sheet Automatic Document Feeder (ADF) on the WorkCentre 3335 handles media sizes from 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm. Upgrade to the WorkCentre 3345 Multifunction Printer and get a 50-sheet Reversing Automatic Document Feeder (RADF) with the extra ability to scan, copy, fax and email two-sided originals.
- 2 A front-side USB port allows users to quickly print-from or scan-to any standard USB memory device.
- 3 Powerful color scanning capabilities include Scan to Email, Network Scanning, Scan to Folder and Scan to USB memory device.
- Adjustable 50-sheet bypass tray accepts custom media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- 5 250-sheet input tray accepts custom media sizes from 3.9 x 5.8 in. to 8.5 x 14 in. / 99 x 147 mm to 216 x 356 mm.
- 6 Choose an additional 550-sheet paper tray and increase total capacity to 850 sheets.

- 7 150-sheet output tray.
- 8 The WorkCentre 3335/3345 includes an intuitive front panel for configuring device settings and programming jobs.
- 9 Easily install a USB card reader with the convenient Card Reader Bay.

Xerox® Phaser® 3330 Printer and Xerox® WorkCentre® 3335/3345 Multifunction Printer

	Phaser 3330	WorkCentre 3335	WorkCentre 3345		
Speed	Up to 42 ppm Letter / 40 ppm A4	Up to 35 ppm Letter / 33 ppm A4	Up to 42 ppm Letter / 40 ppm A4		
Duty Cycle	Up to 80,000 pages / month ¹	Up to 50,000 pages / month ¹	Up to 80,000 pages / month ¹		
Paper Handling Paper Input Standard	NA	Automatic Document Feeder (ADF): 50 sheets: Custom sizes: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm	Reversing Automatic Document Feeder (RADF): 50 sheets: Custom sizes: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm		
	Bypass Tray: 50 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm				
	Tray 1: 250 sheets; Custom sizes: 3.9 x 5.8 in. to 8.5 x 14 in. / 99 x 147 mm to 216 x 356 mm				
Optional	Additional Tray: 550 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm				
Paper Output	150 sheets				
Automatic Two-sided Printing	Standard				
Print First-print-out Time	As fast as 6.5 seconds ²				
Print Resolution (max)	Up to 1200 x 1200 dpi image quality				
Processor	1 GHz				
Memory	512 MB	1.5 GB			
Connectivity	USB 2.0 (front and rear ports), 10/100/1000Base-T Ethernet, Wi-Fi				
Page Description Languages	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG				
Print Features	Watermark, Collation, Auto 2-sided prints, N-up, Poster, Booklet print, Custom page size, Fit to page, Scaling, Draft mode, Earth Smart mode, Print from USB, Job scheduling, Print from local drive, Save, Save and Print				
Mobile Printing Standard	Apple® AirPrint™, Google Cloud Print™3				
and Apps Free Download	Xerox® Print Service Plug-in for Android™, Mopria®				
Copy First-copy-out Time		As fast as 13 seconds from the platen			
Copy Resolution (max)		Up to 600 x 600 dpi			
Copy Features	NA	Automatic background suppression, Darkness control, ID Card Copy, Margin shift, N-up, Job build, Photo mode, Program Ahead, Booklet creation, Book copying with center erase, Job interrupt, Edge erase, Poster copying			
Fax ⁴ Fax Features	NA	33.6 Kbps with MH/MR/MMR/JBIG/JPEG compression, Address book (up to 200 speed dials, 209 group dials), Resolution up to 300 x 300 dpi, Auto redial, Auto reduction, Delayed Send, Fax Forward to Email/Fax, Junk fax protection, Memory Receive, PC Fax (Windows® only), Secure Fax, Color Fax Send			
Scan Scan Destinations	NA	Scan to Network Computer (SMB/ FTP), Scan to Email (SMTP/POP3), WSD, Application (TWAIN Network), WIA (WSD Scan), Mac® 10.9 or later (Network/Mac ICA), USB			
Scan Features		Up to 600 x 600 dpi (optical); Maximum 4800 x 4800 dpi (enhanced), 8-bit grayscale, PDF/JPEG/TIFF (single and multi-page)			
Security	802.1x, Secure Print, Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP (64-/128-bit), WPA2-PSK (AES) and WPA/ WPA2-Personal and WPA/WPA2-Enterprise	802.1x, Secure Print, Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, WEP (64-/128-bit), WPA2-PSK (AES) and WPA/WPA2-Personal and WPA/WPA2-Enterprise, Network Address Book Authentication (LDAP, Windows Kerberos)			
Accounting	Xerox® Standard Accounting (Print)	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email)			

Device Management

Xerox® CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour®

Print Drivers

Microsoft® Windows Vista® and later. Mac OS® 10.8 and later. various Linux® and Unix® distributions, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Automatic Document Feeder (3335): 16 lb - 28 lb Bond / 60 - 105gsm; Reversing Automatic Document Feeder (3345): 12.5 lb – 28 lb Bond /50-105 gsm; Bypass Tray: 16 lb Bond -58 lb Cover /60 - 220 gsm; Tray 1: 16 lb - 43 lb Bond / 60 - 163 gsm

Media Types

Archive, Bond, Cardstock, Custom, Envelopes, Heavyweight, Labels, Lightweight, Plain paper, Pre-printed, Recycled, Transparencies

Certifications

To view the latest list of certifications, go to

www.xerox.com/OfficeCertifications.

Power: 110 – 127 VAC, 50/60 Hz, 7A or 220 – 240 VAC, 50/60 Hz, 5A; Power Consumption: Operation: max 700 W; Standby: max 50 W; Sleep: max 3.5 W; Power off: max 0.1 W

Operating Environment

Temperature: Storage: 32° to 104° F / 0° to 40° C; Operating: 50° to $90^{\circ}\,\text{F}$ / 10° to $32^{\circ}\,\text{C}$; Humidity: Operating: $20\,\%$ to $80\,\%$; Sound power and pressure levels: 3330: Printing: 54 dB(A), Standby: 26 dB(A); 3335: Printing/copying: 55 dB(A), Standby: 26 dB(A); 3345: Printing/copying: 57 dB(A), Standby: 26 dB(A); Warm-up time (from sleep mode): as fast as 35 seconds

What Comes in the Box

- Phaser 3330, WorkCentre 3335 or WorkCentre 3345
- Standard Toner Cartridge (2,600 pages⁵)
- Drum Cartridge (30,000 pages⁶)
- Software and Documentation CD (with Safety, Regulatory, Recycling and Disposal Guides), Print Drivers and Warranty
- Installation Guide
- Quick Use Guides
- Power Cable, USB Cable
- Fax Cord (WorkCentre 3335 and WorkCentre 3345 only)

Extra-high Capacity Print Cartridge: 15,000 std. pages⁵ 106R03624 High Capacity Print Cartridge: 8,500 std. pages⁵ 106R03622 106R03620 Standard Capacity Print Cartridge: 2,600 std. pages⁵ Drum Cartridge: 30,000 pages⁶ 101R00555

Options 550-sheet Paper Tray

NFC Enablement Kit 097N02255 Phaser 3330 Card Reader Enablement Kit (with card reader) 497K18000 Phaser 3330 Card Reader Enablement Kit (without card reader) 497K18010 WorkCentre 3335/3345 Card Reader Enablement Kit (with card reader) 497K17980

WorkCentre 3335/3345 Card Reader Enablement Kit 497K17990 (without card reader)

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

Printing from USB.

Depending on specific mobile device versions or vendor, the mobile device may require a free download of the app from the appropriate store.

Requires analog phone line.


Average standard pages. Declared Yield in accordance with ISO/IEC 19752.

Yield will vary based on image, area coverage and print mode.

Approximate pages. Declared Yield based on letter-/A4-size 20 lb (75 gsm) pages. Yield will vary based on media type, size, weight, orientation and usage patterns.



097N02254



Xerox[®] WorkCentre[®] 5865i/5875i/5890i Multifunction Printer

Superior Productivity Through Leading-Edge Simplicity



Xerox® WorkCentre® 5865i/5875i/5890i Multifunction Printer

We designed the Xerox® WorkCentre® 5865i/5875i/5890i with a powerful mix of features and capabilities that handle your heavy workload in ways you never imagined. For more information, visit www.connectkey.com.

A New Standard of Productivity

Experience a simplified, and intuitive user interface that can be tailored for your individual business needs. Easily create a workflow that enables you to scan information to your selected destinations, (email, desktop, network folders, cloud repositories) in secure text searchable formats, at the touch of a button. This saves time, and allows more to be done with the information you scan and store.

Embedded apps allow you to easily connect your mobile workers to the device. Xerox® App Gallery allows you to download new apps, such as Print from DropBox™ and Scan to Microsoft® Office 365 directly from the user interface. Xerox® ConnectKey® Technology helps to streamline how your business deals with critical information—in-house or in the cloud.

Apps are available at the Xerox® App Gallery. Visit www.xerox.com/AppGallery.

Discover unexpected cost savings.

Xerox® print drivers based on Microsoft® Windows® give you the ability to save different settings per application, minimizing the need to make changes and reducing the risk of potential errors. Xerox® ConnectKey® Technology evolves with your needs by restricting usage and regulating printing. The User Permission control integrates with your internal authentication system, allowing you to prevent pre-determined or non-authenticated users from seeing specific features on the user interface.

A New Way of Working

The WorkCentre 5800i series allows you to control device functions from any workstation. The Remote Control Panel makes it more convenient to train users and for IT staff to remotely view and monitor the user interface.

Xerox® devices built on ConnectKey Technology support a Wi-Fi Direct connection that lets you print from your mobile device without having to connect to a network.


Xerox enables secure and accurate printing and scanning with a continuum of mobile options that fit your environment, with free print and scan apps, such as Xerox® Mobile Link App, plus a robust set of mobile enterprise solutions.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

Don't risk your sensitive information.

Xerox® ConnectKey Technology provides advanced features and technologies to help ensure your company's confidential information stays secure. Our standard security features include AES 256-bit hard disk encryption, McAfee protection powered by Intel Security, image overwrite, secure print with timed deletion and emailing to external mail servers.

For more information about how Xerox helps make you more secure, visit www.xerox.com/security.



A Powerful Mix of Features

- Illuminated paper path. The WorkCentre 5865i/5875i/5890i features an illuminated paper path, which makes user access even easier.
- Scanning at up to 200 images per minute. Single-pass color scanning enables faster electronic distribution of full-color documents for more effective and impressive communications.
- Multiple finishing options. Choose basic features like staple and hole punch, or advanced capabilities to produce paginated, saddle-stitched and folded booklets and Z- folded and C- folded brochures.

To learn more about ConnectKey Technology-enabled features, go to www.xerox.com/ConnectKeyEG





Xerox® Easy Translator Service.

This optional service allows customers to scan a document and receive a translated print and/or email notification. Users can also send an image from an iOS or Android device, or a PC, that is forwarded for translation. For more information, visit https://xeroxtranslates.com





Finishing Applications





- 1 Single-Pass Automatic Document Feeder scans documents at up to 200 images per minute.
- 2 **Bypass Tray** handles up to 100 sheets of 80 lb Cover / 216 gsm.
- 3 Two 500-sheet universal trays are adjustable up to 11 x 17 in./A3.
- Envelope Kit (optional—replaces Tray 2) provides trouble-free feeding of 50 envelopes.
- 5 **High-Capacity Tandem Tray** holds a total of 3,600 sheets of letter/A4-size paper.
- 6 High-Capacity Feeder (optional) holds 4,000 sheets of paper. This brings the maximum capacity up to 8,700 sheets. Add the 2,000-sheet Short-Edge Kit in either letter/ legal/A4-size or 11 x 17 in./A3-size.

- Customizable 8.5-inch user interface.
- 8 Standard apps for extra convenience. Xerox® App Gallery, @PrintByXerox and QR Code help with mobile printing and pairing and loading new apps.
- **9 Convenience Stapler** (optional) staples up to 50 sheets of 24 lb Bond / 90 gsm media.
- Office Finisher (optional with WorkCentre® 5865i/5875i MFPs only) provides 50-sheet multiposition stapling with an optional hole punch.
- Office Finisher with Booklet Maker (optional with 5865i/5875i MFPs only) provides all the finishing of the Office Finisher with additional booklet making capabilities.

- (12) High Volume Finisher (HVF) (optional) features 100-sheet multiposition stapling and an optional hole punch.
- 13 Post Process Inserter (optional with HVF and with HVF with Booklet Maker) inserts up to 250 sheets of cover stock or other media (16 lb to lb to 57 lb Bond / 80 lb Cover / 60 to 216 qsm).
- High Volume Finisher with Booklet Maker (optional) provides all the finishing of the High Volume Finisher with additional booklet making capabilities.
- 7. Fold / C- Fold Unit (optional with HVF with Booklet Maker) adds letter-size Z- folding and C- folding (50 sheets or unlimited capacity with tray stop in the down position).

Xerox® WorkCentre® 5865i/5875i/5890i



WorkCentre 5800i series multifunction printers are built on Xerox® ConnectKey® Technology. For more information, go to **www.connectkey.com**.

Device Specifications	WorkCentre 5865i	WorkCentre 5875i	WorkCentre 5890i		
Speed	Up to 65 ppm	Up to 75 ppm	Up to 90 ppm		
Duty Cycle ¹	Up to 250,000 pages / month	Up to 300,000 pages / month	Up to 400,000 pages / month		
Hard Drive / Processor / Memory	Minimum 250 GB HDD / 1 GHz Dual-core / 2 GB				
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct with Optional Xerox® USB Wireless Adapter				
Controller Features	Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning				
Copy and Print Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 4800 x 1200, 256 shades of gray				
First-print-out Time (as fast as)	2.9 seconds				
Page Description Languages	Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, HP-GL/2®, XML Paper Specification (XPS®) (Optional)				
Print Features	Print from USB, Encrypted Secure Print, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs				
Mobile Standard	Apple® AirPrint®, Mopria® Certified, QR Code App, Xerox® App Gallery App, @PrintByXerox App				
Printing and Apps Free Download	Xerox® Print Service Plug-in for Android, Mopria® Print Service Plug-in for Android™, Xerox® Mobile Link App				
Optional	Xerox® Mobile Print, Xerox® Mobile Print Cloud, Xerox® Ed	sy Translator Service			
Scan Standard	Destinations : Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network; File Formats : PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features : Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A				
Optional	ConnectKey® for DocuShare®, Xerox® Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Partners				
Fax Standard	Internet Fax, Fax Build Job, Network Server Fax Enablement Fax Forward to Email or SMB, Walkup Fax (one-line and two-line options, includes LAN Fax)				
Optional					
Security Standard	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, AES 256-bit Encryption (FIPS 140-2 compliant), SHA-256 Hash Message Authentication, Common Criteria Certification (ISO 15408) ² , Encrypted Secure Print, Secure Fox, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, TLS, SNMPv3, Audit Log, Access Controls, User Permissions				
Optional	McAfee Integrity Control, Smart Card Enablement Kit (CAC/PIV/.NET), Xerox® PrintSafe Software				
Accounting Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement				
Optional	Equitrac Express®, Equitrac Office®, YSoft SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners				
Paper Input Standard	Single-pass Automatic Document Feeder: 200 sheets; Speed: up to 200 ipm (duplex); Sizes: 4.9 x 5 in. to 11.7 x 17 in. / 125 x 138 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in. / A6 to A3 Trays 1–2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in. / A5 to A3 High-Capacity Tandem Tray: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in. / A4				
Optional	High-Capacity Feeder (HCF): 4,000 sheets; Size 8.5 x 11 in. / A4 long edge feed HCF Kits (HCF required): 2,000-sheet 11 x 17 in. Short Edge Kit or 2,000-sheet Letter/Legal Short Edge Kit Envelope Tray (replaces Tray 2): Up to 50 envelopes: #10 commercial, monarch, DL, C5				
Paper Output / Finishing Standard	Offset Catch Tray (5865i/5875i only): 300 sheets				
Optional	Office Finisher (optional with WorkCentre 5865i/5875i only): 2,000 + 250-sheet trays, 50-sheet multiposition stapling, optional hole punch Office Finisher with Booklet Maker (optional with WorkCentre 5865i/5875i only): 2,000 + 250-sheet trays, 50-sheet multiposition stapling, saddle-stitch booklet making, optional hole punch High Volume Finisher (HVF): 3,000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker: 3,000 + 250-sheet trays, 100-sheet multiposition stapling, saddle-stitch booklet making, optional hole punch Z- Fold / C- Fold Unit (optional with HVF with Booklet Maker): Adds letter-size Z- folding Post-Process Inserter (optional with HVF and with HVF with Booklet Maker): Adds preprinted inserts Convenience Stapler: 50-sheet stapling (based on 75 gsm.), includes Work Surface				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis. ² Undergoing evaluation.

Xerox[®] ConnectKey[®] Technology



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate **Xerox Corporation**



BLI BUTERS LAB BLI BUTERS LAR ENCENTE YEAR

2014, 2015 and 2016 Document Imaging Software Line of the Year

2016 Article 2016 Certificate Xerox® Easy Translator Service



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate Xerox[®] App Studio



2015 Outstanding Achievement in Innovation

2015 Article 2015 Certificate Xerox[®] Mobile Print Cloud 2013 and 2015 Pick



Outstanding Small Business Mobile Print Solution

2015 Article 2015 Certificate Xerox® Mobile Print Solution 2014 and 2015 Pick





Outstanding Enterprise Mobile Print Solution

2015 Article 2015 Certificate

For more detailed specifications, go to www.xerox.com/office/WC5865_75_90Specs. Build and configure your own Xerox® WorkCentre® 5800i series multifunction printer at www.buildyourownxerox.com/connectkey.





Xerox[®] WorkCentre[®] 5945i/5955i Multifunction Printer

Office Productivity Simplified



Xerox® WorkCentre® 5945i/5955i Multifunction Printer

Xerox gives you the tools and technologies that make it possible to automate common office workflows, and to greatly simplify the ways in which you share business-critical information. For more information, visit **www.connectkey.com**.

Productivity That Will Impress You

Experience a simplified, and intuitive user interface that can be tailored for your individual business needs. Easily create a workflow that enables you to scan information to your selected destinations, (email, desktop, network folders, cloud repositories) in secure text searchable formats, at the touch of a button. This saves time, and allows more to be done with the information you scan and store.

Embedded apps allow you to easily connect your mobile workers to the device. Xerox® App Gallery allows you to download new apps, such as Print from DropBox™ and Scan to Microsoft® Office 365 directly from the user interface. Xerox® ConnectKey® Technology helps to streamline how your business deals with critical information—in-house or in the cloud.

Apps are available at the Xerox® App Gallery. Visit www.xerox.com/AppGallery.

Simplicity has never been easier.

Xerox® print drivers based on Microsoft® Windows® give you the ability to save different settings per application, minimizing the need to make changes and reducing the risk of potential errors. Xerox® ConnectKey® Technology evolves with your needs by restricting usage and regulating printing. The User Permission control integrates with your internal authentication system, allowing you to prevent pre-determined or non-authenticated users from seeing specific features on the user interface.

Be ready, wherever business takes you.

The WorkCentre 5945i/5955i allows you to control device functions from any workstation. The Remote Control Panel makes it more convenient to train users and for IT staff to remotely view and monitor the user interface.

Xerox® devices built on ConnectKey Technology support a Wi-Fi Direct connection that lets you print from your mobile device without having to connect to a network.

Xerox enables secure and accurate printing and scanning with a continuum of mobile options that fit your environment, with free print and scan apps, such as Xerox® Mobile Link App, plus a robust set of mobile enterprise solutions.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

Unrivaled Security for Total Peace of Mind

ConnectKey Technology provides advanced features and technologies to help ensure your company's confidential information stays secure. Our standard security features include AES 256-bit hard disk encryption, McAfee protection powered by Intel Security, image overwrite, secure print with timed deletion and emailing to external mail servers.

For more information about how Xerox helps make you more secure, visit www.xerox.com/security.



Effortless Maintenance

The Xerox® WorkCentre 5945i/5955i was designed with ease-of-use in mind. Routine maintenance is streamlined by the completely accessible paper path. No need to call technical support.

All printers have components that eventually wear out. Simple slide-in, slide-out replacement keeps you up and running. And as a result of advanced technology, there are fewer consumables in the end.

- Less user intervention. More uptime. Longer lasting toner delivers greater efficiency and superior image quality and can be replaced by any user. A great way to cut down on unnecessary service calls and job interruptions.
- Quick and easy, step-by-step assistance. Our help desk is always at your fingertips with help videos that you can access right on the user interface.

Xerox® Easy Translator Service.

This optional service allows customers to scan a document and receive a translated print and/or email notification. Users can also send an image from an iOS or Android device, or a PC, that is forwarded for translation. For more information, visit https://xeroxtranslates.com


To learn more about ConnectKey Technology-enabled features, go to www.xerox.com/ConnectKeyEG











Xerox® Emulsion Aggregation (EA) Toner provides superior sharpness, crisp text, smooth gradients and deep rich blacks, along with consistent, fine detail for reports, invoices, bar codes, drawings and more.

- 1 The optional Convenience Stapler staples up to 50 sheets of paper (Work Surface included with optional Convenience Stapler).
- 2 Single-pass Automatic Document Feeder automatically scans color or black-and-white documents as fast as 200 images per minute (duplex speed).
- 3 100-sheet Bypass Tray handles heavy paper up to 80 lb Cover / 216 gsm.
- 4 Two 500-sheet universal trays are adjustable up to 11 x 17 in. / A3.

- 5 Optional Envelope Kit (replaces Tray 2) provides trouble-free feeding of 50 envelopes.
- 6 High Capacity Tandem Tray holds a total of 3,600 sheets of letter-size paper.
- 7 Customizable 8.5-inch User Interface.
- Standard apps for extra convenience. Xerox® App Gallery, @PrintByXerox and QR Code help with mobile printing and pairing and loading new apps.





Center Offsetting Tray Stack up to 400 sheets.



Office Finisher

Get 50-sheet multiposition (single/dual) variable-length stapling and optional 2/3-hole punching. Offset stacking up to 2,000 sheets.



Office Finisher with Booklet Maker

Add booklet making capabilities with the Office Finisher with Booklet Maker. Create booklets with up to 15 sheets, either creased or saddle-stitched. The WorkCentre 5945i/5955i Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, go to www.connectkey.com.

Device Specific	ations	WorkCentre 5945i	WorkCentre 5955i			
Speed		Up to 45 ppm Letter (A4) / Up to 31 ppm 11 x 17 in. (A3)	Up to 55 ppm Letter (A4) / Up to 31 ppm 11 x 17 in. (A3)			
Duty Cycle ¹ Up to 175,000 pages / month		Up to 175,000 pages / month	Up to 200,000 pages / month			
Hard Drive / Processor / Memory		Minimum 250 GB HDD / 1 GHz Dual-core / 2 GB				
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct with Optional Xerox® USB Wireless Adapter				
Controller Features		Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning				
Copy and Print Copy and Print Resolu	tion Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 1200 dpi					
First-copy-out Time		As fast as 3.7 seconds from the Platen / 7.6 seconds from the Automatic Document Feeder				
Page Description Languages A		Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®) (Optional)				
Print Features	Features Print from USB, Encrypted Secure Print, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-d Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs					
Mobile Standard		Apple® AirPrint®, Mopria® Certified, QR Code App, Xerox® App Gallery App, @PrintByXerox App				
Printing and Apps Free	Download	Xerox® Print Service Plug-in for Android, Mopria® Print Service Plug-in for Android™, Xerox® Mobile Link App				
Optional		Xerox® Mobile Print, Xerox® Mobile Print Cloud, Xerox® Easy Translator Service				
Scan	Standard	Destinations: Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Ho Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A				
Optional		ConnectKey® for DocuShare®, Xerox® Scan to PC Desktop® Professional, other solutions available through various Xerox Business Innovation Partners				
Fax	Standard	Internet Fax, Fax Build Job, Network Server Fax Enablement				
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax)				
Security Standard		McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, AES 256-bit Encryption (FIPS 140-2 compliant), SHA-256 Hash Message Authentication, Common Criteria Certification (ISO 15408)², Encrypted Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, TLS, SNMPv3, Audit Log, Access Controls, User Permissions				
	Optional	McAfee Integrity Control, Smart Card Enablement Kit (CAC/PIV/.NET), Xerox® PrintSafe Software				
Accounting	Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement				
	Optional	Equitrac Express®, Equitrac Office®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners				
Paper Input	Standard	Single-pass Automatic Document Feeder: 200 sheets; Speed: up to 200 ipm (duplex); Sizes: 4.9 x 5 in. to 11.7 x 17 in. / 125 x 138 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in. / A6 to A3, 16 lb Bond to 80 lb Cover / 60 – 216 gsm Trays 1 – 2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in. / A5 to A3 High Capacity Tandem Tray: 3,600 sheets total (1,600 and 2,000 sheets); Size 8.5 x 11 in. / A4				
Optional		Envelope Tray Kit (replaces Tray 2): Up to 50 envelopes: #10 commercial, monarch, DL, C5				
Paper Output / Finishing	Choose One:	OCC F1.11 2000 250 L 11 F0 L 1 H2				
Optional		Hole Punch for Office Finisher Convenience Stapler: 50-sheet stapling (based on 75 gsm), includes Work Surface				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Undergoing evaluation.

Xerox[®] ConnectKey[®] Technology



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate **Xerox Corporation**



the Year

2014, 2015 and 2016 Document Imaging Software Line of

2016 Article

Xerox® Easy Translator Service



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate Xerox® App Studio



2015 Outstanding Achievement in Innovation

2015 Article 2015 Certificate Xerox[®] Mobile Print Cloud 2013 and 2015 Pick



Outstanding Small Business Mobile Print Solution

2015 Article 2015 Certificate Xerox® Mobile Print Solution 2014 and 2015 Pick




Outstanding Enterprise Mobile Print Solution

2015 Article 2015 Certificate

For more detailed specifications, go to www.xerox.com/office/WC5945-5955Specs.

Build and configure your own Xerox® WorkCentre® 5945i/5955i Multifunction Printer at www.buildyourownxerox.com/connectkey.





Xerox[®] Phaser[®] 6022 Color Printer and Xerox[®] WorkCentre[®] 6027 Color Multifunction Printer

Convenient, high performance color printing.



Xerox[®] Phaser[®] 6022 Color Printer and Xerox[®] WorkCentre[®] 6027 Color Multifunction Printer

Workloads are demanding – time is limited. The compact Phaser® 6022 and WorkCentre® 6027 excel in small office environments where high-impact color, speed and ease of use give your team the opportunity to focus on what's important. Your business.

High performance.

- **Plenty of power.** Our powerful 525 MHz processor and generous amount of standard memory handle your daily workload with ease, including pages full of graphics, photos and charts.
- Superior image quality. The 1200 x 2400 dpi enhanced image quality delivered by the Hi-Q LED print engine provides high resolution color printing with precise image alignment and fantastic detail.
- Color your way. Last minute color adjustments are a snap for both the expert and novice user with powerful, easy to use controls in the Xerox printer driver.
- Accomplish more and spend less time waiting. The Phaser 6022 and WorkCentre 6027 feature a print speed of 18 ppm in color and black-and-white and provide color prints in as fast as 13 seconds.

Everyday work made easier.

- **Print from anywhere.** Connect without the need for network cabling with standard built-in Wi-Fi, featuring one touch setup. Simply press the WPS button on the printer, then the WPS button on your Wi-Fi enabled router, and then work and print from anywhere.
- Connectivity simplified. With Wi-Fi Direct now mobile phones, tablets, and laptop computers can make a secure connection directly to the printer or multifunction printer even if you don't have an existing wireless network.
- Streamline processes. Powerful features simplify tasks for small work teams including the Paper Setup Navigator, taking the guess work out of printing on custom paper sizes and types from plain office paper to envelopes and labels.
- Apple® AirPrint™. Stay mobile with built-in support for Apple® AirPrint™. Print emails, photos and important office documents directly from your Apple iPhone or iPad.

Consistently reliable results.

- Unrivaled print technology. The proven
 Hi-Q LED print engine is the same advanced
 component found in many of our higher-end
 devices used by graphic designers and artists
 servicing clients in imaging and the arts.
- Xerox® EA-Eco Toner. Developed to provide bright, detailed images, smooth graphics and sharp text with remarkable gloss and clarity – while achieving low fusing temperature to save energy.
- Print efficiently. Both the printer and multifunction printer use the same easyto replace toner cartridges. No need to purchase, store and replace additional supply items, simplifying operation and supplies management while minimizing time spent changing parts.



High impact. Affordable price. The Xerox® WorkCentre® 6027 gets the work done without a second thought. This compact device combines several office machines into a single, cost-effective color multifunction printer that produces high-profile materials with outstanding quality while consolidating space.

- 1 The large intuitive 4.3 in. color touchscreen user interface makes complicated tasks simple.
- 2 Built-in wireless networking allows the device to be placed anywhere in the office, and you can access the Wi-Fi install wizard directly from the user interface to connect to your wireless network quickly and easily.
- 3 Save time copying and scanning multiple page documents with the 15-sheet Automatic Document Feeder.
- 4 Scanning quickly converts paper into electronic documents that can be saved to a location on your network or sent directly to email recipients, with resolution up to 600 x 600 dpi, in color or greyscale.
- 5 Copy features include ID card copy, lighten/ darken, reduce/enlarge, auto background suppression, collation, and many others.
- 6 The front side USB port allows users to print from, or scan to any standard portable USB memory device.
- Packed with the most common fax capabilities at a speed of 33.6 Kbps.
- 8 The optional Xerox® Wireless Print Solutions Adapter seamlessly connects your Xerox® printer or MFP to modern mobile and desktop workflows, regardless of your office environment. For more information, visit www.xerox.com/WPSA.



WorkCentre 6027. Copy. Print. Scan. Fax. Email.

Phaser 6022 Quick Facts

- 1200 x 2400 dpi enhanced image quality
- Robust duty cycle of up to 30,000 pages per month
- PANTONE® Color calibrated solid-color simulations WxDxH:

15.6 x 15.7 x 9.7 in. / 397 x 398 x 246 mm Weight:

27.3 lb. / 12.4 kg



WorkCentre 6027 Quick Facts

- Copy at 600 x 600 dpi; Print at 1200 x2400 dpi enhanced image quality
- PANTONE® Color calibrated solid-color simulations

16.2 x 17.2 x 15.3 in. / 410 x 439 x 388 mm

Weight:

37.3 lb. / 16.9 kg

Xerox[®] Phaser[®] 6022 Color Printer and Xerox[®] WorkCentre[®] 6027

Device Specifications	Phaser 6022	WorkCentre 6027	
Speed	Up to 18 ppm color / 18 ppm black-and-white	Up to 18 ppm color / 18 ppm black-and-white	
Duty Cycle ¹	Up to 30,000 pages / month		
Processor / Memory	525 MHz / 256 MB	525 MHz / 512 MB	
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0		
Print and Copy Resolution	Print: Up to 1200 x 2400 dpi enhanced image quality	Print: Up to 1200 x 2400 dpi enhanced image quality; Copy: Up to 600 x 600 dpi	
First-print-out Time	As fast as 13 seconds color / 12 seconds black-and-white		
First-copy-out Time	NA	As fast as 30 seconds color / 20 seconds black-and-white	
Page Description Languages	PostScript 3 compatible, PCL® 5c, 6, PDF Direct		
Print Features	Image Options (Standard, Photos, Presentation, Design, POP), Color Balance Adjust, PANTONE® Color Calibrated Solid-color Simulations, Auto Screening (Standard, Fineness, Gradation), N-up, Custom Page Sizes, Fit to Page, Scaling, Reduce/Enlarge, Draft Mode, Collation, Bidirectional Print Drivers, Job Monitoring		
Mobile Printing	Apple® AirPrint™, Google Cloud Print, Mopria® Print Service Plug-in, optional Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit www.xerox.com/WPSA)		
Scan Destinations	NA	Scan to Network Computer (SMB/FTP), Scan to Email, WSD, Application (TWAIN USB/Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/Network/MacICA), USB	
Features		200 dpi, 300 dpi, 400 dpi, 600 dpi, 1200 dpi (TWAIN only) resolution, Color, Black-and-white, Greyscale, Image-only PDF/Multi-Page TIFF/Single-page TIFF/ JPEG, Xerox® Scan to PC Desktop SE (includes OCR, file conversion to Microsoft® Word®, Excel® and PowerPoint®. For more information, visit www.xerox.com/ scan2pcSE)	
Fax Walk-Up Fax Features ²	NA	33.6 Kbps with MH/MR/MMR/JBIG/1-bit compression, Auto redial, Auto reduction, Address book (Up to 99 address entries), Group faxing, Delay send, Cover page, Secure fax receive, Junk Fax Filter, Fax forward (fax/email/server via SMB/FTP)	
Security Standard	Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP(64/128 bit), WPA2-PSK (AES), and WPA/WPA2-PSK (Mixed Mode)	Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP(64/128 bit), WPA2-PSK (AES), and WPA/WPA2-PSK (Mixed Mode), Network Address Book Authentication (LDAP, Windows Kerberos)	
Paper Input Standard	NA	Automatic Document Feeder (ADF): 15 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
	Main Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		
Paper Output	100 sheets		
Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee.	One-year onsite warranty, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee.	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line.

Device Management

Xerox® CentreWare® Internet Services, Xerox® Device Manager, Xerox® PrintingScout® Software, Apple® Bonjour

Print Drivers

Microsoft® Windows® 7, 8, 8.1, XP*, 2003 Server, 2008 Server, 2012 Server, Vista; Mac OS® 10.5 and above; Red Hat® Enterprise 4, 5; Fedora® Core 15-17; SUSE® 11, 12, Ubuntu®

Font Capability

81 PostScript fonts; 81 PCL fonts

Media Handling

Automatic Document Feeder: 16-28 lb. bond / 60-105 gsm; Main Tray: 16 lb. bond to 60 lb. cover / 60 to 163 gsm

Media Types

Plain, Bond, Lightweight Cardstock, Lightweight Glossy Card Stock, Envelopes, Labels, Recycled, Plain-Reloaded, Bond-Reloaded, Lightweight Card Stock Reloaded, Lightweight Glossy Card Stock Reloaded, Recycled-Reloaded

Operating Environment

Temperature: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound Pressure: Printing: 49.1 dB(A) or less, Standby: 21.9 dB(A) or less; Warm-up time (from power save): less than 35 seconds

Electrical

Power: 110-127 VAC, 50/60 Hz, 7A or 220-240 VAC, 50/60 Hz, 5A; Phaser 6022: Continuous Printing (average): 340 watts; Standby Mode: 45 watts or less; Low Power Mode: 10 watts or less; Sleep Mode: 3.5 watts or less; WorkCentre 6027: Continuous Printing (average): 330 watts; Standby Mode: 45 watts or less; Low Power Mode: 10 watts or less; Sleep Mode: 3.5 watts or less

Dimensions (W x D x H)

Phaser 6022: 15.6 x 15.7 x 9.7 in. / 397 x 398 x 246 mm; Weight: 27.3 lb. / 12.4 kg; WorkCentre 6027: 16.2 x 17.2 x 15.3 in. / 410 x 439 x 388 mm; Weight: 37.3 lb. / 16.9 kg

Certifications

FCC Part 15, Class B, FCC Part 68, CE Mark applicable to Directives 2006/95/EC, 2004/108/EC and 1999/5/EC, UL 60950-1/CSA 60950-1-07, 2nd Edition, EAC/NOM, RoHS Directive 2011/65/EU, WEEE Directive 2012/19/EU, Pantone, ENERGY STAR® qualified, Mopria® certified. To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

What Comes in the Box

- Phaser 6022 Color Printer or WorkCentre 6027 Color Multifunction Printer
- Toner Cartridge (500 page capacity**)
- Quick Installation Guide, Quick Use Guide, Software and Documentation Disc
- Power CableUSB Cable
- Fax Cord (WorkCentre 6027)

Supplies Toner Cartridges**:

 Black: 2,000 std. pages
 106R02759

 Cyan: 1,000 std. pages
 106R02756

 Magenta: 1,000 std. pages
 106R02757

 Yellow: 1,000 std. pages
 106R02758

* Windows v3 driver only.

** Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.





Xerox[®] WorkCentre[®] 6655i Color Multifunction Printer

The way you want to work.



Xerox® WorkCentre® 6655i Color Multifunction Printer

Work isn't always confined to the office and neither are you. Xerox° ConnectKey° Technology gives you the freedom and convenience to work when you want, where you want, by keeping you seamlessly connected to the productivity tools that drive your business forward. For more information, visit www.connectkey.com.

Room to roam.

The WorkCentre 6655i allows your staff to control device functions from any workstation. The Remote Control Panel makes it more convenient to train users and for IT staff to remotely view and monitor the user interface.

Xerox® devices built on ConnectKey Technology support a Wi-Fi Direct connection that lets you print from your mobile device without having to connect to a network.

Xerox enables secure and accurate printing and scanning with a continuum of mobile options that fit your environment, with free print and scan apps, such as Xerox® Mobile Link App, plus a robust set of mobile enterprise solutions.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

A better way to get work done.

Experience a simplified, and intuitive user interface that can be tailored for your individual business needs. Easily create a workflow that enables you to scan information to your selected destinations, (email, desktop, network folders, cloud repositories) in secure text searchable formats, at the touch of a button. This saves time, and allows more to be done with the information you scan and store.

Embedded apps allow you to easily connect your mobile workers to the device. Xerox® App Gallery allows you to download new apps, such as Print from DropBox™ and Scan to Microsoft® Office 365 directly from the user interface. Xerox® ConnectKey Technology helps to streamline how your business deals with critical information—in-house or in the cloud.

Apps are available at the Xerox® App Gallery. Visit www.xerox.com/AppGallery.

Bottom-line benefits.

Xerox® print drivers based on Microsoft® Windows® give you the ability to save different settings per application, minimizing the need to make changes and reducing the risk of potential errors. Xerox® ConnectKey Technology evolves with your needs by restricting usage and regulating color printing. The User Permission control integrates with your internal authentication system, allowing you to prevent pre-determined or non-authenticated users from seeing specific features on the user interface.

No-compromise data protection.

ConnectKey Technology provides advanced features and technologies to help ensure your company's confidential information stays secure. Our standard security features include AES 256-bit hard disk encryption, McAfee® protection powered by Intel Security, image overwrite, secure print with timed deletion and emailing to external mail servers.

For more information about how Xerox helps make you more secure, visit www.xerox.com/security.





To learn more about ConnectKey Technology-enabled features, go to www.xerox.com/ConnectKeyEG



More flexibility regardless of location.

Improve your mobile printing experience.

- Apple® AirPrint™. Print email, photos and important office documents directly from your Apple iPhone® or iPad® with no drivers to install. With AirPrint, your iPhone or iPad automatically locates and connects to the AirPrint-enabled device over your office Wi-Fi network.
- Xerox® Print Service Plug-in for Android™. Android printing is simple without third-party apps or print drivers. This plug-in lets you easily print to a Xerox® ConnectKey Technology-enabled MFP through a wireless network.

Xerox® Easy Translator Service.

This optional service allows customers to scan a document and receive a translated print and/or email notification. Users can also send an image from an iOS or Android device, or a PC, that is forwarded for translation. For more information, visit https://xeroxtranslates.com









Whether on a desktop or floor-standing, the Xerox® WorkCentre® 6655i Color Multifunction Printer offers the right configuration for any office environment.









- 1 60-sheet Duplex Automatic Document Feeder accepts custom media sizes from 5.5 x 5.5 in. to 8.5 x 14 in. (139.7 x 139.7 mm to 216 x 356 mm).
- 2 The large 8.5 x 14 in. (216 x 356 mm) platen glass supports a wide range of media sizes.
- The WorkCentre 6655i includes a 7-inch touch screen with easily understood instructions and help screens to streamline walkup operations.
- Standard apps for extra convenience, Xerox® App Gallery, @PrintByXerox and QR Code help with mobile printing and pairing and loading new apps.
- 5 An easily accessible USB port allows users to quickly print from or scan to any standard USB memory device.
- 6 250-sheet output tray with tray-full sensor.
- 7 The Convenience Stapler staples up to 20 sheets of 20 lb. bond / 75 gsm media.
- 3 150-sheet Bypass Tray handles custom media sizes from 3 x 5 in. to 8.5 x 14 in. (76.2 x 127 mm to 216 x 356 mm).
- The standard 550-sheet paper tray handles media sizes from 5.8 x 8.3 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm).
- Ochoose 1 additional 550-sheet paper tray for media sizes from 5.8 x 8.3 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm) (optional), increasing the total paper capacity to 1,250 sheets.
- Optional stand provides storage for toner cartridges, paper and other supplies.
- 12 The optional Xerox® USB Wireless Adapter allows you to connect the WorkCentre 6655i to your wireless network.

Keep your costs under control.

With the Xerox® WorkCentre® 6655i, you'll impact your bottom line – and impress your customers.

- Customize your print driver settings for economy and efficiency. For example, choose N-up for printing multiple pages on a single sheet as your default. Adjust settings for specific applications, such as always printing emails as duplex pages.
- Print responsibly. By default, our print driver is set to two-sided printing, and the Earth Smart feature allows you to select other default settings that encourage responsible usage, such as no printing banner pages.
- Easy, accurate billing. The WorkCentre 6655i has the ability to connect to the network to automatically submit meter readings so that toner replenishment can be streamlined to enable more productivity.
- Manage and track device usage. Xerox® Standard Accounting provides reports for greater cost control of all device functions. Advanced solutions from Xerox Business Innovation Partners deliver even more helpful tools for larger office environments.



Xerox® WorkCentre® 6655i



The WorkCentre 6655i Color Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

Device Specifications WorkCentre 665		WorkCentre 6655i/X	
Speed		Up to 36 ppm letter / Up to 35 ppm A4	
Duty Cycle ¹ l		Up to 100,000 pages / month	
Hard Drive / Process	or / Memory	Minimum 250 GB HDD / 1 GHz Dual-core / 4 GB	
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct with Optional Xerox® USB Wireless Adapter	
Controller Features		Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning	
Copy and Print Copy and Print Resolution		Copy: Up to 600 x 600 dpi; Print: Up to 2400 x 600 dpi	
First-print-out Time (as fast as)		Copy: As fast as 16 seconds color / 15 seconds black-and-white; Print: As fast as 11 seconds color / 11 seconds black-and-white	
Page Description La	nguages	Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®)	
Print Features	Print From USB, Encrypted Secure Print, Xerox® Earth Smart Driver Settings, Job Identification, Store and Recall Driver Settings, Bi-directional Real-time Job Monitoring, Xerox® Color By Words, Application Defaults, Two-sided Printing (as default), Hold All Jobs		
Mobile	Standard	Apple® AirPrint™, Mopria® Certified, QR Code App, Xerox® App Gallery App, @PrintByXerox App	
Printing Free	e Download	Xerox® Print Service Plug-in for Android, Mopria® Print Service Plug-in for Android™, Xerox® Mobile Link App	
and pps	Optional	Xerox® Mobile Print, Xerox® Mobile Print Cloud, Xerox® Easy Translator Service	
Scan Standard		Destinations: Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network; File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A	
	Optional	ConnectKey® for DocuShare®, Xerox® Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Partners	
Fax Embedded Fax², LAN Fax, Internet Fax, Server Fax		Embedded Fax², LAN Fax, Internet Fax, Server Fax	
Security	Standard	McAfee® Embedded, McAfee ePolicy (ePo) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408)³, Encrypted Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions	
	Optional	McAfee Integrity Control, Smart Card Kit (CAC/PIV, .NET), Xerox® PrintSafe Software	
Accounting	Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement	
	Optional	Equitrac Express®, Equitrac Office®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners	
Paper Input	Standard	Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
	Optional	1 Additional Tray: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
Total Capacity (Std. / Max.)		700 / 1,250 sheets	
Paper Output		250 sheets face down with tray full sensor	
Finishing		Offline Convenience Stapler: 20-sheet, Single Position	
Warranty		One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee	
-			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ³ Undergoing evaluation

Device Management

Xerox® CentreWare® Internet Services, Xerox® CentreWare® Web, Apple® Bonjour®, Low supplies email alerts

Print Drivers

Windows® XP/2003 Server/2008 Server/2012 Server/Vista/7/8/9, Mac OS® 10.5 and higher, Oracle® Solaris 9, 10, Redhat® Enterprise Linux®, Fedora® Core 12-15, HP-UX® 11iv2, IBM® AIX® 5, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Duplex Automatic Document Feeder: Simplex: 13 to 32 lb. bond / 50 to 125 gsm; Duplex:16 to 32 lb. bond / 60 to 125 gsm; Bypass Tray, Tray 1 and Optional Tray: Simplex: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; Duplex: 16 to 43 lb. bond / 60 to 163 gsm

Media Types

Plain, Hole-punched, Letterhead, Lightweight Cardstock, Cardstock, Recycled, Bond, Labels, Pre-printed, Envelopes, Custom For a complete list, visit www.xerox.com.

Dimensions (W x D x H)

21.2 x 21.8 x 24.6 in. / 538 x 553 x 625 mm, Weight: 82.9 lb. / 37.6 kg

Certifications

FCC Part 15, Class A, FCC Part 68, CE Mark applicable to Directives 2006/95/EC, 2004/108/EC and 1999/5/EC, UL 60950-1/CSA 60950-1-07, 2nd Edition, EAC, WEEE Directive 2002/96/EC and FDA/CDRH—Class 1 Laser Product, CE mark applicable Directive 2011/65/EC (RoHS), Blue Angel, GS Mark, NOM, Ukraine, Citrix, ENERGY STAR® qualified. To view the latest list of certifications, go to www.xerox.com/Office/Certifications.

Supplies Recycling Program

Consumables for the WorkCentre 6655i are part of the Xerox Green World Alliance Supplies Recycling Program. For more information, please visit the Green World Alliance website at www.xerox.com/gwa.

What Comes in the Box

- WorkCentre 6655i Color Multifunction Printer
- Starter Toner Cartridges One of each (Cyan, Magenta, Yellow: 3,000 print capacity*; Black: 6,000 print capacity*)
- Quick Installation Guide, Product Information Guide, Driver CD, Documentation CD (User Manual, System Admin Guide)
- Power Cable
- Fax Cord

Supplies and Options Part No.

supplies and options i alterno.	
Black Toner Cartridge: 12,000 std. pages*	106R02747
Cyan Toner Cartridge: 7,500 std. pages*	106R02744
Magenta Toner Cartridge: 7,500 std. pages*	106R02745
Yellow Toner Cartridge: 7,500 std. pages*	106R02746
Imaging Unit Kit: Up to 60,000 pages**	108R01121
Waste Cartridge: Up to 30,000 pages**	108R01124
Fuser Assembly (110V): Up to 100,000 pages**	115R00088
Fuser Assembly (220V): Up to 100,000 pages**	115R00089
Transfer Unit Kit: Up to 100,000 pages**	108R01122
Staple Cartridge	108R00823
550-sheet Feeder	097S04664
Stand	497K14670
Wireless Networking Adapter	497K11500
McAfee Integrity Kit	320S00665
Common Access Card Enablement Kit	498K17546

*Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode ** Approximate pages. Declared Yield based on letter-/A4-size 20 lb.

For more detailed specifications, go to www.xerox.com/office/WC6655Specs. Build and configure your own Xerox® WorkCentre 6655i Color Multifunction Printer at www.buildyourownxerox.com/connectkey. For more information, visit us at www.xerox.com/office.



© 2016 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, Scan to PC Desktop®, WorkCentre®, Xerox eConcierge® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. Product information and/or specifications are subject to change without notice. Undated 2/16 BR15/208 W66BR-02U

^{**} Approximate pages. Declared Yield based on letter-/A4-size 20 lb. (75 gsm) pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.



Xerox[®] WorkCentre[®] 7220i/7225i Color Multifunction Printer

Meet today's tasks, build tomorrow's opportunities.



Xerox® WorkCentre® 7220i/7225i Color Multifunction Printer

With Xerox, you can gain an important competitive advantage with innovative tools that help you save time, control costs, and get a significant return on your investment. For more information, visit **www.connectkey.com**.

The perfect touch for optimizing your workflow.

Experience a simplified, and intuitive user interface that can be tailored for your individual business needs. Easily create a workflow that enables you to scan information to your selected destinations, (email, desktop, network folders, cloud repositories) in secure text searchable formats, at the touch of a button. This saves time, and allows more to be done with the information you scan and store.

Embedded apps allow you to easily connect your mobile workers to the device. Xerox® App Gallery allows you to download new apps, such as Print from DropBox™ and Scan to Microsoft® Office 365 directly from the user interface. Xerox® ConnectKey® Technology helps to streamline how your business deals with critical information—in-house or in the cloud.

Apps are available at the Xerox® App Gallery. Visit www.xerox.com/AppGallery.

Affordable color that makes an impact.

Xerox® print drivers based on Microsoft® Windows® give you the ability to save different settings per application, minimizing the need to make changes and reducing the risk of potential errors. Xerox® ConnectKey Technology evolves with your needs by restricting usage and regulating color printing. The User Permission control integrates with your internal authentication system, allowing you to prevent pre-determined or non-authenticated users from seeing specific features on the user interface.

Stay connected and productive – anytime, anywhere.

The WorkCentre 7220i/7225i allows your staff to control device functions from any workstation. The Remote Control Panel makes it more convenient to train users and for IT staff to remotely view and monitor the user interface.

Xerox® devices built on ConnectKey Technology support a Wi-Fi Direct connection that lets you print from your mobile device without having to connect to a network.

Xerox enables secure and accurate printing and scanning with a continuum of mobile options that fit your environment, with free print and scan apps, such as Xerox® Mobile Link App, plus a robust set of mobile enterprise solutions.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

Comprehensive security for complete data protection.

ConnectKey Technology provides advanced features and technologies to help ensure your company's confidential information stays secure. Our standard security features include AES 256-bit hard disk encryption, McAfee® protection powered by Intel Security, image overwrite, secure print with timed deletion and emailing to external mail servers.

For more information about how Xerox helps make you more secure, visit www.xerox.com/security.



More flexibility regardless of location.

Improve your mobile printing experience.

- Apple® AirPrint®. Print email, photos and important office documents directly from your Apple iPhone® or iPad® with no drivers to install. With AirPrint, your iPhone or iPad automatically locates and connects to the AirPrint-enabled device over your office Wi-Fi network.
- Xerox® Print Service Plug-in for Android™. Android printing is simple without third-party apps or print drivers. This plug-in lets you easily print to a Xerox® ConnectKey Technology-enabled MFP through a wireless network.

Xerox® Easy Translator Service.

This optional service allows customers to scan a document and receive a translated print and/or email notification. Users can also send an image from an iOS or Android device, or a PC, that is forwarded for translation. For more information, visit https://xeroxtranslates.com





To learn more about ConnectKey Technology-enabled features, go to www.xerox.com/ConnectKeyEG




- 1 With a compact footprint, the Xerox® WorkCentre® 7220i/7225i delivers more functionality while taking up less space. Add basic finishing capabilities with the Integrated Office Finisher without increasing the footprint.
- 2 The Duplex Automatic Document Feeder holds 110 sheets of paper.
- 3 50-sheet bypass tray for specialty media and sizes.
- 4 Choose the configuration that meets your needs: a two-520-sheet tray with stand configuration holding up to 1,040 sheets of 11 x 17 in. paper, or a fourtray configuration holding up to 2,080 sheets.
- 5 Office Finisher LX (with Booklet Maker option) provides advanced finishing functions at a value price.
- 6 Customizable 7-inch user interface
- Standard apps for extra convenience. Xerox® App Gallery, @PrintByXerox and QR Code help with mobile printing and pairing and loading new apps.



Keep your costs under control

With the WorkCentre 7220i/7225i, you'll impact your bottom line – and impress your customers – with color that's as bold as it is affordable.

- Customize your print driver settings for economy and efficiency. For example, choose N-up for printing multiple pages on a single sheet as your default. Adjust settings for specific applications, such as always printing emails in black-and-white.
- Print responsibly. By default, our print driver is set to two-sided printing, and the Earth Smart feature allows you to select other default settings that encourage responsible usage, such as no printing banner pages.
- Easy, accurate billing; The WorkCentre 7220i/7225i has the ability to connect to the network to automatically submit meter readings so that toner replenishment can be streamlined to enable more productivity.
- Manage and track device usage. Xerox®
 Standard Accounting provides reports for
 greater cost control of all device functions.
 Advanced solutions from Xerox Business
 Innovation Partners deliver even more helpful
 tools for larger office environments.
- Earth-smart printing. Our innovative Earth Smart feature allows you to choose the most environmentally sensitive options for your print jobs.



The WorkCentre 7220i/7225i Color Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com.

Device Specific	ations	WorkCentre 7220i	WorkCentre 7225i	
Speed		Up to 20 ppm color and black-and-white	Up to 25 ppm color and black-and-white	
Duty Cycle ¹		Up to 50,000 pages / month	Up to 60,000 pages / month	
Hard Drive / Processo	or / Memory	Minimum 250 GB HDD / 1.2 GHz Dual-core / 2 GB system plus 1 GB page memory		
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct with Optional Xerox® USB Wireless Adapter		onal Xerox® USB Wireless Adapter	
Controller Features	Controller Features Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning		nterface and print driver), Configuration Cloning	
Copy and Print Copy Resolution				
Print Resolution		Up to 2400 x 600 image quality		
First-copy-out Time (as fast as)		8.4 seconds color / 7.1 seconds black-and-white from the Platen	8.7 seconds color / 7.2 seconds black-and-white from the Platen	
First-print-out Time (as fast as)	8.8 seconds color / 7.0 seconds black-and-white	9.1 seconds color / 7.1 seconds black-and-white	
Page Description Languages		PCL® 5c / PCL 6, XML Paper Specification (XPS®), Adobe® PostScript® 3™ (Optional), PDF2		
Print Features		Print from USB ² , Encrypted Secure Print, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Xerox [®] Color By Words ³ , Application Defaults, Two-sided Printing (as default), Hold All Jobs		
Mobile	Standard	Apple® AirPrint®, Mopria® Certified, QR Code App, Xerox® App Gallery App, @PrintByXerox App		
Printing and Apps Free	Download	Xerox® Print Service Plug-in for Android, Mopria® Print Service Plug-in for Android™, Xerox® Mobile Link App		
	Optional	Xerox® Mobile Print, Xerox® Mobile Print Cloud, Xerox® Easy Translator Service²		
Scan Standard Destinations: Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network; File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A Optional Optional ConnectKey® for DocuShare®, Xerox® Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to Mailbox, Scan to Mailbox, Scan to DSB, Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to Mailbox, Scan to Mailbox, Scan to DSB, Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to Mailbox, Scan to Mailbox, Scan to DSB, Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Particular Scan to PC Desktop® SE and Professional PC Desktop® SE and Professional PC Desktop® SE and PC Desktop® SE and PC Desktop® SE Desktop®				
		ConnectKey® for DocuShare®, Xerox® Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Partners		
Fax	Standard	Internet Fax, Fax Build Job, Network Server Fax Enablement		
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax)		
Security	Standard	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, AES 256-bit Encryption (FIPS 140-2 compliant), SHA-256 Hash Message Authentication, Common Criteria Certification (ISO 15408) ⁴ , Encrypted Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, TLS, SNMPv3, Audit Log, Access Controls, User Permissions		
	Optional	McAfee Integrity Control, Smart Card Enablement Kit (CAC/PIV/.NET), Xerox® PrintSafe Software		
Accounting	Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement		
	Optional	Equitrac Express®, Equitrac Office®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners		
Paper Input	Standard	Duplex Automatic Document Feeder: 110 sheets; Sizes: 5.5 x 8.5 in, to 11 x 17 in, / 148 x 210 mm to 297 x 420 mm; Custom sizes: 3.3 x 4.9 in, to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm		
		Bypass Tray: 50 sheets; Custom sizes: 3.5 x 3.9 in. to 11.7 x 17 in. / 89 x 98 mm to 297 x 432 mm		
		WorkCentre 7220i/7225i (Trays 1 and 2 with Stand): 520 sheets each; Sizes: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm		
		WorkCentre 7220i/T/7225i/T (Trays 1-4) : 520 sheets each; Sizes: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm		
	Optional	Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in. / 98 x 148 mm to 162 x 241 mm		
Paper Output /	Standard Standard	Dual Catch Trays: 250-sheets each, Lower tray offsets		
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler: staples 50 sheets		

Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² PostScript option is required for Xerox® Easy Translator or to print PDFs or PostScript files from a thumb drive; ³ Only available in the optional Adobe[®] PostScript[®] 3™ driver; ⁴ Undergoing evaluation.

Xerox® ConnectKey® Technology



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate **Xerox Corporation**



2014, 2015 and 2016 Document Imaging Software Line of the Year

2016 Article 2016 Certificate Xerox® Easy Translator Service



2016 Outstanding Achievement in Innovation

2016 Article 2016 Certificate Xerox® App Studio



2015 Outstanding Achievement in Innovation

2015 Article 2015 Certificate Xerox® Mobile Print Cloud 2013 and 2015 Pick



Outstanding Small Business Outstanding Enterprise **Mobile Print Solution**

2015 Article 2015 Certificate

Xerox® Mobile Print Solution 2014 and 2015 Pick



Mobile Print Solution

2015 Article 2015 Certificate WorkCentre 7220 2015 Pick



Outstanding Entry-Level 20-ppm A3 Colour MFP

2015 Article 2015 Certificate

For more detailed specifications, go to www.xerox.com/office/WC7200Specs. Build and configure your own Xerox® WorkCentre 7220i/7225i Color Multifunction Printer at www.buildyourownxerox.com/connectkey.

